

Heavy-duty Working Tools



Phillips Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2511DT	PH 1	25	1"	25
1011-2512DT	PH 2	25	1"	25
1011-2513DT	PH 3	25	1"	25
1011-2515DT	PH 2 Drywall	25	1"	25

Phillips Insert Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2511TC	PH 1	25	1"	25
1011-2512TC	PH 2	25	1"	25
1011-2513TC	PH 3	25	1"	25
1011-2515TC	PH 2 Drywall	25	1"	25

Phillips Insert Bits, Torsion



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2511TS	PH 1	25	1"	25
1011-2512TS	PH 2	25	1"	25
1011-2513TS	PH 3	25	1"	25
1011-2515TS	PH 2 Drywall	25	1"	25

Phillips Insert Bits, Torsion (Medium Hard)



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2511MH	PH 1	25	1"	25
1011-2512MH	PH 2	25	1"	25
1011-2513MH	PH 3	25	1"	25

Phillips Insert Bits, Torsion, Anti Cam-out



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2521TS	PH 1	25	1"	25
1011-2522TS	PH 2	25	1"	25
1011-2523TS	PH 3	25	1"	25
1011-2525TS	PH 2 Drywall	25	1"	25

Phillips Insert Bits, Torsion, Anti Cam-out (Medium Hard)



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2521MH	PH 1	25	1"	25
1011-2522MH	PH 2	25	1"	25
1011-2523MH	PH 3	25	1"	25

Phillips Insert Bits, Forging



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2511	PH 1	25	1"	25
1011-2512	PH 2	25	1"	25
1011-2513	PH 3	25	1"	25
1011-2515	PH 2 Drywall	25	1"	25

Phillips Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2500	PH 0	25	1"	25
1011-2501	PH 1	25	1"	25
1011-2502	PH 2	25	1"	25
1011-2503	PH 3	25	1"	25
1011-2504	PH 4	25	1"	25
1011-2505	PH 2 Drywall	25	1"	25
1011-1004	PH 4	32	1-1/4"	10

Phillips Insert Bits (Medium Hard)



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2501MH	PH 1	25	1"	25
1011-2502MH	PH 2	25	1"	25
1011-2503MH	PH 3	25	1"	25

Phillips Drywall Screw Setters



• DIN 3126, ISO 1173, C 6.3, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1211-2502	PH 2	25	1"	25
1212-1002	PH 2	50	2"	10

Phillips Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1011DT	PH 1	50	2"	10
1012-1012DT	PH 2	50	2"	10
1012-1013DT	PH 3	50	2"	10

Phillips Power Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1011TC	PH 1	50	2"	10
1012-1012TC	PH 2	50	2"	10
1012-1013TC	PH 3	50	2"	10
1017-1011TC	PH 1	75	3"	10
1017-1012TC	PH 2	75	3"	10
1017-1013TC	PH 3	75	3"	10
1013-1011TC	PH 1	89	3-1/2"	10
1013-1012TC	PH 2	89	3-1/2"	10
1013-1013TC	PH 3	89	3-1/2"	10
1016-1011TC	PH 1	152	6"	10
1016-1012TC	PH 2	152	6"	10
1016-1013TC	PH 3	152	6"	10

Phillips Power Bits, Torsion



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1011TS	PH 1	50	2"	10
1012-1012TS	PH 2	50	2"	10
1012-1013TS	PH 3	50	2"	10
1010-1011TS	PH 1	70	2-3/4"	10

Code	Size	L (mm)	L (inch)	Pack
1010-1012TS	PH 2	70	2-3/4"	10
1010-1013TS	PH 3	70	2-3/4"	10
1017-1011TS	PH 1	75	3"	10
1017-1012TS	PH 2	75	3"	10
1017-1013TS	PH 3	75	3"	10
1013-1011TS	PH 1	89	3-1/2"	10
1013-1012TS	PH 2	89	3-1/2"	10
1013-1013TS	PH 3	89	3-1/2"	10
1014-1012TS	PH 2	100	4"	10
1014-1013TS	PH 3	100	4"	10
1015-1012TS	PH 2	127	5"	10
1015-1013TS	PH 3	127	5"	10
1016-1012TS	PH 2	152	6"	10
1016-1013TS	PH 3	152	6"	10

Phillips Power Bits, Torsion, Anti Cam-out



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1021TS	PH 1	50	2"	10
1012-1022TS	PH 2	50	2"	10
1012-1023TS	PH 3	50	2"	10
1010-1021TS	PH 1	70	2-3/4"	10
1010-1022TS	PH 2	70	2-3/4"	10
1010-1023TS	PH 3	70	2-3/4"	10
1017-1021TS	PH 1	75	3"	10
1017-1022TS	PH 2	75	3"	10
1017-1023TS	PH 3	75	3"	10
1013-1021TS	PH 1	89	3-1/2"	10
1013-1022TS	PH 2	89	3-1/2"	10
1013-1023TS	PH 3	89	3-1/2"	10
1014-1022TS	PH 2	100	4"	10
1014-1023TS	PH 3	100	4"	10
1015-1022TS	PH 2	127	5"	10
1015-1023TS	PH 3	127	5"	10
1016-1022TS	PH 2	152	6"	10
1016-1023TS	PH 3	152	6"	10

Phillips Power Bits, Forging




• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1011	PH 1	50	2"	10

Code	Size	L (mm)	L (inch)	Pack
1012-1012	PH 2	50	2"	10
1012-1013	PH 3	50	2"	10
1010-1011	PH 1	70	2-3/4"	10
1010-1012	PH 2	70	2-3/4"	10
1010-1013	PH 3	70	2-3/4"	10
1017-1011	PH 1	75	3"	10
1017-1012	PH 2	75	3"	10
1017-1013	PH 3	75	3"	10
1013-1011	PH 1	89	3-1/2"	10
1013-1012	PH 2	89	3-1/2"	10
1013-1013	PH 3	89	3-1/2"	10
1014-1011	PH 1	100	4"	10
1014-1012	PH 2	100	4"	10
1014-1013	PH 3	100	4"	10
1015-1011	PH 1	127	5"	10
1015-1012	PH 2	127	5"	10
1015-1013	PH 3	127	5"	10
1016-1011	PH 1	152	6"	10
1016-1012	PH 2	152	6"	10
1016-1013	PH 3	152	6"	10

Phillips Power Bits, Forging, Anti Cam-out



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1021	PH 1	50	2"	10
1012-1022	PH 2	50	2"	10
1012-1023	PH 3	50	2"	10
1010-1021	PH 1	70	2-3/4"	10
1010-1022	PH 2	70	2-3/4"	10
1010-1023	PH 3	70	2-3/4"	10
1017-1021	PH 1	75	3"	10
1017-1022	PH 2	75	3"	10
1017-1023	PH 3	75	3"	10
1013-1021	PH 1	89	3-1/2"	10
1013-1022	PH 2	89	3-1/2"	10
1013-1023	PH 3	89	3-1/2"	10
1014-1021	PH 1	100	4"	10
1014-1022	PH 2	100	4"	10
1014-1023	PH 3	100	4"	10
1015-1021	PH 1	127	5"	10
1015-1022	PH 2	127	5"	10
1015-1023	PH 3	127	5"	10
1016-1021	PH 1	152	6"	10
1016-1022	PH 2	152	6"	10
1016-1023	PH 3	152	6"	10

Phillips Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1000	PH 0	50	2"	10
1012-1001	PH 1	50	2"	10
1012-1002	PH 2	50	2"	10
1012-1003	PH 3	50	2"	10
1010-1001	PH 1	70	2-3/4"	10
1010-1002	PH 2	70	2-3/4"	10
1010-1003	PH 3	70	2-3/4"	10
1017-1001	PH 1	75	3"	10
1017-1002	PH 2	75	3"	10
1017-1003	PH 3	75	3"	10
1013-1001	PH 1	89	3-1/2"	10
1013-1002	PH 2	89	3-1/2"	10
1013-1003	PH 3	89	3-1/2"	10
1014-1001	PH 1	100	4"	10
1014-1002	PH 2	100	4"	10
1014-1003	PH 3	100	4"	10
1015-1001	PH 1	127	5"	10
1015-1002	PH 2	127	5"	10
1015-1003	PH 3	127	5"	10
1016-1001	PH 1	152	6"	10
1016-1002	PH 2	152	6"	10
1016-1003	PH 3	152	6"	10
1019-0502	PH 2	300	12"	5

Phillips Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1012-1000TD	PH 0	50	2"	4.0	10
1012-1001TD	PH 1	50	2"	5.0	10
1012-1002TD	PH 2	50	2"	6.0	10
1012-1003TD	PH 3	50	2"	6.0	10
1010-1001TD	PH 1	70	2-3/4"	5.0	10
1010-1002TD	PH 2	70	2-3/4"	6.0	10
1010-1003TD	PH 3	70	2-3/4"	6.0	10
1017-1001TD	PH 1	75	3"	5.0	10
1017-1002TD	PH 2	75	3"	6.0	10
1017-1003TD	PH 3	75	3"	6.0	10
1013-1001TD	PH 1	89	3-1/2"	5.0	10
1013-1002TD	PH 2	89	3-1/2"	6.0	10
1013-1003TD	PH 3	89	3-1/2"	6.0	10
1014-1001TD	PH 1	100	4"	5.0	10
1014-1002TD	PH 2	100	4"	6.0	10

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1014-1003TD	PH 3	100	4"	6.0	10
1015-1001TD	PH 1	127	5"	5.0	10
1015-1002TD	PH 2	127	5"	6.0	10
1015-1003TD	PH 3	127	5"	6.0	10
1016-1001TD	PH 1	152	6"	5.0	10
1016-1002TD	PH 2	152	6"	6.0	10
1016-1003TD	PH 3	152	6"	6.0	10

Phillips Power Bits, Turned Down Shank (Reduced Diameter)



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1012-1000RD	PH 0	50	2"	2.5	10
1012-1001RD	PH 1	50	2"	3.5	10
1012-1002RD	PH 2	50	2"	4.5	10
1010-1001RD	PH 1	70	2-3/4"	3.5	10
1010-1002RD	PH 2	70	2-3/4"	4.5	10
1017-1001RD	PH 1	75	3"	3.5	10
1017-1002RD	PH 2	75	3"	4.5	10
1013-1001RD	PH 1	89	3-1/2"	3.5	10
1013-1002RD	PH 2	89	3-1/2"	4.5	10
1014-1001RD	PH 1	100	4"	3.5	10
1014-1002RD	PH 2	100	4"	4.5	10
1015-1002RD	PH 2	127	5"	4.5	10
1016-1002RD	PH 2	152	6"	4.5	10

Phillips Power Bits With Finder Sleeve



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1722-0501	PH 1	53	2-3/32"	5
1722-0502	PH 2	53	2-3/32"	5
1722-0503	PH 3	53	2-3/32"	5
1723-0501	PH 1	92	3-5/8"	5
1723-0502	PH 2	92	3-5/8"	5
1723-0503	PH 3	92	3-5/8"	5

Phillips Manual Impact Driver Bits



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1701-1001	PH 1	35	1-3/8"	10
1701-1002	PH 2	35	1-3/8"	10
1701-1003	PH 3	35	1-3/8"	10
1701-1004	PH 4	35	1-3/8"	10
1702-0501	PH 1	50	2"	5
1702-0502	PH 2	50	2"	5
1702-0503	PH 3	50	2"	5
1702-0504	PH 4	50	2"	5
1700-0501	PH 1	70	2-3/4"	5
1700-0502	PH 2	70	2-3/4"	5
1700-0503	PH 3	70	2-3/4"	5
1700-0504	PH 4	70	2-3/4"	5
1704-0501	PH 1	100	4"	5
1704-0502	PH 2	100	4"	5
1704-0503	PH 3	100	4"	5
1704-0504	PH 4	100	4"	5

ACR Phillips II® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1921-2500	ACR 0	25	1"	25
1921-2501	ACR 1	25	1"	25
1921-2502	ACR 2	25	1"	25
1921-2503	ACR 3	25	1"	25

ACR Phillips II® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1922-1000	ACR 0	50	2"	10
1922-1001	ACR 1	50	2"	10
1922-1002	ACR 2	50	2"	10
1922-1003	ACR 3	50	2"	10
1927-1002	ACR 2	75	3"	10
1923-1002	ACR 2	89	3-1/2"	10
1926-1002	ACR 2	152	6"	10



ACR PHILLIPS II® Drive Systems



Includes comprehensive engineering Head Standards, Drive Bit Standards, Gage Standards, and Punch Standards.

Designed and engineered to replace generic Phillips screws.
The PHILLIPS II® Drive System has been designed to meet the ever-challenging demand of faster manufacturing assembly processes that can cause driver cam-out, resulting in component surface damage and scrapped components. It facilitates off-angle fastener driving efficiency in difficult assembly positions and reduces end-load pressure, resulting in less operator fatigue.

- Features
- Enhanced cruciform drive with anti-cam-out recess (ACR®) technology
 - Reduced end-load pressure
 - Distinctive head marking that easily identifies PHILLIPS II Drive System

- Benefits
- Virtually eliminates cam-out
 - Improves off-angle drive efficiency
 - Reduces burred screwheads and marred components
 - Lowers operator fatigue and increases productivity
 - Field service compatible with generic Phillips driver bits
 - Aids in disassembly for more effective maintenance and service
 - Speeds assembly while reducing defects and rework

Application
Automotive, Electronics, Industrial, Construction

ACR PHILLIPS II® is a registered trademark of Phillips Screw Company.

For more information on the ACR PHILLIPS II® Drive System, please visit Phillips Screw Company website at www.phillips-screw.com.



PHILLIPS SQUARE-DRIV® Drive Systems



Includes comprehensive engineering Head Standards, Driver Bit Standards, Gage Standards, Quality Standards and Punch Standards.

The One drive system with five choices of engagement.
The benefits of the PHILLIPS SQUARE-DRIV® Drive System are significant. In larger, higher torque applications where stick-fit is crucial, PHILLIPS SQUARE-DRIV is especially useful. Fasteners can be better controlled at higher torque levels for optimum clamp loads. This reduces driver bit wear and eliminates driver cam-out which can cause recess reaming, component damage/rework and operator injury.

- Features
- Unique combination drive system with ACR technology
 - Only three driver bit sizes required to cover the most popular size-range
 - Higher torque driving capability for thread-forming screw applications
 - Non-magnetic fastener-to-bit stick-fit
 - Distinctive head marking that easily identifies a PHILLIPS SQUARE-DRIV Drive System

- Benefits
- Significantly enhances driving torque capability
 - Extends driver bit life
 - Facilitates one-hand fastener installation
 - Aids in disassembly for more effective maintenance and service
 - Virtually eliminates dropped screws in assembly area and on factory floor

Application
Automotive, Electronics, Industrial, Marine, Construction

PHILLIPS SQUARE-DRIV® is a registered trademark of Phillips Screw Company.

For more information on the PHILLIPS SQUARE-DRIV® Drive System, please visit Phillips Screw Company website at www.phillips-screw.com.

Phillips Square-Drive® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1901-2500	PSD 0-1	25	1"	25
1901-2501	PSD 1-2	25	1"	25
1901-2502	PSD 2-2	25	1"	25
1901-2503	PSD 3-3	25	1"	25

Phillips Square-Drive® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1902-1000	PSD 0-1	50	2"	10
1902-1001	PSD 1-2	50	2"	10
1902-1002	PSD 2-2	50	2"	10
1902-1003	PSD 3-3	50	2"	10
1907-1002	PSD 2-2	75	3"	10
1903-1002	PSD 2-2	89	3-1/2"	10
1906-1002	PSD 2-2	152	6"	10

POZIDRIV® Drive Systems



Includes comprehensive engineering Head Standards, Driver Bit Standards, Gaging Standards and Formula Data Standards.


The drive system of choice for high-volume assembly operations. The self-centering POZIDRIV® Cruciform Drive System is ideal wherever high production is essential. Its self-centering design provides excellent driving control with less operator fatigue. In addition, it is highly wear-resistant to withstand the stresses of repeated torquing for exceptionally long life when POZIDRIV® driver bits are used.

- Features
- Offers fast, efficient installation
 - Excellent driver control
 - Self-centering
 - Provides better mating with driver
 - Wear-resistant design

- Benefits
- Reduced worker fatigue
 - Extended drive tool life
 - Reduced cam-out at higher torques
 - Eliminates damaged screws
 - Improved manual and automated operations

POZIDRIV® is a registered trademark of Phillips Screw Company. For more information on the POZIDRIV® Drive System, please visit Phillips Screw Companywebsite at www.phillips-screw.com.

Pozidriv® Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2511DT	PZ 1	25	1"	25
1021-2512DT	PZ 2	25	1"	25
1021-2513DT	PZ 3	25	1"	25

Pozidriv® Insert Bits, Torsion, Titanium Coating



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2511TC	PZ 1	25	1"	25
1021-2512TC	PZ 2	25	1"	25
1021-2513TC	PZ 3	25	1"	25

Pozidriv® Insert Bits, Torsion



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2511TS	PZ 1	25	1"	25
1021-2512TS	PZ 2	25	1"	25
1021-2513TS	PZ 3	25	1"	25

Pozidriv® Insert Bits, Torsion (Medium Hard)



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2511MH	PZ 1	25	1"	25
1021-2512MH	PZ 2	25	1"	25
1021-2513MH	PZ 3	25	1"	25

Pozidriv® Insert Bits, Torsion, Anti Cam-out



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2521TS	PZ 1	25	1"	25
1021-2522TS	PZ 2	25	1"	25
1021-2523TS	PZ 3	25	1"	25

Pozidriv® Insert Bits, Torsion, Anti Cam-out (Medium Hard)



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2521MH	PZ 1	25	1"	25
1021-2522MH	PZ 2	25	1"	25
1021-2523MH	PZ 3	25	1"	25

Pozidriv® Insert Bits, Forging



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2511	PZ 1	25	1"	25
1021-2512	PZ 2	25	1"	25
1021-2513	PZ 3	25	1"	25

Pozidriv® Insert Bits



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2500	PZ 0	25	1"	25
1021-2501	PZ 1	25	1"	25
1021-2502	PZ 2	25	1"	25
1021-2503	PZ 3	25	1"	25
1021-2504	PZ 4	25	1"	25
1021-1004	PZ 4	32	1-1/4"	10

Pozidriv® Insert Bits (Medium Hard)



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2501MH	PZ 1	25	1"	25
1021-2502MH	PZ 2	25	1"	25
1021-2503MH	PZ 3	25	1"	25

Pozidriv® Drywall Screw Setter



1/4"

• DIN 3126, ISO 1173, C 6.3, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1211-2512	PZ 2	25	1"	25
1212-1012	PZ 2	50	2"	10

Pozidriv® Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1011DT	PZ 1	50	2"	10
1022-1012DT	PZ 2	50	2"	10
1022-1013DT	PZ 3	50	2"	10

Pozidriv® Power Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1011TC	PZ 1	50	2"	10
1022-1012TC	PZ 2	50	2"	10
1022-1013TC	PZ 3	50	2"	10
1027-1011TC	PZ 1	75	3"	10
1027-1012TC	PZ 2	75	3"	10
1027-1013TC	PZ 3	75	3"	10
1023-1011TC	PZ 1	89	3-1/2"	10
1023-1012TC	PZ 2	89	3-1/2"	10
1023-1013TC	PZ 3	89	3-1/2"	10
1026-1011TC	PZ 1	152	6"	10
1026-1012TC	PZ 2	152	6"	10
1026-1013TC	PZ 3	152	6"	10

Pozidriv® Power Bits, Torsion



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1011TS	PZ 1	50	2"	10
1022-1012TS	PZ 2	50	2"	10
1022-1013TS	PZ 3	50	2"	10
1020-1011TS	PZ 1	70	2-3/4"	10

Code	Size	L (mm)	L (inch)	Pack
1020-1012TS	PZ 2	70	2-3/4"	10
1020-1013TS	PZ 3	70	2-3/4"	10
1027-1011TS	PZ 1	75	3"	10
1027-1012TS	PZ 2	75	3"	10
1027-1013TS	PZ 3	75	3"	10
1023-1011TS	PZ 1	89	3-1/2"	10
1023-1012TS	PZ 2	89	3-1/2"	10
1023-1013TS	PZ 3	89	3-1/2"	10
1024-1012TS	PZ 2	100	4"	10
1024-1013TS	PZ 3	100	4"	10
1026-1012TS	PZ 2	152	6"	10
1026-1013TS	PZ 3	152	6"	10

Pozidriv® Power Bits, Torsion, Anti Cam-out



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1021TS	PZ 1	50	2"	10
1022-1022TS	PZ 2	50	2"	10
1022-1023TS	PZ 3	50	2"	10
1020-1021TS	PZ 1	70	2-3/4"	10
1020-1022TS	PZ 2	70	2-3/4"	10
1020-1023TS	PZ 3	70	2-3/4"	10
1027-1021TS	PZ 1	75	3"	10
1027-1022TS	PZ 2	75	3"	10
1027-1023TS	PZ 3	75	3"	10
1023-1021TS	PZ 1	89	3-1/2"	10
1023-1022TS	PZ 2	89	3-1/2"	10
1023-1023TS	PZ 3	89	3-1/2"	10
1024-1022TS	PZ 2	100	4"	10
1024-1023TS	PZ 3	100	4"	10
1026-1022TS	PZ 2	152	6"	10
1026-1023TS	PZ 3	152	6"	10

Pozidriv® Power Bits, Forging



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1011	PZ 1	50	2"	10
1022-1012	PZ 2	50	2"	10
1022-1013	PZ 3	50	2"	10
1020-1011	PZ 1	70	2-3/4"	10
1020-1012	PZ 2	70	2-3/4"	10

Code	Size	L (mm)	L (inch)	Pack
1020-1013	PZ 3	70	2-3/4"	10
1027-1011	PZ 1	75	3"	10
1027-1012	PZ 2	75	3"	10
1027-1013	PZ 3	75	3"	10
1023-1011	PZ 1	89	3-1/2"	10
1023-1012	PZ 2	89	3-1/2"	10
1023-1013	PZ 3	89	3-1/2"	10
1024-1011	PZ 1	100	4"	10
1024-1012	PZ 2	100	4"	10
1024-1013	PZ 3	100	4"	10
1026-1011	PZ 1	152	6"	10
1026-1012	PZ 2	152	6"	10
1026-1013	PZ 3	152	6"	10

Pozidriv® Power Bits, Forging, Anti Cam-out



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1021	PZ 1	50	2"	10
1022-1022	PZ 2	50	2"	10
1022-1023	PZ 3	50	2"	10
1020-1021	PZ 1	70	2-3/4"	10
1020-1022	PZ 2	70	2-3/4"	10
1020-1023	PZ 3	70	2-3/4"	10
1027-1021	PZ 1	75	3"	10
1027-1022	PZ 2	75	3"	10
1027-1023	PZ 3	75	3"	10
1023-1021	PZ 1	89	3-1/2"	10
1023-1022	PZ 2	89	3-1/2"	10
1023-1023	PZ 3	89	3-1/2"	10
1024-1021	PZ 1	100	4"	10
1024-1022	PZ 2	100	4"	10
1024-1023	PZ 3	100	4"	10
1026-1021	PZ 1	152	6"	10
1026-1022	PZ 2	152	6"	10
1026-1023	PZ 3	152	6"	10

Pozidriv® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1000	PZ 0	50	2"	10
1022-1001	PZ 1	50	2"	10
1022-1002	PZ 2	50	2"	10
1022-1003	PZ 3	50	2"	10

Code	Size	L (mm)	L (inch)	Pack
1020-1001	PZ 1	70	2-3/4"	10
1020-1002	PZ 2	70	2-3/4"	10
1020-1003	PZ 3	70	2-3/4"	10
1027-1001	PZ 1	75	3"	10
1027-1002	PZ 2	75	3"	10
1027-1003	PZ 3	75	3"	10
1023-1001	PZ 1	89	3-1/2"	10
1023-1002	PZ 2	89	3-1/2"	10
1023-1003	PZ 3	89	3-1/2"	10
1024-1001	PZ 1	100	4"	10
1024-1002	PZ 2	100	4"	10
1024-1003	PZ 3	100	4"	10
1026-1001	PZ 1	152	6"	10
1026-1002	PZ 2	152	6"	10
1026-1003	PZ 3	152	6"	10

Pozidriv® Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1022-1000TD	PZ 0	50	2"	4.0	10
1022-1001TD	PZ 1	50	2"	5.0	10
1022-1002TD	PZ 2	50	2"	6.0	10
1022-1003TD	PZ 3	50	2"	6.0	10
1020-1001TD	PZ 1	70	2-3/4"	5.0	10
1020-1002TD	PZ 2	70	2-3/4"	6.0	10
1020-1003TD	PZ 3	70	2-3/4"	6.0	10
1027-1001TD	PZ 1	75	3"	5.0	10
1027-1002TD	PZ 2	75	3"	6.0	10
1027-1003TD	PZ 3	75	3"	6.0	10
1023-1001TD	PZ 1	89	3-1/2"	5.0	10
1023-1002TD	PZ 2	89	3-1/2"	6.0	10
1023-1003TD	PZ 3	89	3-1/2"	6.0	10
1024-1001TD	PZ 1	100	4"	5.0	10
1024-1002TD	PZ 2	100	4"	6.0	10
1024-1003TD	PZ 3	100	4"	6.0	10
1026-1001TD	PZ 1	152	6"	5.0	10
1026-1002TD	PZ 2	152	6"	6.0	10
1026-1003TD	PZ 3	152	6"	6.0	10

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Ordinary General-purpose Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Ordinary General-purpose Working Tools

Pozidriv® Power Bits, Turned Down Shank (Reduced Diameter)



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1022-1000RD	PZ 0	50	2"	2.5	10
1022-1001RD	PZ 1	50	2"	3.5	10
1022-1002RD	PZ 2	50	2"	4.5	10
1020-1001RD	PZ 1	70	2-3/4"	3.5	10
1020-1002RD	PZ 2	70	2-3/4"	4.5	10
1027-1001RD	PZ 1	75	3"	3.5	10
1027-1002RD	PZ 2	75	3"	4.5	10
1023-1001RD	PZ 1	89	3-1/2"	3.5	10
1023-1002RD	PZ 2	89	3-1/2"	4.5	10
1024-1001RD	PZ 1	100	4"	3.5	10
1024-1002RD	PZ 2	100	4"	4.5	10
1026-1002RD	PZ 2	152	6"	4.5	10

Pozidriv® Manual Impact Driver Bits



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1701-1011	PZ 1	35	1-3/8"	10
1701-1012	PZ 2	35	1-3/8"	10
1701-1013	PZ 3	35	1-3/8"	10
1701-1014	PZ 4	35	1-3/8"	10
1702-0511	PZ 1	50	2"	5
1702-0512	PZ 2	50	2"	5
1702-0513	PZ 3	50	2"	5
1702-0514	PZ 4	50	2"	5
1700-0511	PZ 1	70	2-3/4"	5
1700-0512	PZ 2	70	2-3/4"	5
1700-0513	PZ 3	70	2-3/4"	5
1700-0514	PZ 4	70	2-3/4"	5
1704-0511	PZ 1	100	4"	5
1704-0512	PZ 2	100	4"	5
1704-0513	PZ 3	100	4"	5
1704-0514	PZ 4	100	4"	5

Square Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1031-2511DT	SQ 1	25	1"	25
1031-2512DT	SQ 2	25	1"	25
1031-2513DT	SQ 3	25	1"	25

Square Insert Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1031-2511TC	SQ 1	25	1"	25
1031-2512TC	SQ 2	25	1"	25
1031-2513TC	SQ 3	25	1"	25

Square Insert Bits, Torsion



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1031-2510TS	SQ 0	25	1"	25
1031-2511TS	SQ 1	25	1"	25
1031-2512TS	SQ 2	25	1"	25
1031-2513TS	SQ 3	25	1"	25

Square Insert Bits, Forging



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1031-2510	SQ 0	25	1"	25

Code	Size	L (mm)	L (inch)	Pack
1031-2511	SQ 1	25	1"	25
1031-2512	SQ 2	25	1"	25
1031-2513	SQ 3	25	1"	25

Square Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1031-2500	SQ 0	25	1"	25
1031-2501	SQ 1	25	1"	25
1031-2502	SQ 2	25	1"	25
1031-2503	SQ 3	25	1"	25

Square Insert Bits, 2 Piece Construction



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1031-2551	SQ 1	25	1"	25
1031-2552	SQ 2	25	1"	25
1031-2553	SQ 3	25	1"	25

Square Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1032-1011DT	SQ 1	50	2"	10
1032-1012DT	SQ 2	50	2"	10
1032-1013DT	SQ 3	50	2"	10

Square Power Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1032-1011TC	SQ 1	50	2"	10
1032-1012TC	SQ 2	50	2"	10
1032-1013TC	SQ 3	50	2"	10
1037-1011TC	SQ 1	75	3"	10
1037-1012TC	SQ 2	75	3"	10
1037-1013TC	SQ 3	75	3"	10
1033-1011TC	SQ 1	89	3-1/2"	10
1033-1012TC	SQ 2	89	3-1/2"	10
1033-1013TC	SQ 3	89	3-1/2"	10
1036-1011TC	SQ 1	152	6"	10
1036-1012TC	SQ 2	152	6"	10
1036-1013TC	SQ 3	152	6"	10

Square Power Bits, Torsion



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1032-1010TS	SQ 0	50	2"	10
1032-1011TS	SQ 1	50	2"	10
1032-1012TS	SQ 2	50	2"	10
1032-1013TS	SQ 3	50	2"	10
1030-1011TS	SQ 1	70	2-3/4"	10
1030-1012TS	SQ 2	70	2-3/4"	10
1030-1013TS	SQ 3	70	2-3/4"	10
1037-1011TS	SQ 1	75	3"	10
1037-1012TS	SQ 2	75	3"	10
1037-1013TS	SQ 3	75	3"	10
1033-1011TS	SQ 1	89	3-1/2"	10
1033-1012TS	SQ 2	89	3-1/2"	10
1033-1013TS	SQ 3	89	3-1/2"	10
1034-1012TS	SQ 2	100	4"	10
1034-1013TS	SQ 3	100	4"	10
1035-1012TS	SQ 2	127	5"	10
1035-1013TS	SQ 3	127	5"	10
1036-1012TS	SQ 2	152	6"	10
1036-1013TS	SQ 3	152	6"	10

Driving Accessories

Quality Is
All That Matters

SURETORQ®

Square Power Bits, Forging



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1032-1010	SQ 0	50	2"	10
1032-1011	SQ 1	50	2"	10
1032-1012	SQ 2	50	2"	10
1032-1013	SQ 3	50	2"	10
1030-1011	SQ 1	70	2-3/4"	10
1030-1012	SQ 2	70	2-3/4"	10
1030-1013	SQ 3	70	2-3/4"	10
1037-1011	SQ 1	75	3"	10
1037-1012	SQ 2	75	3"	10
1037-1013	SQ 3	75	3"	10
1033-1011	SQ 1	89	3-1/2"	10
1033-1012	SQ 2	89	3-1/2"	10
1033-1013	SQ 3	89	3-1/2"	10
1034-1011	SQ 1	100	4"	10
1034-1012	SQ 2	100	4"	10
1034-1013	SQ 3	100	4"	10
1035-1011	SQ 1	127	5"	10
1035-1012	SQ 2	127	5"	10
1035-1013	SQ 3	127	5"	10
1036-1011	SQ 1	152	6"	10
1036-1012	SQ 2	152	6"	10
1036-1013	SQ 3	152	6"	10

Square Power Bits



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1032-1000	SQ 0	50	2"	10
1032-1001	SQ 1	50	2"	10
1032-1002	SQ 2	50	2"	10
1032-1003	SQ 3	50	2"	10
1030-1001	SQ 1	70	2-3/4"	10
1030-1002	SQ 2	70	2-3/4"	10
1030-1003	SQ 3	70	2-3/4"	10
1037-1001	SQ 1	75	3"	10
1037-1002	SQ 2	75	3"	10
1037-1003	SQ 3	75	3"	10
1033-1001	SQ 1	89	3-1/2"	10
1033-1002	SQ 2	89	3-1/2"	10
1033-1003	SQ 3	89	3-1/2"	10
1034-1001	SQ 1	100	4"	10
1034-1002	SQ 2	100	4"	10
1034-1003	SQ 3	100	4"	10

Code	Size	L (mm)	L (inch)	Pack
1035-1001	SQ 1	127	5"	10
1035-1002	SQ 2	127	5"	10
1035-1003	SQ 3	127	5"	10
1036-1001	SQ 1	152	6"	10
1036-1002	SQ 2	152	6"	10
1036-1003	SQ 3	152	6"	10

Square Power Bits, Turned Down Shank



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1032-1000TD	SQ 0	50	2"	4.5	10
1032-1001TD	SQ 1	50	2"	4.5	10
1032-1002TD	SQ 2	50	2"	6.0	10
1032-1003TD	SQ 3	50	2"	6.0	10
1030-1001TD	SQ 1	70	2-3/4"	4.5	10
1030-1002TD	SQ 2	70	2-3/4"	6.0	10
1030-1003TD	SQ 3	70	2-3/4"	6.0	10
1037-1001TD	SQ 1	75	3"	4.5	10
1037-1002TD	SQ 2	75	3"	6.0	10
1037-1003TD	SQ 3	75	3"	6.0	10
1033-1001TD	SQ 1	89	3-1/2"	4.5	10
1033-1002TD	SQ 2	89	3-1/2"	6.0	10
1033-1003TD	SQ 3	89	3-1/2"	6.0	10
1034-1001TD	SQ 1	100	4"	4.5	10
1034-1002TD	SQ 2	100	4"	6.0	10
1034-1003TD	SQ 3	100	4"	6.0	10
1035-1001TD	SQ 1	127	5"	4.5	10
1035-1002TD	SQ 2	127	5"	6.0	10
1035-1003TD	SQ 3	127	5"	6.0	10

Square Power Bits, 2 Piece Construction



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1032-1051	SQ 1	50	2"	10
1032-1052	SQ 2	50	2"	10
1032-1053	SQ 3	50	2"	10
1037-1051	SQ 1	75	3"	10
1037-1052	SQ 2	75	3"	10
1037-1053	SQ 3	75	3"	10
1033-1051	SQ 1	89	3-1/2"	10
1033-1052	SQ 2	89	3-1/2"	10
1033-1053	SQ 3	89	3-1/2"	10

i




The TORX® Drive System was specifically designed to provide a simple, costeffective solution to the problems inherent in the process of installing and removing fasteners.

Used in a multitude of industries, the TORX Drive System can enhance product reliability, increase productivity, and reduce total assembly costs — all of which are keys to remaining competitive in today's marketplace.

Features

- Lead-in chamfer
- 15° drive angle
- Straight side walls
- Broad contact surface
- Can be used with fastener diameters from M0.9 to M24 (#00 to 1")



Benefits

- Reduces camout
- Reduces need for excessive end load force
- Extends tool life
- Reduces worker fatigue
- Reduces rework and scrap
- Reduces radial forces which damage tools and fastener

TORX® is a registered trademark of Acument® Intellectual Properties, LLC.

For more information on the TORX® Drive System, please visit Acument® Intellectual Properties, LLC. website at www.acument.com.

TORX® Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1041-2510DT	Torx T10	25	1"	25
1041-2515DT	Torx T15	25	1"	25
1041-2520DT	Torx T20	25	1"	25
1041-2525DT	Torx T25	25	1"	25
1041-2527DT	Torx T27	25	1"	25
1041-2530DT	Torx T30	25	1"	25
1041-2540DT	Torx T40	25	1"	25

TORX® Insert Bits, Torsion, Titanium Coating



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1041-2510TC	Torx T10	25	1"	25
1041-2515TC	Torx T15	25	1"	25
1041-2520TC	Torx T20	25	1"	25
1041-2525TC	Torx T25	25	1"	25
1041-2527TC	Torx T27	25	1"	25
1041-2530TC	Torx T30	25	1"	25
1041-2540TC	Torx T40	25	1"	25

TORX® Insert Bits, Torsion



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1041-2505TS	Torx T5	25	1"	25
1041-2506TS	Torx T6	25	1"	25
1041-2507TS	Torx T7	25	1"	25
1041-2508TS	Torx T8	25	1"	25
1041-2509TS	Torx T9	25	1"	25
1041-2510TS	Torx T10	25	1"	25

Premium+
Impact Performance Tools

Premium
Corrosion Resistant Tools

Professional
Heavy-duty Working Tools

Ordinary
General-purpose Working Tools

Premium+
Impact Performance Tools

Premium
Corrosion Resistant Tools

Professional
Heavy-duty Working Tools

Ordinary
General-purpose Working Tools

Code	Size	L (mm)	L (inch)	Pack
1041-2515TS	Torx T15	25	1"	25
1041-2520TS	Torx T20	25	1"	25
1041-2525TS	Torx T25	25	1"	25
1041-2527TS	Torx T27	25	1"	25
1041-2530TS	Torx T30	25	1"	25
1041-2540TS	Torx T40	25	1"	25

TORX® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1041-2501	Torx T1	25	1"	25
1041-2502	Torx T2	25	1"	25
1041-2503	Torx T3	25	1"	25
1041-2504	Torx T4	25	1"	25
1041-2505	Torx T5	25	1"	25
1041-2506	Torx T6	25	1"	25
1041-2507	Torx T7	25	1"	25
1041-2508	Torx T8	25	1"	25
1041-2509	Torx T9	25	1"	25
1041-2510	Torx T10	25	1"	25
1041-2515	Torx T15	25	1"	25
1041-2520	Torx T20	25	1"	25
1041-2525	Torx T25	25	1"	25
1041-2527	Torx T27	25	1"	25
1041-2530	Torx T30	25	1"	25
1041-2540	Torx T40	25	1"	25
1041-2545	Torx T45	25	1"	25

TORX® Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1041-1045	Torx T45	32	1-1/4"	10
1041-1050	Torx T50	32	1-1/4"	10
1041-1055	Torx T55	32	1-1/4"	10
1041-1060	Torx T60	32	1-1/4"	10

TORX® Align Insert Bits




• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1041-2506TW	Torx T6W	25	1"	25
1041-2507TW	Torx T7W	25	1"	25
1041-2508TW	Torx T8W	25	1"	25
1041-2509TW	Torx T9W	25	1"	25
1041-2510TW	Torx T10W	25	1"	25
1041-2515TW	Torx T15W	25	1"	25
1041-2520TW	Torx T20W	25	1"	25
1041-2525TW	Torx T25W	25	1"	25
1041-2527TW	Torx T27W	25	1"	25
1041-2530TW	Torx T30W	25	1"	25
1041-2540TW	Torx T40W	25	1"	25

TORX® Align Bit

• The special TORX® align bit is designed with a slight taper to provide a wedging effect when the bit is inserted into the fastener recess. This is particularly useful in holding non-magnetic fasteners on the driver during manual installation.

TORX® Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1042-1010DT	Torx T10	50	2"	4.0	10
1042-1015DT	Torx T15	50	2"	4.0	10
1042-1020DT	Torx T20	50	2"	4.9	10
1042-1025DT	Torx T25	50	2"	4.9	10
1042-1027DT	Torx T27	50	2"	5.5	10
1042-1030DT	Torx T30	50	2"	6.0	10
1042-1040DT	Torx T40	50	2"	—	10

TORX® Power Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1042-1010TC	Torx T10	50	2"	4.0	10
1042-1015TC	Torx T15	50	2"	4.0	10
1042-1020TC	Torx T20	50	2"	4.9	10
1042-1025TC	Torx T25	50	2"	4.9	10
1042-1027TC	Torx T27	50	2"	5.5	10
1042-1030TC	Torx T30	50	2"	6.0	10
1042-1040TC	Torx T40	50	2"	—	10
1047-1010TC	Torx T10	75	3"	4.0	10
1047-1015TC	Torx T15	75	3"	4.0	10
1047-1020TC	Torx T20	75	3"	4.9	10
1047-1025TC	Torx T25	75	3"	4.9	10
1047-1027TC	Torx T27	75	3"	5.5	10
1047-1030TC	Torx T30	75	3"	6.0	10
1047-1040TC	Torx T40	75	3"	—	10
1043-1010TC	Torx T10	89	3-1/2"	4.0	10
1043-1015TC	Torx T15	89	3-1/2"	4.0	10
1043-1020TC	Torx T20	89	3-1/2"	4.9	10
1043-1025TC	Torx T25	89	3-1/2"	4.9	10
1043-1027TC	Torx T27	89	3-1/2"	5.5	10
1043-1030TC	Torx T30	89	3-1/2"	6.0	10
1043-1040TC	Torx T40	89	3-1/2"	—	10
1046-1010TC	Torx T10	152	6"	4.0	10
1046-1015TC	Torx T15	152	6"	4.0	10
1046-1020TC	Torx T20	152	6"	4.9	10
1046-1025TC	Torx T25	152	6"	4.9	10
1046-1027TC	Torx T27	152	6"	5.5	10
1046-1030TC	Torx T30	152	6"	6.0	10
1046-1040TC	Torx T40	152	6"	—	10

TORX® Power Bits, Torsion



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1042-1010TS	Torx T10	50	2"	4.0	10
1042-1015TS	Torx T15	50	2"	4.0	10
1042-1020TS	Torx T20	50	2"	4.9	10
1042-1025TS	Torx T25	50	2"	4.9	10
1042-1027TS	Torx T27	50	2"	5.5	10

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1042-1030TS	Torx T30	50	2"	6.0	10
1042-1040TS	Torx T40	50	2"	—	10
1040-1010TS	Torx T10	70	2-3/4"	4.0	10
1040-1015TS	Torx T15	70	2-3/4"	4.0	10
1040-1020TS	Torx T20	70	2-3/4"	4.9	10
1040-1025TS	Torx T25	70	2-3/4"	4.9	10
1040-1027TS	Torx T27	70	2-3/4"	5.5	10
1040-1030TS	Torx T30	70	2-3/4"	6.0	10
1040-1040TS	Torx T40	70	2-3/4"	—	10
1047-1010TS	Torx T10	75	3"	4.0	10
1047-1015TS	Torx T15	75	3"	4.0	10
1047-1020TS	Torx T20	75	3"	4.9	10
1047-1025TS	Torx T25	75	3"	4.9	10
1047-1027TS	Torx T27	75	3"	5.5	10
1047-1030TS	Torx T30	75	3"	6.0	10
1047-1040TS	Torx T40	75	3"	—	10
1043-1010TS	Torx T10	89	3-1/2"	4.0	10
1043-1015TS	Torx T15	89	3-1/2"	4.0	10
1043-1020TS	Torx T20	89	3-1/2"	4.9	10
1043-1025TS	Torx T25	89	3-1/2"	4.9	10
1043-1027TS	Torx T27	89	3-1/2"	5.5	10
1043-1030TS	Torx T30	89	3-1/2"	6.0	10
1043-1040TS	Torx T40	89	3-1/2"	—	10

TORX® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1042-1001	Torx T1	50	2"	10
1042-1002	Torx T2	50	2"	10
1042-1003	Torx T3	50	2"	10
1042-1004	Torx T4	50	2"	10
1042-1005	Torx T5	50	2"	10
1042-1006	Torx T6	50	2"	10
1042-1007	Torx T7	50	2"	10
1042-1008	Torx T8	50	2"	10
1042-1009	Torx T9	50	2"	10
1042-1010	Torx T10	50	2"	10
1042-1015	Torx T15	50	2"	10
1042-1020	Torx T20	50	2"	10
1042-1025	Torx T25	50	2"	10
1042-1027	Torx T27	50	2"	10
1042-1030	Torx T30	50	2"	10
1042-1040	Torx T40	50	2"	10
1042-1045	Torx T45	50	2"	10
1042-1050	Torx T50	50	2"	10
1042-1055	Torx T55	50	2"	10
1040-1005	Torx T5	70	2-3/4"	10
1040-1006	Torx T6	70	2-3/4"	10
1040-1007	Torx T7	70	2-3/4"	10
1040-1008	Torx T8	70	2-3/4"	10

Code	Size	L (mm)	L (inch)	Pack
1040-1009	Torx T9	70	2-3/4"	10
1040-1010	Torx T10	70	2-3/4"	10
1040-1015	Torx T15	70	2-3/4"	10
1040-1020	Torx T20	70	2-3/4"	10
1040-1025	Torx T25	70	2-3/4"	10
1040-1027	Torx T27	70	2-3/4"	10
1040-1030	Torx T30	70	2-3/4"	10
1040-1040	Torx T40	70	2-3/4"	10
1047-1005	Torx T5	75	3"	10
1047-1006	Torx T6	75	3"	10
1047-1007	Torx T7	75	3"	10
1047-1008	Torx T8	75	3"	10
1047-1009	Torx T9	75	3"	10
1047-1010	Torx T10	75	3"	10
1047-1015	Torx T15	75	3"	10
1047-1020	Torx T20	75	3"	10
1047-1025	Torx T25	75	3"	10
1047-1027	Torx T27	75	3"	10
1047-1030	Torx T30	75	3"	10
1047-1040	Torx T40	75	3"	10
1043-1005	Torx T5	89	3-1/2"	10
1043-1006	Torx T6	89	3-1/2"	10
1043-1007	Torx T7	89	3-1/2"	10
1043-1008	Torx T8	89	3-1/2"	10
1043-1009	Torx T9	89	3-1/2"	10
1043-1010	Torx T10	89	3-1/2"	10
1043-1015	Torx T15	89	3-1/2"	10
1043-1020	Torx T20	89	3-1/2"	10
1043-1025	Torx T25	89	3-1/2"	10
1043-1027	Torx T27	89	3-1/2"	10
1043-1030	Torx T30	89	3-1/2"	10
1043-1040	Torx T40	89	3-1/2"	10
1046-1005	Torx T5	152	6"	10
1046-1006	Torx T6	152	6"	10
1046-1007	Torx T7	152	6"	10
1046-1008	Torx T8	152	6"	10
1046-1009	Torx T9	152	6"	10
1046-1010	Torx T10	152	6"	10
1046-1015	Torx T15	152	6"	10
1046-1020	Torx T20	152	6"	10
1046-1025	Torx T25	152	6"	10
1046-1027	Torx T27	152	6"	10
1046-1030	Torx T30	152	6"	10
1046-1040	Torx T40	152	6"	10

TORX® Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1042-1001TD	Torx T1	50	2"	2.0	10

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1042-1002TD	Torx T2	50	2"	2.0	10
1042-1003TD	Torx T3	50	2"	2.0	10
1042-1004TD	Torx T4	50	2"	3.0	10
1042-1005TD	Torx T5	50	2"	3.0	10
1042-1006TD	Torx T6	50	2"	3.0	10
1042-1007TD	Torx T7	50	2"	3.0	10
1042-1008TD	Torx T8	50	2"	3.5	10
1042-1009TD	Torx T9	50	2"	3.5	10
1042-1010TD	Torx T10	50	2"	4.0	10
1042-1015TD	Torx T15	50	2"	4.0	10
1042-1020TD	Torx T20	50	2"	4.8	10
1042-1025TD	Torx T25	50	2"	5.0	10
1042-1027TD	Torx T27	50	2"	6.0	10
1042-1030TD	Torx T30	50	2"	6.2	10
1040-1005TD	Torx T5	70	2-3/4"	3.0	10
1040-1006TD	Torx T6	70	2-3/4"	3.0	10
1040-1007TD	Torx T7	70	2-3/4"	3.0	10
1040-1008TD	Torx T8	70	2-3/4"	3.5	10
1040-1009TD	Torx T9	70	2-3/4"	3.5	10
1040-1010TD	Torx T10	70	2-3/4"	4.0	10
1040-1015TD	Torx T15	70	2-3/4"	4.0	10
1040-1020TD	Torx T20	70	2-3/4"	4.8	10
1040-1025TD	Torx T25	70	2-3/4"	5.0	10
1040-1027TD	Torx T27	70	2-3/4"	6.0	10
1040-1030TD	Torx T30	70	2-3/4"	6.2	10
1047-1005TD	Torx T5	75	3"	3.0	10
1047-1006TD	Torx T6	75	3"	3.0	10
1047-1007TD	Torx T7	75	3"	3.0	10
1047-1008TD	Torx T8	75	3"	3.5	10
1047-1009TD	Torx T9	75	3"	3.5	10
1047-1010TD	Torx T10	75	3"	4.0	10
1047-1015TD	Torx T15	75	3"	4.0	10
1047-1020TD	Torx T20	75	3"	4.8	10
1047-1025TD	Torx T25	75	3"	5.0	10
1047-1027TD	Torx T27	75	3"	6.0	10
1047-1030TD	Torx T30	75	3"	6.2	10
1043-1005TD	Torx T5	89	3-1/2"	3.0	10
1043-1006TD	Torx T6	89	3-1/2"	3.0	10
1043-1007TD	Torx T7	89	3-1/2"	3.0	10
1043-1008TD	Torx T8	89	3-1/2"	3.5	10
1043-1009TD	Torx T9	89	3-1/2"	3.5	10
1043-1010TD	Torx T10	89	3-1/2"	4.0	10
1043-1015TD	Torx T15	89	3-1/2"	4.0	10
1043-1020TD	Torx T20	89	3-1/2"	4.8	10
1043-1025TD	Torx T25	89	3-1/2"	5.0	10
1043-1027TD	Torx T27	89	3-1/2"	6.0	10
1043-1030TD	Torx T30	89	3-1/2"	6.2	10
1046-1010TD	Torx T10	152	6"	4.0	10
1046-1015TD	Torx T15	152	6"	4.0	10
1046-1020TD	Torx T20	152	6"	4.8	10
1046-1025TD	Torx T25	152	6"	5.0	10
1046-1027TD	Torx T27	152	6"	6.0	10
1046-1030TD	Torx T30	152	6"	6.2	10

TORX® Align Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1042-1006TW	Torx T6W	50	2"	3.0	10
1042-1007TW	Torx T7W	50	2"	3.0	10
1042-1008TW	Torx T8W	50	2"	3.5	10
1042-1009TW	Torx T9W	50	2"	3.5	10
1042-1010TW	Torx T10W	50	2"	4.0	10
1042-1015TW	Torx T15W	50	2"	4.0	10
1042-1020TW	Torx T20W	50	2"	4.8	10
1042-1025TW	Torx T25W	50	2"	5.0	10
1042-1027TW	Torx T27W	50	2"	6.0	10
1042-1030TW	Torx T30W	50	2"	6.2	10
1042-1040TW	Torx T40W	50	2"	—	10
1043-1006TW	Torx T6W	89	3-1/2"	3.0	10
1043-1007TW	Torx T7W	89	3-1/2"	3.0	10
1043-1008TW	Torx T8W	89	3-1/2"	3.5	10
1043-1009TW	Torx T9W	89	3-1/2"	3.5	10
1043-1010TW	Torx T10W	89	3-1/2"	4.0	10
1043-1015TW	Torx T15W	89	3-1/2"	4.0	10
1043-1020TW	Torx T20W	89	3-1/2"	4.8	10
1043-1025TW	Torx T25W	89	3-1/2"	5.0	10
1043-1027TW	Torx T27W	89	3-1/2"	6.0	10
1043-1030TW	Torx T30W	89	3-1/2"	6.2	10
1043-1040TW	Torx T40W	89	3-1/2"	—	10
1046-1006TW	Torx T6W	152	6"	3.0	10
1046-1007TW	Torx T7W	152	6"	3.0	10
1046-1008TW	Torx T8W	152	6"	3.5	10
1046-1009TW	Torx T9W	152	6"	3.5	10
1046-1010TW	Torx T10W	152	6"	4.0	10
1046-1015TW	Torx T15W	152	6"	4.0	10
1046-1020TW	Torx T20W	152	6"	4.8	10
1046-1025TW	Torx T25W	152	6"	5.0	10
1046-1027TW	Torx T27W	152	6"	6.0	10
1046-1030TW	Torx T30W	152	6"	6.2	10
1046-1040TW	Torx T40W	152	6"	—	10

TORX® Manual Impact Driver Bits



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1701-1031	Torx T20	35	1-3/8"	10
1701-1032	Torx T25	35	1-3/8"	10
1701-1033	Torx T27	35	1-3/8"	10
1701-1034	Torx T30	35	1-3/8"	10
1701-1035	Torx T40	35	1-3/8"	10

Code	Size	L (mm)	L (inch)	Pack
1701-1036	Torx T45	35	1-3/8"	10
1701-1037	Torx T50	35	1-3/8"	10
1701-1038	Torx T55	35	1-3/8"	10
1701-1039	Torx T60	35	1-3/8"	10
1702-0531	Torx T20	50	2"	5
1702-0532	Torx T25	50	2"	5
1702-0533	Torx T27	50	2"	5
1702-0534	Torx T30	50	2"	5
1702-0535	Torx T40	50	2"	5
1702-0536	Torx T45	50	2"	5
1702-0537	Torx T50	50	2"	5
1702-0538	Torx T55	50	2"	5
1702-0539	Torx T60	50	2"	5
1700-0531	Torx T20	70	2-3/4"	5
1700-0532	Torx T25	70	2-3/4"	5
1700-0533	Torx T27	70	2-3/4"	5
1700-0534	Torx T30	70	2-3/4"	5
1700-0535	Torx T40	70	2-3/4"	5
1700-0536	Torx T45	70	2-3/4"	5
1700-0537	Torx T50	70	2-3/4"	5
1700-0538	Torx T55	70	2-3/4"	5
1700-0539	Torx T60	70	2-3/4"	5
1704-0531	Torx T20	100	4"	5
1704-0532	Torx T25	100	4"	5
1704-0533	Torx T27	100	4"	5
1704-0534	Torx T30	100	4"	5
1704-0535	Torx T40	100	4"	5
1704-0536	Torx T45	100	4"	5
1704-0537	Torx T50	100	4"	5
1704-0538	Torx T55	100	4"	5
1704-0539	Torx T60	100	4"	5

TORX® Power Bits With Finder Sleeve



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1722-0513	Torx T10	53	2-3/32"	5
1722-0514	Torx T15	53	2-3/32"	5
1722-0515	Torx T20	53	2-3/32"	5
1722-0516	Torx T25	53	2-3/32"	5
1722-0517	Torx T27	53	2-3/32"	5
1722-0518	Torx T30	53	2-3/32"	5
1723-0513	Torx T10	92	3-5/8"	5
1723-0514	Torx T15	92	3-5/8"	5
1723-0515	Torx T20	92	3-5/8"	5
1723-0516	Torx T25	92	3-5/8"	5
1723-0517	Torx T27	92	3-5/8"	5
1723-0518	Torx T30	92	3-5/8"	5

TORX® Tamper Resistant Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1051-2507	Torx T7H	25	1"	25
1051-2508	Torx T8H	25	1"	25
1051-2509	Torx T9H	25	1"	25
1051-2510	Torx T10H	25	1"	25
1051-2515	Torx T15H	25	1"	25
1051-2520	Torx T20H	25	1"	25
1051-2525	Torx T25H	25	1"	25
1051-2527	Torx T27H	25	1"	25
1051-2530	Torx T30H	25	1"	25
1051-2540	Torx T40H	25	1"	25

TORX® Tamper Resistant Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1051-1045	Torx T45H	32	1-1/4"	10
1051-1050	Torx T50H	32	1-1/4"	10
1051-1055	Torx T55H	32	1-1/4"	10

TORX® Tamper Resistant Power Bits




• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1052-1007	Torx T7H	50	2"	10
1052-1008	Torx T8H	50	2"	10
1052-1009	Torx T9H	50	2"	10
1052-1010	Torx T10H	50	2"	10
1052-1015	Torx T15H	50	2"	10
1052-1020	Torx T20H	50	2"	10
1052-1025	Torx T25H	50	2"	10
1052-1027	Torx T27H	50	2"	10
1052-1030	Torx T30H	50	2"	10
1052-1040	Torx T40H	50	2"	10
1052-1045	Torx T45H	50	2"	10
1052-1050	Torx T50H	50	2"	10
1052-1055	Torx T55H	50	2"	10
1050-1007	Torx T7H	70	2-3/4"	10
1050-1008	Torx T8H	70	2-3/4"	10

Code	Size	L (mm)	L (inch)	Pack
1050-1009	Torx T9H	70	2-3/4"	10
1050-1010	Torx T10H	70	2-3/4"	10
1050-1015	Torx T15H	70	2-3/4"	10
1050-1020	Torx T20H	70	2-3/4"	10
1050-1025	Torx T25H	70	2-3/4"	10
1050-1027	Torx T27H	70	2-3/4"	10
1050-1030	Torx T30H	70	2-3/4"	10
1050-1040	Torx T40H	70	2-3/4"	10
1057-1007	Torx T7H	75	3"	10
1057-1008	Torx T8H	75	3"	10
1057-1009	Torx T9H	75	3"	10
1057-1010	Torx T10H	75	3"	10
1057-1015	Torx T15H	75	3"	10
1057-1020	Torx T20H	75	3"	10
1057-1025	Torx T25H	75	3"	10
1057-1027	Torx T27H	75	3"	10
1057-1030	Torx T30H	75	3"	10
1057-1040	Torx T40H	75	3"	10
1053-1007	Torx T7H	89	3-1/2"	10
1053-1008	Torx T8H	89	3-1/2"	10
1053-1009	Torx T9H	89	3-1/2"	10
1053-1010	Torx T10H	89	3-1/2"	10
1053-1015	Torx T15H	89	3-1/2"	10
1053-1020	Torx T20H	89	3-1/2"	10
1053-1025	Torx T25H	89	3-1/2"	10
1053-1027	Torx T27H	89	3-1/2"	10
1053-1030	Torx T30H	89	3-1/2"	10
1053-1040	Torx T40H	89	3-1/2"	10
1056-1007	Torx T7H	152	6"	10
1056-1008	Torx T8H	152	6"	10
1056-1009	Torx T9H	152	6"	10
1056-1010	Torx T10H	152	6"	10
1056-1015	Torx T15H	152	6"	10
1056-1020	Torx T20H	152	6"	10
1056-1025	Torx T25H	152	6"	10
1056-1027	Torx T27H	152	6"	10
1056-1030	Torx T30H	152	6"	10
1056-1040	Torx T40H	152	6"	10

i

Tamper-Resistant TORX® Drive



- This unique TORX fastener incorporates a solid post formed in the center of the recess which is extremely difficult to remove without a special tamper-resistant TORX® drive tool.

TORX® Tamper Resistant Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1052-1007TD	Torx T7H	50	2"	3.0	10
1052-1008TD	Torx T8H	50	2"	3.5	10
1052-1009TD	Torx T9H	50	2"	3.5	10
1052-1010TD	Torx T10H	50	2"	4.0	10
1052-1015TD	Torx T15H	50	2"	4.0	10
1052-1020TD	Torx T20H	50	2"	4.8	10
1052-1025TD	Torx T25H	50	2"	5.0	10
1052-1027TD	Torx T27H	50	2"	6.0	10
1052-1030TD	Torx T30H	50	2"	6.2	10
1050-1007TD	Torx T7H	70	2-3/4"	3.0	10
1050-1008TD	Torx T8H	70	2-3/4"	3.5	10
1050-1009TD	Torx T9H	70	2-3/4"	3.5	10
1050-1010TD	Torx T10H	70	2-3/4"	4.0	10
1050-1015TD	Torx T15H	70	2-3/4"	4.0	10
1050-1020TD	Torx T20H	70	2-3/4"	4.8	10
1050-1025TD	Torx T25H	70	2-3/4"	5.0	10
1050-1027TD	Torx T27H	70	2-3/4"	6.0	10
1050-1030TD	Torx T30H	70	2-3/4"	6.2	10
1057-1007TD	Torx T7H	75	3"	3.0	10
1057-1008TD	Torx T8H	75	3"	3.5	10
1057-1009TD	Torx T9H	75	3"	3.5	10
1057-1010TD	Torx T10H	75	3"	4.0	10
1057-1015TD	Torx T15H	75	3"	4.0	10
1057-1020TD	Torx T20H	75	3"	4.8	10
1057-1025TD	Torx T25H	75	3"	5.0	10
1057-1027TD	Torx T27H	75	3"	6.0	10
1057-1030TD	Torx T30H	75	3"	6.2	10
1053-1007TD	Torx T7H	89	3-1/2"	3.0	10
1053-1008TD	Torx T8H	89	3-1/2"	3.5	10
1053-1009TD	Torx T9H	89	3-1/2"	3.5	10
1053-1010TD	Torx T10H	89	3-1/2"	4.0	10
1053-1015TD	Torx T15H	89	3-1/2"	4.0	10
1053-1020TD	Torx T20H	89	3-1/2"	4.8	10
1053-1025TD	Torx T25H	89	3-1/2"	5.0	10
1053-1027TD	Torx T27H	89	3-1/2"	6.0	10
1053-1030TD	Torx T30H	89	3-1/2"	6.2	10
1056-1010TD	Torx T10H	152	6"	4.0	10
1056-1015TD	Torx T15H	152	6"	4.0	10
1056-1020TD	Torx T20H	152	6"	4.8	10
1056-1025TD	Torx T25H	152	6"	5.0	10
1056-1027TD	Torx T27H	152	6"	6.0	10
1056-1030TD	Torx T30H	152	6"	6.2	10



Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Ordinary General-purpose Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Ordinary General-purpose Working Tools

i



Since its introduction, TORX PLUS® Drive has consistently outperformed every other drive system. Its longer tool life and optimal torque transfer have enhanced product reliability, increased productivity, and reduced total assembly costs on assembly lines in a multitude of industries around the world.

Features

- 0° drive angle
- Elliptical geometric configuration maximizes drive bit engagement
- Large cross-sectional area at lobes
- Broad contact surface
- Vertical sidewalls

- Benefits
- Provides an average 100% improvement in drive bit life
 - Can reduce assembly downtime by reducing the number of bit changes and rework
 - Optimizes torque transfer
 - Virtually eliminates camout
 - Reduces end load and worker fatigue
 - Reduces annual drive bit costs

TORX PLUS® is a registered trademark of Acument® Intellectual Properties, LLC.

For more information on the TORX PLUS® Drive System, please visit Acument® Intellectual Properties, LLC. website at www.acument.com.

TORX PLUS® IP Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1221-2501	1 IP	25	1"	25
1221-2502	2 IP	25	1"	25
1221-2503	3 IP	25	1"	25
1221-2504	4 IP	25	1"	25
1221-2505	5 IP	25	1"	25
1221-2506	6 IP	25	1"	25
1221-2507	7 IP	25	1"	25
1221-2508	8 IP	25	1"	25
1221-2509	9 IP	25	1"	25
1221-2510	10 IP	25	1"	25
1221-2515	15 IP	25	1"	25
1221-2520	20 IP	25	1"	25
1221-2525	25 IP	25	1"	25
1221-2527	27 IP	25	1"	25
1221-2530	30 IP	25	1"	25
1221-2540	40 IP	25	1"	25

TORX PLUS® IP Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1221-1045	45 IP	32	1-1/4"	10
1221-1050	50 IP	32	1-1/4"	10
1221-1055	55 IP	32	1-1/4"	10

TORX PLUS® IP Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1222-1001	1 IP	50	2"	10
1222-1002	2 IP	50	2"	10
1222-1003	3 IP	50	2"	10
1222-1004	4 IP	50	2"	10
1222-1005	5 IP	50	2"	10
1222-1006	6 IP	50	2"	10
1222-1007	7 IP	50	2"	10
1222-1008	8 IP	50	2"	10
1222-1009	9 IP	50	2"	10
1222-1010	10 IP	50	2"	10

Code	Size	L (mm)	L (inch)	Pack
1222-1015	15 IP	50	2"	10
1222-1020	20 IP	50	2"	10
1222-1025	25 IP	50	2"	10
1222-1027	27 IP	50	2"	10
1222-1030	30 IP	50	2"	10
1222-1040	40 IP	50	2"	10
1227-1005	5 IP	75	3"	10
1227-1006	6 IP	75	3"	10
1227-1007	7 IP	75	3"	10
1227-1008	8 IP	75	3"	10
1227-1009	9 IP	75	3"	10
1227-1010	10 IP	75	3"	10
1227-1015	15 IP	75	3"	10
1227-1020	20 IP	75	3"	10
1227-1025	25 IP	75	3"	10
1227-1027	27 IP	75	3"	10
1227-1030	30 IP	75	3"	10
1227-1040	40 IP	75	3"	10
1223-1005	5 IP	89	3-1/2"	10
1223-1006	6 IP	89	3-1/2"	10
1223-1007	7 IP	89	3-1/2"	10
1223-1008	8 IP	89	3-1/2"	10
1223-1009	9 IP	89	3-1/2"	10
1223-1010	10 IP	89	3-1/2"	10
1223-1015	15 IP	89	3-1/2"	10
1223-1020	20 IP	89	3-1/2"	10
1223-1025	25 IP	89	3-1/2"	10
1223-1027	27 IP	89	3-1/2"	10
1223-1030	30 IP	89	3-1/2"	10
1223-1040	40 IP	89	3-1/2"	10
1226-1008	8 IP	152	6"	10
1226-1009	9 IP	152	6"	10
1226-1010	10 IP	152	6"	10
1226-1015	15 IP	152	6"	10
1226-1020	20 IP	152	6"	10
1226-1025	25 IP	152	6"	10
1226-1027	27 IP	152	6"	10
1226-1030	30 IP	152	6"	10
1226-1040	40 IP	152	6"	10

TORX PLUS® IP Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1222-1001TD	1 IP	50	2"	2.0	10
1222-1002TD	2 IP	50	2"	2.0	10
1222-1003TD	3 IP	50	2"	2.0	10
1222-1004TD	4 IP	50	2"	3.0	10
1222-1005TD	5 IP	50	2"	3.0	10

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1222-1006TD	6 IP	50	2"	3.0	10
1222-1007TD	7 IP	50	2"	3.0	10
1222-1008TD	8 IP	50	2"	3.5	10
1222-1009TD	9 IP	50	2"	3.5	10
1222-1010TD	10 IP	50	2"	4.0	10
1222-1015TD	15 IP	50	2"	4.0	10
1222-1020TD	20 IP	50	2"	4.8	10
1222-1025TD	25 IP	50	2"	5.0	10
1222-1027TD	27 IP	50	2"	6.0	10
1222-1030TD	30 IP	50	2"	6.2	10
1227-1005TD	5 IP	75	3"	3.0	10
1227-1006TD	6 IP	75	3"	3.0	10
1227-1007TD	7 IP	75	3"	3.0	10
1227-1008TD	8 IP	75	3"	3.5	10
1227-1009TD	9 IP	75	3"	3.5	10
1227-1010TD	10 IP	75	3"	4.0	10
1227-1015TD	15 IP	75	3"	4.0	10
1227-1020TD	20 IP	75	3"	4.8	10
1227-1025TD	25 IP	75	3"	5.0	10
1227-1027TD	27 IP	75	3"	6.0	10
1227-1030TD	30 IP	75	3"	6.2	10
1223-1005TD	5 IP	89	3-1/2"	3.0	10
1223-1006TD	6 IP	89	3-1/2"	3.0	10
1223-1007TD	7 IP	89	3-1/2"	3.0	10
1223-1008TD	8 IP	89	3-1/2"	3.5	10
1223-1009TD	9 IP	89	3-1/2"	3.5	10
1223-1010TD	10 IP	89	3-1/2"	4.0	10
1223-1015TD	15 IP	89	3-1/2"	4.0	10
1223-1020TD	20 IP	89	3-1/2"	4.8	10
1223-1025TD	25 IP	89	3-1/2"	5.0	10
1223-1027TD	27 IP	89	3-1/2"	6.0	10
1223-1030TD	30 IP	89	3-1/2"	6.2	10
1226-1010TD	10 IP	152	6"	4.0	10
1226-1015TD	15 IP	152	6"	4.0	10
1226-1020TD	20 IP	152	6"	4.8	10
1226-1025TD	25 IP	152	6"	5.0	10
1226-1027TD	27 IP	152	6"	6.0	10
1226-1030TD	30 IP	152	6"	6.2	10

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Ordinary General-purpose Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Ordinary General-purpose Working Tools

i


TORX PLUS® IPR Drive Systems

Manufacturers the world over are discovering how the TORX PLUS® Drive increases torque transfer, extends tool life, and increases productivity on their assembly lines. Now these benefits are available in a unique tamper-resistant version. When combined with a countersunk or button head design, the tamper-resistant TORX PLUS fastener is extremely difficult to remove without the proper tool.


Provides Restricted Access To Any Application
The tamper-resistant TORX PLUS® Drive offers restricted access in the field along with all the assembly benefits of the TORX PLUS Drive.

Features

- Non-symmetrical, elliptically-based geometric configuration
- Five lobes with solid post in center of recess
- Drivers only available to OEMs and authorized service personnel
- Concentricity and tight tolerances of tamper-resistant TORX PLUS tools make them very difficult to counterfeit



Standard TORX PLUS Drive Design



Tamper-Resistant TORX PLUS Drive Design

Benefits

- Allows optimum torque transfer and increased drivability
- Allows improved productivity on the assembly line
- Non-symmetrical shape provides increased resistance to tampering
- Limited access to proper drivers maintains integrity of system

TORX PLUS® IPR Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1241-2501	1 IPR	25	1"	25
1241-2502	2 IPR	25	1"	25
1241-2503	3 IPR	25	1"	25
1241-2504	4 IPR	25	1"	25
1241-2505	5 IPR	25	1"	25
1241-2506	6 IPR	25	1"	25
1241-2507	7 IPR	25	1"	25

TORX PLUS® IPR Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1241-2508	8 IPR	25	1"	25
1241-2509	9 IPR	25	1"	25
1241-2510	10 IPR	25	1"	25
1241-2515	15 IPR	25	1"	25
1241-2520	20 IPR	25	1"	25
1241-2525	25 IPR	25	1"	25
1241-2527	27 IPR	25	1"	25
1241-2530	30 IPR	25	1"	25
1241-2540	40 IPR	25	1"	25

TORX PLUS® IPR Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1241-1045	45 IPR	32	1-1/4"	10
1241-1050	50 IPR	32	1-1/4"	10
1241-1055	55 IPR	32	1-1/4"	10

TORX PLUS® IPR Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1242-1001	1 IPR	50	2"	10
1242-1002	2 IPR	50	2"	10
1242-1003	3 IPR	50	2"	10
1242-1004	4 IPR	50	2"	10
1242-1005	5 IPR	50	2"	10
1242-1006	6 IPR	50	2"	10
1242-1007	7 IPR	50	2"	10

TORX PLUS® IPR Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1242-1008	8 IPR	50	2"	10
1242-1009	9 IPR	50	2"	10
1242-1010	10 IPR	50	2"	10
1242-1015	15 IPR	50	2"	10
1242-1020	20 IPR	50	2"	10
1242-1025	25 IPR	50	2"	10
1242-1027	27 IPR	50	2"	10
1242-1030	30 IPR	50	2"	10
1242-1040	40 IPR	50	2"	10
1247-1008	8 IPR	75	3"	10
1247-1009	9 IPR	75	3"	10
1247-1010	10 IPR	75	3"	10
1247-1015	15 IPR	75	3"	10
1247-1020	20 IPR	75	3"	10
1247-1025	25 IPR	75	3"	10
1247-1027	27 IPR	75	3"	10
1247-1030	30 IPR	75	3"	10
1247-1040	40 IPR	75	3"	10
1243-1008	8 IPR	89	3-1/2"	10
1243-1009	9 IPR	89	3-1/2"	10
1243-1010	10 IPR	89	3-1/2"	10
1243-1015	15 IPR	89	3-1/2"	10
1243-1020	20 IPR	89	3-1/2"	10
1243-1025	25 IPR	89	3-1/2"	10
1243-1027	27 IPR	89	3-1/2"	10
1243-1030	30 IPR	89	3-1/2"	10
1246-1008	8 IPR	152	6"	10
1246-1009	9 IPR	152	6"	10
1246-1010	10 IPR	152	6"	10
1246-1015	15 IPR	152	6"	10
1246-1020	20 IPR	152	6"	10
1246-1025	25 IPR	152	6"	10
1246-1027	27 IPR	152	6"	10
1246-1030	30 IPR	152	6"	10
1246-1040	40 IPR	152	6"	10

TORX PLUS® IPR Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1242-1001TD	1 IPR	50	2"	2.0	10
1242-1002TD	2 IPR	50	2"	2.0	10
1242-1003TD	3 IPR	50	2"	2.0	10
1242-1004TD	4 IPR	50	2"	3.0	10
1242-1005TD	5 IPR	50	2"	3.0	10
1242-1006TD	6 IPR	50	2"	3.0	10
1242-1007TD	7 IPR	50	2"	3.0	10

TORX PLUS® IPR Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1242-1008TD	8 IPR	50	2"	3.5	10
1242-1009TD	9 IPR	50	2"	3.5	10
1242-1010TD	10 IPR	50	2"	4.0	10
1242-1015TD	15 IPR	50	2"	4.0	10
1242-1020TD	20 IPR	50	2"	4.8	10
1242-1025TD	25 IPR	50	2"	5.0	10
1242-1027TD	27 IPR	50	2"	6.0	10
1242-1030TD	30 IPR	50	2"	6.2	10
1247-1008TD	8 IPR	75	3"	3.5	10
1247-1009TD	9 IPR	75	3"	3.5	10
1247-1010TD	10 IPR	75	3"	4.0	10
1247-1015TD	15 IPR	75	3"	4.0	10
1247-1020TD	20 IPR	75	3"	4.8	10
1247-1025TD	25 IPR	75	3"	5.0	10
1247-1027TD	27 IPR	75	3"	6.0	10
1247-1030TD	30 IPR	75	3"	6.2	10
1243-1008TD	8 IPR	89	3-1/2"	3.5	10
1243-1009TD	9 IPR	89	3-1/2"	3.5	10
1243-1010TD	10 IPR	89	3-1/2"	4.0	10
1243-1015TD	15 IPR	89	3-1/2"	4.0	10
1243-1020TD	20 IPR	89	3-1/2"	4.8	10
1243-1025TD	25 IPR	89	3-1/2"	5.0	10
1243-1027TD	27 IPR	89	3-1/2"	6.0	10
1243-1030TD	30 IPR	89	3-1/2"	6.2	10

i



Progressive Chunyip (Tianjin) Co., Ltd.

A valued licensee originating May 1, 2011



Martin R. Bechtel
Director of IP & Licensing

- **Stick-fit:** screwdriver "sticks-fit" in the recess
- **No wobbling:** driver does not wobble and cam-out of the recess
- **One-handed operation:** possible because it is stable, you don't need one hand on the screw and the other on the driver
- **No magnetic bit holder needed:** thus there are no steel splinters to clog the bit
- **Guiding:** screwdriver enters the screw recess more easily (also advantage on collated screws).

TORX®ttap® is a registered trademark of Acument® Intellectual Properties, LLC.

For more information on the TORX®ttap® Drive System, please visit Acument® Intellectual Properties, LLC. website at www.acument.com.

TORX® ttap® Insert Bits



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1341-2510	ttap T10	25	1"	25
1341-2515	ttap T15	25	1"	25
1341-2520	ttap T20	25	1"	25
1341-2525	ttap T25	25	1"	25
1341-2530	ttap T30	25	1"	25
1341-2540	ttap T40	25	1"	25

TORX® ttap® Power Bits



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1342-1010	ttap T10	50	2"	10
1342-1015	ttap T15	50	2"	10
1342-1020	ttap T20	50	2"	10
1342-1025	ttap T25	50	2"	10
1342-1030	ttap T30	50	2"	10
1342-1040	ttap T40	50	2"	10
1343-1010	ttap T10	89	3-1/2"	10
1343-1015	ttap T15	89	3-1/2"	10
1343-1020	ttap T20	89	3-1/2"	10
1343-1025	ttap T25	89	3-1/2"	10
1343-1030	ttap T30	89	3-1/2"	10
1343-1040	ttap T40	89	3-1/2"	10
1346-1010	ttap T10	152	6"	10
1346-1015	ttap T15	152	6"	10
1346-1020	ttap T20	152	6"	10
1346-1025	ttap T25	152	6"	10
1346-1030	ttap T30	152	6"	10
1346-1040	ttap T40	152	6"	10

TORX® ttap® Power Bits, Turned Down Shank



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1342-1010TD	ttap T10	50	2"	4.0	10
1342-1015TD	ttap T15	50	2"	4.0	10
1342-1020TD	ttap T20	50	2"	4.8	10
1342-1025TD	ttap T25	50	2"	5.0	10
1342-1030TD	ttap T30	50	2"	6.2	10
1343-1010TD	ttap T10	89	3-1/2"	4.0	10
1343-1015TD	ttap T15	89	3-1/2"	4.0	10
1343-1020TD	ttap T20	89	3-1/2"	4.8	10
1343-1025TD	ttap T25	89	3-1/2"	5.0	10
1343-1030TD	ttap T30	89	3-1/2"	6.2	10
1346-1010TD	ttap T10	152	6"	4.0	10
1346-1015TD	ttap T15	152	6"	4.0	10
1346-1020TD	ttap T20	152	6"	4.8	10
1346-1025TD	ttap T25	152	6"	5.0	10
1346-1030TD	ttap T30	152	6"	6.2	10

Hex Insert Bits



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1091-2500	0.05"		25	1"	25
1091-2501	1/16"		25	1"	25
1091-2502	5/64"		25	1"	25
1091-2503	3/32"		25	1"	25
1091-2504	7/64"		25	1"	25
1091-2505	1/8"		25	1"	25
1091-2506	9/64"		25	1"	25
1091-2507	5/32"		25	1"	25
1091-2508	3/16"		25	1"	25
1091-2509	7/32"		25	1"	25
1091-2510	1/4"		25	1"	25
1091-1011	5/16"		25	1"	10
1091-1012	3/8"		25	1"	10
1091-2530		1.5	25	1"	25
1091-2531		2.0	25	1"	25
1091-2532		2.5	25	1"	25
1091-2533		3.0	25	1"	25
1091-2534		4.0	25	1"	25
1091-2535		5.0	25	1"	25
1091-2536		6.0	25	1"	25
1091-1037		7.0	25	1"	10
1091-1038		8.0	25	1"	10
1091-1039		10.0	25	1"	10

Hex Power Bits



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1092-1001	1/16"		50	2"	10
1092-1002	5/64"		50	2"	10
1092-1003	3/32"		50	2"	10
1092-1004	7/64"		50	2"	10
1092-1005	1/8"		50	2"	10
1092-1006	9/64"		50	2"	10
1092-1007	5/32"		50	2"	10
1092-1008	3/16"		50	2"	10
1092-1009	7/32"		50	2"	10
1092-1010	1/4"		50	2"	10
1092-0511	5/16"		50	2"	5
1092-0512	3/8"		50	2"	5
1097-1001	1/16"		75	3"	10
1097-1002	5/64"		75	3"	10
1097-1003	3/32"		75	3"	10

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1097-1004	7/64"		75	3"	10
1097-1005	1/8"		75	3"	10
1097-1006	9/64"		75	3"	10
1097-1007	5/32"		75	3"	10
1097-1008	3/16"		75	3"	10
1097-1009	7/32"		75	3"	10
1097-1010	1/4"		75	3"	10
1097-0511	5/16"		75	3"	5
1097-0512	3/8"		75	3"	5
1093-1001	1/16"		89	3-1/2"	10
1093-1002	5/64"		89	3-1/2"	10
1093-1003	3/32"		89	3-1/2"	10
1093-1004	7/64"		89	3-1/2"	10
1093-1005	1/8"		89	3-1/2"	10
1093-1006	9/64"		89	3-1/2"	10
1093-1007	5/32"		89	3-1/2"	10
1093-1008	3/16"		89	3-1/2"	10
1093-1009	7/32"		89	3-1/2"	10
1093-1010	1/4"		89	3-1/2"	10
1093-0511	5/16"		89	3-1/2"	5
1093-0512	3/8"		89	3-1/2"	5
1092-1030		1.5	50	2"	10
1092-1031		2.0	50	2"	10
1092-1032		2.5	50	2"	10
1092-1033		3.0	50	2"	10
1092-1034		4.0	50	2"	10
1092-1035		5.0	50	2"	10
1092-1036		6.0	50	2"	10
1092-0537		7.0	50	2"	5
1092-0538		8.0	50	2"	5
1092-0539		10.0	50	2"	5
1097-1030		1.5	75	3"	10
1097-1031		2.0	75	3"	10
1097-1032		2.5	75	3"	10
1097-1033		3.0	75	3"	10
1097-1034		4.0	75	3"	10
1097-1035		5.0	75	3"	10
1097-1036		6.0	75	3"	10
1097-0537		7.0	75	3"	5
1097-0538		8.0	75	3"	5
1097-0539		10.0	75	3"	5
1093-1030		1.5	89	3-1/2"	10
1093-1031		2.0	89	3-1/2"	10
1093-1032		2.5	89	3-1/2"	10
1093-1033		3.0	89	3-1/2"	10
1093-1034		4.0	89	3-1/2"	10
1093-1035		5.0	89	3-1/2"	10
1093-1036		6.0	89	3-1/2"	10
1093-0537		7.0	89	3-1/2"	5
1093-0538		8.0	89	3-1/2"	5
1093-0539		10.0	89	3-1/2"	5

Hex Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	D (mm)	Pack
1092-1001TD	1/16"		50	2"	1.7	10
1092-1002TD	5/64"		50	2"	2.2	10
1092-1003TD	3/32"		50	2"	2.6	10
1092-1004TD	7/64"		50	2"	3.0	10
1092-1005TD	1/8"		50	2"	3.5	10
1092-1006TD	9/64"		50	2"	4.0	10
1092-1007TD	5/32"		50	2"	4.2	10
1092-1008TD	3/16"		50	2"	5.4	10
1097-1002TD	5/64"		75	3"	2.2	10
1097-1003TD	3/32"		75	3"	2.6	10
1097-1004TD	7/64"		75	3"	3.0	10
1097-1005TD	1/8"		75	3"	3.5	10
1097-1006TD	9/64"		75	3"	4.0	10
1097-1007TD	5/32"		75	3"	4.2	10
1097-1008TD	3/16"		75	3"	5.4	10
1093-1002TD	5/64"		89	3-1/2"	2.2	10
1093-1003TD	3/32"		89	3-1/2"	2.6	10
1093-1004TD	7/64"		89	3-1/2"	3.0	10
1093-1005TD	1/8"		89	3-1/2"	3.5	10
1093-1006TD	9/64"		89	3-1/2"	4.0	10
1093-1007TD	5/32"		89	3-1/2"	4.2	10
1093-1008TD	3/16"		89	3-1/2"	5.4	10
1092-1030TD		1.5	50	2"	1.64	10
1092-1031TD		2.0	50	2"	2.2	10
1092-1032TD		2.5	50	2"	2.8	10
1092-1033TD		3.0	50	2"	3.3	10
1092-1034TD		4.0	50	2"	4.5	10
1092-1035TD		5.0	50	2"	5.6	10
1097-1031TD		2.0	75	3"	2.2	10
1097-1032TD		2.5	75	3"	2.8	10
1097-1033TD		3.0	75	3"	3.3	10
1097-1034TD		4.0	75	3"	4.5	10
1097-1035TD		5.0	75	3"	5.6	10
1093-1031TD		2.0	89	3-1/2"	2.2	10
1093-1032TD		2.5	89	3-1/2"	2.8	10
1093-1033TD		3.0	89	3-1/2"	3.3	10
1093-1034TD		4.0	89	3-1/2"	4.5	10
1093-1035TD		5.0	89	3-1/2"	5.6	10

Hex Manual Impact Driver Bits



• DIN 3126, ISO 1173, C 8

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1701-1061	5/32"		35	1-3/8"	10
1701-1062	3/16"		35	1-3/8"	10
1701-1063	7/32"		35	1-3/8"	10
1701-1064	1/4"		35	1-3/8"	10
1701-1065	5/16"		35	1-3/8"	10
1701-1066	3/8"		35	1-3/8"	10
1700-0561	5/32"		70	2-3/4"	5
1700-0562	3/16"		70	2-3/4"	5
1700-0563	7/32"		70	2-3/4"	5
1700-0564	1/4"		70	2-3/4"	5
1700-0565	5/16"		70	2-3/4"	5
1700-0566	3/8"		70	2-3/4"	5
1704-0561	5/32"		100	4"	5
1704-0562	3/16"		100	4"	5
1704-0563	7/32"		100	4"	5
1704-0564	1/4"		100	4"	5
1704-0565	5/16"		100	4"	5
1704-0566	3/8"		100	4"	5
1701-1071		3.0	35	1-3/8"	10
1701-1072		4.0	35	1-3/8"	10
1701-1073		5.0	35	1-3/8"	10
1701-1074		6.0	35	1-3/8"	10
1701-1075		7.0	35	1-3/8"	10
1701-1076		8.0	35	1-3/8"	10
1701-1077		10.0	35	1-3/8"	10
1700-0571		3.0	70	2-3/4"	5
1700-0572		4.0	70	2-3/4"	5
1700-0573		5.0	70	2-3/4"	5
1700-0574		6.0	70	2-3/4"	5
1700-0575		7.0	70	2-3/4"	5
1700-0576		8.0	70	2-3/4"	5
1700-0577		10.0	70	2-3/4"	5
1704-0571		3.0	100	4"	5
1704-0572		4.0	100	4"	5
1704-0573		5.0	100	4"	5
1704-0574		6.0	100	4"	5
1704-0575		7.0	100	4"	5
1704-0576		8.0	100	4"	5
1704-0577		10.0	100	4"	5

Hex Insert Bits, Ball Head



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1091-2503BH	3/32"		25	1"	25
1091-2504BH	7/64"		25	1"	25
1091-2505BH	1/8"		25	1"	25
1091-2506BH	9/64"		25	1"	25
1091-2507BH	5/32"		25	1"	25
1091-2508BH	3/16"		25	1"	25
1091-2509BH	7/32"		25	1"	25
1091-2510BH	1/4"		25	1"	25
1091-2533BH		3.0	25	1"	25
1091-2534BH		4.0	25	1"	25
1091-2535BH		5.0	25	1"	25
1091-2536BH		6.0	25	1"	25

Hex Power Bits, Ball Head



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1092-1003BH	3/32"		50	2"	10
1092-1004BH	7/64"		50	2"	10
1092-1005BH	1/8"		50	2"	10
1092-1006BH	9/64"		50	2"	10
1092-1007BH	5/32"		50	2"	10
1092-1008BH	3/16"		50	2"	10
1092-1009BH	7/32"		50	2"	10
1092-1010BH	1/4"		50	2"	10
1097-1003BH	3/32"		75	3"	10
1097-1004BH	7/64"		75	3"	10
1097-1005BH	1/8"		75	3"	10
1097-1006BH	9/64"		75	3"	10
1097-1007BH	5/32"		75	3"	10
1097-1008BH	3/16"		75	3"	10
1097-1009BH	7/32"		75	3"	10
1097-1010BH	1/4"		75	3"	10
1093-1003BH	3/32"		89	3-1/2"	10
1093-1004BH	7/64"		89	3-1/2"	10
1093-1005BH	1/8"		89	3-1/2"	10
1093-1006BH	9/64"		89	3-1/2"	10
1093-1007BH	5/32"		89	3-1/2"	10
1093-1008BH	3/16"		89	3-1/2"	10
1093-1009BH	7/32"		89	3-1/2"	10
1093-1010BH	1/4"		89	3-1/2"	10
1092-1033BH		3.0	50	2"	10
1092-1034BH		4.0	50	2"	10

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1092-1035BH		5.0	50	2"	10
1092-1036BH		6.0	50	2"	10
1097-1033BH		3.0	75	3"	10
1097-1034BH		4.0	75	3"	10
1097-1035BH		5.0	75	3"	10
1097-1036BH		6.0	75	3"	10
1093-1033BH		3.0	89	3-1/2"	10
1093-1034BH		4.0	89	3-1/2"	10
1093-1035BH		5.0	89	3-1/2"	10
1093-1036BH		6.0	89	3-1/2"	10

Hex Tamper Resistant Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1281-2505	1/8"		25	1"	25
1281-2506	9/64"		25	1"	25
1281-2507	5/32"		25	1"	25
1281-2508	3/16"		25	1"	25
1281-2509	7/32"		25	1"	25
1281-2510	1/4"		25	1"	25
1281-2531		2.0	25	1"	25
1281-2532		2.5	25	1"	25
1281-2533		3.0	25	1"	25
1281-2534		4.0	25	1"	25
1281-2535		5.0	25	1"	25
1281-2536		6.0	25	1"	25

Hex Tamper Resistant Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1282-1005	1/8"		50	2"	10
1282-1006	9/64"		50	2"	10
1282-1007	5/32"		50	2"	10
1282-1008	3/16"		50	2"	10
1282-1009	7/32"		50	2"	10
1282-1010	1/4"		50	2"	10
1287-1005	1/8"		75	3"	10
1287-1006	9/64"		75	3"	10
1287-1007	5/32"		75	3"	10
1287-1008	3/16"		75	3"	10
1287-1009	7/32"		75	3"	10
1287-1010	1/4"		75	3"	10
1283-1005	1/8"		89	3-1/2"	10

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1283-1006	9/64"		89	3-1/2"	10
1283-1007	5/32"		89	3-1/2"	10
1283-1008	3/16"		89	3-1/2"	10
1283-1009	7/32"		89	3-1/2"	10
1283-1010	1/4"		89	3-1/2"	10
1282-1031		2.0	50	2"	10
1282-1032		2.5	50	2"	10
1282-1033		3.0	50	2"	10
1282-1034		4.0	50	2"	10
1282-1035		5.0	50	2"	10
1282-1036		6.0	50	2"	10
1287-1031		2.0	75	3"	10
1287-1032		2.5	75	3"	10
1287-1033		3.0	75	3"	10
1287-1034		4.0	75	3"	10
1287-1035		5.0	75	3"	10
1287-1036		6.0	75	3"	10
1283-1031		2.0	89	3-1/2"	10
1283-1032		2.5	89	3-1/2"	10
1283-1033		3.0	89	3-1/2"	10
1283-1034		4.0	89	3-1/2"	10
1283-1035		5.0	89	3-1/2"	10
1283-1036		6.0	89	3-1/2"	10

Hex Tamper Resistant Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	D (mm)	Pack
1282-1005TD	1/8"		50	2"	3.5	10
1282-1006TD	9/64"		50	2"	4.0	10
1282-1007TD	5/32"		50	2"	4.2	10
1282-1008TD	3/16"		50	2"	5.4	10
1287-1005TD	1/8"		75	3"	3.5	10
1287-1006TD	9/64"		75	3"	4.0	10
1287-1007TD	5/32"		75	3"	4.2	10
1287-1008TD	3/16"		75	3"	5.4	10
1282-1031TD		2.0	50	2"	2.2	10
1282-1032TD		2.5	50	2"	2.8	10
1282-1033TD		3.0	50	2"	3.3	10
1282-1034TD		4.0	50	2"	4.5	10
1282-1035TD		5.0	50	2"	5.6	10
1287-1031TD		2.0	75	3"	2.2	10
1287-1032TD		2.5	75	3"	2.8	10
1287-1033TD		3.0	75	3"	3.3	10
1287-1034TD		4.0	75	3"	4.5	10
1287-1035TD		5.0	75	3"	5.6	10

Slotted Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1101-2505DT	5-6		25	1"	25
1101-2506DT	6-8		25	1"	25
1101-2507DT	8-10		25	1"	25
1101-2508DT	10-12		25	1"	25
1101-2536DT		0.6x4.5	25	1"	25
1101-2539DT		0.8x5.5	25	1"	25
1101-2540DT		1.0x5.5	25	1"	25
1101-2542DT		1.2x6.5	25	1"	25

Slotted Insert Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1101-2505TC	5-6		25	1"	25
1101-2506TC	6-8		25	1"	25
1101-2507TC	8-10		25	1"	25
1101-2508TC	10-12		25	1"	25
1101-2536TC		0.6x4.5	25	1"	25
1101-2539TC		0.8x5.5	25	1"	25
1101-2540TC		1.0x5.5	25	1"	25
1101-2542TC		1.2x6.5	25	1"	25

Slotted Insert Bits, Torsion



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1101-2504TS	4-5		25	1"	25
1101-2505TS	5-6		25	1"	25
1101-2506TS	6-8		25	1"	25
1101-2507TS	8-10		25	1"	25

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1101-2508TS	10-12		25	1"	25
1101-1009TS	12-14		25	1"	10
1101-2534TS		0.5x4.0	25	1"	25
1101-2536TS		0.6x4.5	25	1"	25
1101-2537TS		0.6x5.0	25	1"	25
1101-2539TS		0.8x5.5	25	1"	25
1101-2540TS		1.0x5.5	25	1"	25
1101-2541TS		1.0x6.0	25	1"	25
1101-2542TS		1.2x6.5	25	1"	25
1101-1044TS		1.6x8.0	25	1"	10

Slotted Insert Bits, Torsion, Anti Cam-out



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1101-2554TS	4-5		25	1"	25
1101-2555TS	5-6		25	1"	25
1101-2556TS	6-8		25	1"	25
1101-2557TS	8-10		25	1"	25
1101-2558TS	10-12		25	1"	25
1101-1059TS	12-14		25	1"	10
1101-2584TS		0.5x4.0	25	1"	25
1101-2586TS		0.6x4.5	25	1"	25
1101-2587TS		0.6x5.0	25	1"	25
1101-2589TS		0.8x5.5	25	1"	25
1101-2590TS		1.0x5.5	25	1"	25
1101-2591TS		1.0x6.0	25	1"	25
1101-2592TS		1.2x6.5	25	1"	25
1101-1094TS		1.6x8.0	25	1"	10

Slotted Insert Bits, Forging



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1101-2504FG	4-5		25	1"	25
1101-2505FG	5-6		25	1"	25
1101-2506FG	6-8		25	1"	25
1101-2507FG	8-10		25	1"	25
1101-2508FG	10-12		25	1"	25
1101-1009FG	12-14		25	1"	10
1101-2534FG		0.5x4.0	25	1"	25
1101-2536FG		0.6x4.5	25	1"	25
1101-2537FG		0.6x5.0	25	1"	25

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1101-2539FG		0.8x5.5	25	1"	25
1101-2540FG		1.0x5.5	25	1"	25
1101-2541FG		1.0x6.0	25	1"	25
1101-2542FG		1.2x6.5	25	1"	25
1101-1044FG		1.6x8.0	25	1"	10

Slotted Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1101-2501	1-2		25	1"	25
1101-2502	2-3		25	1"	25
1101-2503	3-4		25	1"	25
1101-2504	4-5		25	1"	25
1101-2505	5-6		25	1"	25
1101-2506	6-8		25	1"	25
1101-2507	8-10		25	1"	25
1101-2508	10-12		25	1"	25
1101-1009	12-14		25	1"	10
1101-2531		0.4x2.0	25	1"	25
1101-2532		0.4x2.5	25	1"	25
1101-2533		0.5x3.0	25	1"	25
1101-2534		0.5x4.0	25	1"	25
1101-2535		0.6x3.5	25	1"	25
1101-2536		0.6x4.5	25	1"	25
1101-2537		0.6x5.0	25	1"	25
1101-2538		0.8x4.0	25	1"	25
1101-2539		0.8x5.5	25	1"	25
1101-2540		1.0x5.5	25	1"	25
1101-2541		1.0x6.0	25	1"	25
1101-2542		1.2x6.5	25	1"	25
1101-1043		1.2x8.0	25	1"	10
1101-1044		1.6x8.0	25	1"	10

Slotted Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-1005DT	5-6		50	2"	10
1102-1006DT	6-8		50	2"	10
1102-1007DT	8-10		50	2"	10
1102-1008DT	10-12		50	2"	10
1102-1036DT		0.6x4.5	50	2"	10
1102-1039DT		0.8x5.5	50	2"	10
1102-1040DT		1.0x5.5	50	2"	10
1102-1042DT		1.2x6.5	50	2"	10

Slotted Power Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-1005TC	5-6		50	2"	10
1102-1006TC	6-8		50	2"	10
1102-1007TC	8-10		50	2"	10
1102-1008TC	10-12		50	2"	10
1107-1005TC	5-6		75	3"	10
1107-1006TC	6-8		75	3"	10
1107-1007TC	8-10		75	3"	10
1107-1008TC	10-12		75	3"	10
1103-1005TC	5-6		89	3-1/2"	10
1103-1006TC	6-8		89	3-1/2"	10
1103-1007TC	8-10		89	3-1/2"	10
1103-1008TC	10-12		89	3-1/2"	10
1102-1036TC		0.6x4.5	50	2"	10
1102-1039TC		0.8x5.5	50	2"	10
1102-1040TC		1.0x5.5	50	2"	10
1102-1042TC		1.2x6.5	50	2"	10
1107-1036TC		0.6x4.5	75	3"	10
1107-1039TC		0.8x5.5	75	3"	10
1107-1040TC		1.0x5.5	75	3"	10
1107-1042TC		1.2x6.5	75	3"	10
1103-1036TC		0.6x4.5	89	3-1/2"	10
1103-1039TC		0.8x5.5	89	3-1/2"	10
1103-1040TC		1.0x5.5	89	3-1/2"	10
1103-1042TC		1.2x6.5	89	3-1/2"	10

Slotted Power Bits, Torsion



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-1004TS	4-5		50	2"	10
1102-1005TS	5-6		50	2"	10
1102-1006TS	6-8		50	2"	10
1102-1007TS	8-10		50	2"	10
1102-1008TS	10-12		50	2"	10
1102-0509TS	12-14		50	2"	5
1107-1004TS	4-5		75	3"	10
1107-1005TS	5-6		75	3"	10
1107-1006TS	6-8		75	3"	10
1107-1007TS	8-10		75	3"	10
1107-1008TS	10-12		75	3"	10
1107-0509TS	12-14		75	3"	5
1103-1004TS	4-5		89	3-1/2"	10
1103-1005TS	5-6		89	3-1/2"	10
1103-1006TS	6-8		89	3-1/2"	10
1103-1007TS	8-10		89	3-1/2"	10
1103-1008TS	10-12		89	3-1/2"	10
1103-0509TS	12-14		89	3-1/2"	5
1106-1004TS	4-5		152	6"	10
1106-1005TS	5-6		152	6"	10
1106-1006TS	6-8		152	6"	10
1106-1007TS	8-10		152	6"	10
1106-1008TS	10-12		152	6"	10
1106-0509TS	12-14		152	6"	5
1102-1034TS		0.5x4.0	50	2"	10
1102-1036TS		0.6x4.5	50	2"	10
1102-1037TS		0.6x5.0	50	2"	10
1102-1039TS		0.8x5.5	50	2"	10
1102-1040TS		1.0x5.5	50	2"	10
1102-1041TS		1.0x6.0	50	2"	10
1102-1042TS		1.2x6.5	50	2"	10
1102-0544TS		1.6x8.0	50	2"	5
1100-1034TS		0.5x4.0	70	2-3/4"	10
1100-1036TS		0.6x4.5	70	2-3/4"	10
1100-1037TS		0.6x5.0	70	2-3/4"	10
1100-1039TS		0.8x5.5	70	2-3/4"	10
1100-1040TS		1.0x5.5	70	2-3/4"	10
1100-1041TS		1.0x6.0	70	2-3/4"	10
1100-1042TS		1.2x6.5	70	2-3/4"	10
1100-0544TS		1.6x8.0	70	2-3/4"	5
1107-1034TS		0.5x4.0	75	3"	10
1107-1036TS		0.6x4.5	75	3"	10
1107-1037TS		0.6x5.0	75	3"	10
1107-1039TS		0.8x5.5	75	3"	10
1107-1040TS		1.0x5.5	75	3"	10
1107-1041TS		1.0x6.0	75	3"	10

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1107-1042TS		1.2x6.5	75	3"	10
1107-0544TS		1.6x8.0	75	3"	5
1103-1034TS		0.5x4.0	89	3-1/2"	10
1103-1036TS		0.6x4.5	89	3-1/2"	10
1103-1037TS		0.6x5.0	89	3-1/2"	10
1103-1039TS		0.8x5.5	89	3-1/2"	10
1103-1040TS		1.0x5.5	89	3-1/2"	10
1103-1041TS		1.0x6.0	89	3-1/2"	10
1103-1042TS		1.2x6.5	89	3-1/2"	10
1103-0544TS		1.6x8.0	89	3-1/2"	5
1106-1034TS		0.5x4.0	152	6"	10
1106-1036TS		0.6x4.5	152	6"	10
1106-1037TS		0.6x5.0	152	6"	10
1106-1039TS		0.8x5.5	152	6"	10
1106-1040TS		1.0x5.5	152	6"	10
1106-1041TS		1.0x6.0	152	6"	10
1106-1042TS		1.2x6.5	152	6"	10
1106-0544TS		1.6x8.0	152	6"	5

Slotted Power Bits, Torsion, Anti Cam-out



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-1054TS	4-5		50	2"	10
1102-1055TS	5-6		50	2"	10
1102-1056TS	6-8		50	2"	10
1102-1057TS	8-10		50	2"	10
1102-1058TS	10-12		50	2"	10
1102-0559TS	12-14		50	2"	5
1107-1054TS	4-5		75	3"	10
1107-1055TS	5-6		75	3"	10
1107-1056TS	6-8		75	3"	10
1107-1057TS	8-10		75	3"	10
1107-1058TS	10-12		75	3"	10
1107-0559TS	12-14		75	3"	5
1103-1054TS	4-5		89	3-1/2"	10
1103-1055TS	5-6		89	3-1/2"	10
1103-1056TS	6-8		89	3-1/2"	10
1103-1057TS	8-10		89	3-1/2"	10
1103-1058TS	10-12		89	3-1/2"	10
1103-0559TS	12-14		89	3-1/2"	5
1106-1054TS	4-5		152	6"	10
1106-1055TS	5-6		152	6"	10
1106-1056TS	6-8		152	6"	10
1106-1057TS	8-10		152	6"	10
1106-1058TS	10-12		152	6"	10
1106-0559TS	12-14		152	6"	5

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-1084TS		0.5x4.0	50	2"	10
1102-1086TS		0.6x4.5	50	2"	10
1102-1087TS		0.6x5.0	50	2"	10
1102-1089TS		0.8x5.5	50	2"	10
1102-1090TS		1.0x5.5	50	2"	10
1102-1091TS		1.0x6.0	50	2"	10
1102-1092TS		1.2x6.5	50	2"	10
1102-0594TS		1.6x8.0	50	2"	5
1100-1084TS		0.5x4.0	70	2-3/4"	10
1100-1086TS		0.6x4.5	70	2-3/4"	10
1100-1087TS		0.6x5.0	70	2-3/4"	10
1100-1089TS		0.8x5.5	70	2-3/4"	10
1100-1090TS		1.0x5.5	70	2-3/4"	10
1100-1091TS		1.0x6.0	70	2-3/4"	10
1100-1092TS		1.2x6.5	70	2-3/4"	10
1100-0594TS		1.6x8.0	70	2-3/4"	5
1107-1084TS		0.5x4.0	75	3"	10
1107-1086TS		0.6x4.5	75	3"	10
1107-1087TS		0.6x5.0	75	3"	10
1107-1089TS		0.8x5.5	75	3"	10
1107-1090TS		1.0x5.5	75	3"	10
1107-1091TS		1.0x6.0	75	3"	10
1107-1092TS		1.2x6.5	75	3"	10
1107-0594TS		1.6x8.0	75	3"	5
1103-1084TS		0.5x4.0	89	3-1/2"	10
1103-1086TS		0.6x4.5	89	3-1/2"	10
1103-1087TS		0.6x5.0	89	3-1/2"	10
1103-1089TS		0.8x5.5	89	3-1/2"	10
1103-1090TS		1.0x5.5	89	3-1/2"	10
1103-1091TS		1.0x6.0	89	3-1/2"	10
1103-1092TS		1.2x6.5	89	3-1/2"	10
1103-0594TS		1.6x8.0	89	3-1/2"	5
1106-1084TS		0.5x4.0	152	6"	10
1106-1086TS		0.6x4.5	152	6"	10
1106-1087TS		0.6x5.0	152	6"	10
1106-1089TS		0.8x5.5	152	6"	10
1106-1090TS		1.0x5.5	152	6"	10
1106-1091TS		1.0x6.0	152	6"	10
1106-1092TS		1.2x6.5	152	6"	10
1106-0594TS		1.6x8.0	152	6"	5

Slotted Power Bits, Forging



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-1004FG	4-5		50	2"	10
1102-1005FG	5-6		50	2"	10
1102-1006FG	6-8		50	2"	10
1102-1007FG	8-10		50	2"	10
1102-1008FG	10-12		50	2"	10

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-0509FG	12-14		50	2"	5
1107-1004FG	4-5		75	3"	10
1107-1005FG	5-6		75	3"	10
1107-1006FG	6-8		75	3"	10
1107-1007FG	8-10		75	3"	10
1107-1008FG	10-12		75	3"	10
1107-0509FG	12-14		75	3"	5
1103-1004FG	4-5		89	3-1/2"	10
1103-1005FG	5-6		89	3-1/2"	10
1103-1006FG	6-8		89	3-1/2"	10
1103-1007FG	8-10		89	3-1/2"	10
1103-1008FG	10-12		89	3-1/2"	10
1103-0509FG	12-14		89	3-1/2"	5
1106-1004FG	4-5		152	6"	10
1106-1005FG	5-6		152	6"	10
1106-1006FG	6-8		152	6"	10
1106-1007FG	8-10		152	6"	10
1106-1008FG	10-12		152	6"	10
1106-0509FG	12-14		152	6"	5
1102-1034FG		0.5x4.0	50	2"	10
1102-1036FG		0.6x4.5	50	2"	10
1102-1037FG		0.6x5.0	50	2"	10
1102-1039FG		0.8x5.5	50	2"	10
1102-1040FG		1.0x5.5	50	2"	10
1102-1041FG		1.0x6.0	50	2"	10
1102-1042FG		1.2x6.5	50	2"	10
1102-0544FG		1.6x8.0	50	2"	5
1100-1034FG		0.5x4.0	70	2-3/4"	10
1100-1036FG		0.6x4.5	70	2-3/4"	10
1100-1037FG		0.6x5.0	70	2-3/4"	10
1100-1039FG		0.8x5.5	70	2-3/4"	10
1100-1040FG		1.0x5.5	70	2-3/4"	10
1100-1041FG		1.0x6.0	70	2-3/4"	10
1100-1042FG		1.2x6.5	70	2-3/4"	10
1100-0544FG		1.6x8.0	70	2-3/4"	5
1107-1034FG		0.5x4.0	75	3"	10
1107-1036FG		0.6x4.5	75	3"	10
1107-1037FG		0.6x5.0	75	3"	10
1107-1039FG		0.8x5.5	75	3"	10
1107-1040FG		1.0x5.5	75	3"	10
1107-1041FG		1.0x6.0	75	3"	10
1107-1042FG		1.2x6.5	75	3"	10
1107-0544FG		1.6x8.0	75	3"	5
1103-1034FG		0.5x4.0	89	3-1/2"	10
1103-1036FG		0.6x4.5	89	3-1/2"	10
1103-1037FG		0.6x5.0	89	3-1/2"	10
1103-1039FG		0.8x5.5	89	3-1/2"	10
1103-1040FG		1.0x5.5	89	3-1/2"	10
1103-1041FG		1.0x6.0	89	3-1/2"	10
1103-1042FG		1.2x6.5	89	3-1/2"	10
1103-0544FG		1.6x8.0	89	3-1/2"	5
1106-1034FG		0.5x4.0	152	6"	10
1106-1036FG		0.6x4.5	152	6"	10
1106-1037FG		0.6x5.0	152	6"	10
1106-1039FG		0.8x5.5	152	6"	10

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1106-1040FG		1.0x5.5	152	6"	10
1106-1041FG		1.0x6.0	152	6"	10
1106-1042FG		1.2x6.5	152	6"	10
1106-0544FG		1.6x8.0	152	6"	5

Slotted Power Bits, Forging, Anti Cam-out



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-1054FG	4-5		50	2"	10
1102-1055FG	5-6		50	2"	10
1102-1056FG	6-8		50	2"	10
1102-1057FG	8-10		50	2"	10
1102-1058FG	10-12		50	2"	10
1102-0559FG	12-14		50	2"	5
1107-1054FG	4-5		75	3"	10
1107-1055FG	5-6		75	3"	10
1107-1056FG	6-8		75	3"	10
1107-1057FG	8-10		75	3"	10
1107-1058FG	10-12		75	3"	10
1107-0559FG	12-14		75	3"	5
1103-1054FG	4-5		89	3-1/2"	10
1103-1055FG	5-6		89	3-1/2"	10
1103-1056FG	6-8		89	3-1/2"	10
1103-1057FG	8-10		89	3-1/2"	10
1103-1058FG	10-12		89	3-1/2"	10
1103-0559FG	12-14		89	3-1/2"	5
1106-1054FG	4-5		152	6"	10
1106-1055FG	5-6		152	6"	10
1106-1056FG	6-8		152	6"	10
1106-1057FG	8-10		152	6"	10
1106-1058FG	10-12		152	6"	10
1106-0559FG	12-14		152	6"	5
1102-1084FG		0.5x4.0	50	2"	10
1102-1086FG		0.6x4.5	50	2"	10
1102-1087FG		0.6x5.0	50	2"	10
1102-1089FG		0.8x5.5	50	2"	10
1102-1090FG		1.0x5.5	50	2"	10
1102-1091FG		1.0x6.0	50	2"	10
1102-1092FG		1.2x6.5	50	2"	10
1102-0594FG		1.6x8.0	50	2"	5
1100-1084FG		0.5x4.0	70	2-3/4"	10
1100-1086FG		0.6x4.5	70	2-3/4"	10
1100-1087FG		0.6x5.0	70	2-3/4"	10
1100-1089FG		0.8x5.5	70	2-3/4"	10
1100-1090FG		1.0x5.5	70	2-3/4"	10
1100-1091FG		1.0x6.0	70	2-3/4"	10
1100-1092FG		1.2x6.5	70	2-3/4"	10
1100-0594FG		1.6x8.0	70	2-3/4"	5
1107-1084FG		0.5x4.0	75	3"	10

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1107-1086FG		0.6x4.5	75	3"	10
1107-1087FG		0.6x5.0	75	3"	10
1107-1089FG		0.8x5.5	75	3"	10
1107-1090FG		1.0x5.5	75	3"	10
1107-1091FG		1.0x6.0	75	3"	10
1107-1092FG		1.2x6.5	75	3"	10
1107-0594FG		1.6x8.0	75	3"	5
1103-1084FG		0.5x4.0	89	3-1/2"	10
1103-1086FG		0.6x4.5	89	3-1/2"	10
1103-1087FG		0.6x5.0	89	3-1/2"	10
1103-1089FG		0.8x5.5	89	3-1/2"	10
1103-1090FG		1.0x5.5	89	3-1/2"	10
1103-1091FG		1.0x6.0	89	3-1/2"	10
1103-1092FG		1.2x6.5	89	3-1/2"	10
1103-0594FG		1.6x8.0	89	3-1/2"	5
1106-1084FG		0.5x4.0	152	6"	10
1106-1086FG		0.6x4.5	152	6"	10
1106-1087FG		0.6x5.0	152	6"	10
1106-1089FG		0.8x5.5	152	6"	10
1106-1090FG		1.0x5.5	152	6"	10
1106-1091FG		1.0x6.0	152	6"	10
1106-1092FG		1.2x6.5	152	6"	10
1106-0594FG		1.6x8.0	152	6"	5

Slotted Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-1001	1-2		50	2"	10
1102-1002	2-3		50	2"	10
1102-1003	3-4		50	2"	10
1102-1004	4-5		50	2"	10
1102-1005	5-6		50	2"	10
1102-1006	6-8		50	2"	10
1102-1007	8-10		50	2"	10
1102-1008	10-12		50	2"	10
1102-0509	12-14		50	2"	5
1107-1001	1-2		75	3"	10
1107-1002	2-3		75	3"	10
1107-1003	3-4		75	3"	10
1107-1004	4-5		75	3"	10
1107-1005	5-6		75	3"	10
1107-1006	6-8		75	3"	10
1107-1007	8-10		75	3"	10
1107-1008	10-12		75	3"	10
1107-0509	12-14		75	3"	5
1103-1001	1-2		89	3-1/2"	10
1103-1002	2-3		89	3-1/2"	10
1103-1003	3-4		89	3-1/2"	10
1103-1004	4-5		89	3-1/2"	10

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1103-1005	5-6		89	3-1/2"	10
1103-1006	6-8		89	3-1/2"	10
1103-1007	8-10		89	3-1/2"	10
1103-1008	10-12		89	3-1/2"	10
1103-0509	12-14		89	3-1/2"	5
1106-1001	1-2		152	6"	10
1106-1002	2-3		152	6"	10
1106-1003	3-4		152	6"	10
1106-1004	4-5		152	6"	10
1106-1005	5-6		152	6"	10
1106-1006	6-8		152	6"	10
1106-1007	8-10		152	6"	10
1106-1008	10-12		152	6"	10
1106-0509	12-14		152	6"	5
1102-1031		0.4x2.0	50	2"	10
1102-1032		0.4x2.5	50	2"	10
1102-1033		0.5x3.0	50	2"	10
1102-1034		0.5x4.0	50	2"	10
1102-1035		0.6x3.5	50	2"	10
1102-1036		0.6x4.5	50	2"	10
1102-1037		0.6x5.0	50	2"	10
1102-1038		0.8x4.0	50	2"	10
1102-1039		0.8x5.5	50	2"	10
1102-1040		1.0x5.5	50	2"	10
1102-1041		1.0x6.0	50	2"	10
1102-1042		1.2x6.5	50	2"	10
1102-0543		1.2x8.0	50	2"	5
1102-0544		1.6x8.0	50	2"	5
1100-1031		0.4x2.0	70	2-3/4"	10
1100-1032		0.4x2.5	70	2-3/4"	10
1100-1033		0.5x3.0	70	2-3/4"	10
1100-1034		0.5x4.0	70	2-3/4"	10
1100-1035		0.6x3.5	70	2-3/4"	10
1100-1036		0.6x4.5	70	2-3/4"	10
1100-1037		0.6x5.0	70	2-3/4"	10
1100-1038		0.8x4.0	70	2-3/4"	10
1100-1039		0.8x5.5	70	2-3/4"	10
1100-1040		1.0x5.5	70	2-3/4"	10
1100-1041		1.0x6.0	70	2-3/4"	10
1100-1042		1.2x6.5	70	2-3/4"	10
1100-0543		1.2x8.0	70	2-3/4"	5
1100-0544		1.6x8.0	70	2-3/4"	5
1107-1031		0.4x2.0	75	3"	10
1107-1032		0.4x2.5	75	3"	10
1107-1033		0.5x3.0	75	3"	10
1107-1034		0.5x4.0	75	3"	10
1107-1035		0.6x3.5	75	3"	10
1107-1036		0.6x4.5	75	3"	10
1107-1037		0.6x5.0	75	3"	10
1107-1038		0.8x4.0	75	3"	10
1107-1039		0.8x5.5	75	3"	10
1107-1040		1.0x5.5	75	3"	10
1107-1041		1.0x6.0	75	3"	10
1107-1042		1.2x6.5	75	3"	10
1107-0543		1.2x8.0	75	3"	5

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Ordinary General-purpose Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Ordinary General-purpose Working Tools

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1107-0544		1.6x8.0	75	3"	5
1103-1031		0.4x2.0	89	3-1/2"	10
1103-1032		0.4x2.5	89	3-1/2"	10
1103-1033		0.5x3.0	89	3-1/2"	10
1103-1034		0.5x4.0	89	3-1/2"	10
1103-1035		0.6x3.5	89	3-1/2"	10
1103-1036		0.6x4.5	89	3-1/2"	10
1103-1037		0.6x5.0	89	3-1/2"	10
1103-1038		0.8x4.0	89	3-1/2"	10
1103-1039		0.8x5.5	89	3-1/2"	10
1103-1040		1.0x5.5	89	3-1/2"	10
1103-1041		1.0x6.0	89	3-1/2"	10
1103-1042		1.2x6.5	89	3-1/2"	10
1103-0543		1.2x8.0	89	3-1/2"	5
1103-0544		1.6x8.0	89	3-1/2"	5
1106-1031		0.4x2.0	152	6"	10
1106-1032		0.4x2.5	152	6"	10
1106-1033		0.5x3.0	152	6"	10
1106-1034		0.5x4.0	152	6"	10
1106-1035		0.6x3.5	152	6"	10
1106-1036		0.6x4.5	152	6"	10
1106-1037		0.6x5.0	152	6"	10
1106-1038		0.8x4.0	152	6"	10
1106-1039		0.8x5.5	152	6"	10
1106-1040		1.0x5.5	152	6"	10
1106-1041		1.0x6.0	152	6"	10
1106-1042		1.2x6.5	152	6"	10
1106-0543		1.2x8.0	152	6"	5
1106-0544		1.6x8.0	152	6"	5

Slotted Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	D (mm)	Pack
1102-1001TD	1-2		50	2"	3.1	10
1102-1002TD	2-3		50	2"	3.4	10
1102-1003TD	3-4		50	2"	3.9	10
1102-1004TD	4-5		50	2"	4.7	10
1102-1005TD	5-6		50	2"	5.4	10
1102-1006TD	6-8		50	2"	6.1	10
1107-1001TD	1-2		75	3"	3.1	10
1107-1002TD	2-3		75	3"	3.4	10
1107-1003TD	3-4		75	3"	3.9	10
1107-1004TD	4-5		75	3"	4.7	10
1107-1005TD	5-6		75	3"	5.4	10
1107-1006TD	6-8		75	3"	6.1	10
1103-1001TD	1-2		89	3-1/2"	3.1	10
1103-1002TD	2-3		89	3-1/2"	3.4	10
1103-1003TD	3-4		89	3-1/2"	3.9	10
1103-1004TD	4-5		89	3-1/2"	4.7	10

Code	Size	Size (mm)	L (mm)	L (inch)	D (mm)	Pack
1103-1005TD	5-6		89	3-1/2"	5.4	10
1103-1006TD	6-8		89	3-1/2"	6.1	10
1106-1001TD	1-2		152	6"	3.1	10
1106-1002TD	2-3		152	6"	3.4	10
1106-1003TD	3-4		152	6"	3.9	10
1106-1004TD	4-5		152	6"	4.7	10
1106-1005TD	5-6		152	6"	5.4	10
1106-1006TD	6-8		152	6"	6.1	10
1102-1031TD		0.4x2.0	50	2"	2.0	10
1102-1032TD		0.4x2.5	50	2"	2.5	10
1102-1033TD		0.5x3.0	50	2"	3.0	10
1102-1034TD		0.5x4.0	50	2"	4.0	10
1102-1035TD		0.6x3.5	50	2"	3.5	10
1102-1036TD		0.6x4.5	50	2"	4.5	10
1102-1037TD		0.6x5.0	50	2"	5.0	10
1102-1038TD		0.8x4.0	50	2"	4.0	10
1102-1039TD		0.8x5.5	50	2"	5.5	10
1102-1040TD		1.0x5.5	50	2"	5.5	10
1102-1041TD		1.0x6.0	50	2"	6.0	10
1100-1031TD		0.4x2.0	70	2-3/4"	2.0	10
1100-1032TD		0.4x2.5	70	2-3/4"	2.5	10
1100-1033TD		0.5x3.0	70	2-3/4"	3.0	10
1100-1034TD		0.5x4.0	70	2-3/4"	4.0	10
1100-1035TD		0.6x3.5	70	2-3/4"	3.5	10
1100-1036TD		0.6x4.5	70	2-3/4"	4.5	10
1100-1037TD		0.6x5.0	70	2-3/4"	5.0	10
1100-1038TD		0.8x4.0	70	2-3/4"	4.0	10
1100-1039TD		0.8x5.5	70	2-3/4"	5.5	10
1100-1040TD		1.0x5.5	70	2-3/4"	5.5	10
1100-1041TD		1.0x6.0	70	2-3/4"	6.0	10
1107-1031TD		0.4x2.0	75	3"	2.0	10
1107-1032TD		0.4x2.5	75	3"	2.5	10
1107-1033TD		0.5x3.0	75	3"	3.0	10
1107-1034TD		0.5x4.0	75	3"	4.0	10
1107-1035TD		0.6x3.5	75	3"	3.5	10
1107-1036TD		0.6x4.5	75	3"	4.5	10
1107-1037TD		0.6x5.0	75	3"	5.0	10
1107-1038TD		0.8x4.0	75	3"	4.0	10
1107-1039TD		0.8x5.5	75	3"	5.5	10
1107-1040TD		1.0x5.5	75	3"	5.5	10
1107-1041TD		1.0x6.0	75	3"	6.0	10
1103-1031TD		0.4x2.0	89	3-1/2"	2.0	10
1103-1032TD		0.4x2.5	89	3-1/2"	2.5	10
1103-1033TD		0.5x3.0	89	3-1/2"	3.0	10
1103-1034TD		0.5x4.0	89	3-1/2"	4.0	10
1103-1035TD		0.6x3.5	89	3-1/2"	3.5	10
1103-1036TD		0.6x4.5	89	3-1/2"	4.5	10
1103-1037TD		0.6x5.0	89	3-1/2"	5.0	10
1103-1038TD		0.8x4.0	89	3-1/2"	4.0	10
1103-1039TD		0.8x5.5	89	3-1/2"	5.5	10
1103-1040TD		1.0x5.5	89	3-1/2"	5.5	10
1103-1041TD		1.0x6.0	89	3-1/2"	6.0	10
1106-1031TD		0.4x2.0	152	6"	2.0	10
1106-1032TD		0.4x2.5	152	6"	2.5	10
1106-1033TD		0.5x3.0	152	6"	3.0	10

Code	Size	Size (mm)	L (mm)	L (inch)	D (mm)	Pack
1106-1034TD		0.5x4.0	152	6"	4.0	10
1106-1035TD		0.6x3.5	152	6"	3.5	10
1106-1036TD		0.6x4.5	152	6"	4.5	10
1106-1037TD		0.6x5.0	152	6"	5.0	10
1106-1038TD		0.8x4.0	152	6"	4.0	10
1106-1039TD		0.8x5.5	152	6"	5.5	10
1106-1040TD		1.0x5.5	152	6"	5.5	10
1106-1041TD		1.0x6.0	152	6"	6.0	10

Slotted Manual Impact Driver Bits



• DIN 3126, ISO 1173, C 8

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1701-1041	4-5		35	1-3/8"	10
1701-1042	6-8		35	1-3/8"	10
1701-1043	8-10		35	1-3/8"	10
1701-1044	10-12		35	1-3/8"	10
1701-1045	12-14		35	1-3/8"	10
1701-1046	14-16		35	1-3/8"	10
1701-1047	16-18		35	1-3/8"	10
1701-1051		1.0x5.5	35	1-3/8"	10
1701-1052		1.2x6.5	35	1-3/8"	10
1701-1053		1.6x8.0	35	1-3/8"	10
1701-1054		1.6x10.0	35	1-3/8"	10
1701-1055		2.0x12.0	35	1-3/8"	10
1701-1056		2.5x14.0	35	1-3/8"	10
1701-0551		1.0x5.5	50	2"	5
1701-0552		1.2x6.5	50	2"	5
1701-0553		1.6x8.0	50	2"	5
1701-0554		1.6x10.0	50	2"	5
1701-0555		2.0x12.0	50	2"	5
1701-0556		2.5x14.0	50	2"	5

Slotted Power Bits With Finder Sleeve



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1722-0525	4-5		53	2-3/32"	5
1722-0526	5-6		53	2-3/32"	5
1722-0527	6-8		53	2-3/32"	5
1722-0528	8-10		53	2-3/32"	5
1722-0529	10-12		53	2-3/32"	5
1723-0525	4-5		92	3-5/8"	5
1723-0526	5-6		92	3-5/8"	5
1723-0527	6-8		92	3-5/8"	5

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1723-0528	8-10		92	3-5/8"	5
1723-0529	10-12		92	3-5/8"	5
1722-0535		0.8x4.0	53	2-3/32"	5
1722-0536		1.0x5.5	53	2-3/32"	5
1722-0537		1.2x6.5	53	2-3/32"	5
1722-0538		1.2x8.0	53	2-3/32"	5
1722-0539		1.6x8.0	53	2-3/32"	5
1723-0535		0.8x4.0	92	3-5/8"	5
1723-0536		1.0x5.5	92	3-5/8"	5
1723-0537		1.2x6.5	92	3-5/8"	5
1723-0538		1.2x8.0	92	3-5/8"	5
1723-0539		1.6x8.0	92	3-5/8"	5

Slotted Power Bits With Plastic Finder Sleeve



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1722-0530	4-5		55	2-3/16"	5
1722-0531	5-6		55	2-3/16"	5
1722-0532	6-8		55	2-3/16"	5
1722-0533	8-10		55	2-3/16"	5
1722-0534	10-12		55	2-3/16"	5
1722-0540		0.8x4.0	55	2-3/16"	5
1722-0541		1.0x5.5	55	2-3/16"	5
1722-0542		1.2x6.5	55	2-3/16"	5
1722-0543		1.2x8.0	55	2-3/16"	5
1722-0544		1.6x8.0	55	2-3/16"	5

TORQ-SET® Drive Systems



Includes comprehensive engineering Head Standards, Driver Bit Standards and Gaging Standards.

Proven performance where screws or bolts must be torque-tight. As its name implies, the TORQ-SET® Offset Cruciform Drive System features an offset cruciform configuration that provides greater strength than a cruciform design, ensuring superior torque tightness for today's demanding applications.

- Features
- Straight wing walls
 - Offset cruciform shape
 - Specific driver for each diameter fastener
- Benefits
- Greater torque transfer
 - Increased removal torque
 - Assures optimum torque for each size and strong head configuration
 - Allows use of ribbed tools with standard screws
 - Assures global system quality and compatibility

Application
Aerospace, Military

TORQ-SET® is a registered trademark of Phillips Screw Company.

For more information on the TORQ-SET® Drive System, please visit Phillips Screw Company website at www.phillips-screw.com.

TORQ-SET® Insert Bits



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1301-2500	TS 0	25	1"	25
1301-2501	TS 1	25	1"	25
1301-2502	TS 2	25	1"	25
1301-2503	TS 3	25	1"	25
1301-2504	TS 4	25	1"	25
1301-2505	TS 5	25	1"	25
1301-2506	TS 6	25	1"	25
1301-2507	TS 8	25	1"	25
1301-2508	TS 10	25	1"	25
1301-1009	TS 1/4"	32	1-1/4"	10
1301-1010	TS 5/16"	32	1-1/4"	10
1301-1011	TS 3/8"	32	1-1/4"	10

TORQ-SET® Power Bits



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1302-1020	TS 0	32	1-1/4"	10
1302-1021	TS 1	32	1-1/4"	10
1302-1022	TS 2	32	1-1/4"	10
1302-1023	TS 3	32	1-1/4"	10
1302-1024	TS 4	32	1-1/4"	10
1302-1025	TS 5	32	1-1/4"	10
1302-1026	TS 6	32	1-1/4"	10
1302-1027	TS 8	32	1-1/4"	10
1302-1028	TS 10	32	1-1/4"	10

TORQ-SET® Power Bits



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1302-1000	TS 0	50	2"	10
1302-1001	TS 1	50	2"	10
1302-1002	TS 2	50	2"	10
1302-1003	TS 3	50	2"	10
1302-1004	TS 4	50	2"	10
1302-1005	TS 5	50	2"	10
1302-1006	TS 6	50	2"	10

Code	Size	L (mm)	L (inch)	Pack
1302-1007	TS 8	50	2"	10
1302-1008	TS 10	50	2"	10
1302-0509	TS 1/4"	50	2"	5
1302-0510	TS 5/16"	50	2"	5
1302-0511	TS 3/8"	50	2"	5
1307-1000	TS 0	75	3"	10
1307-1001	TS 1	75	3"	10
1307-1002	TS 2	75	3"	10
1307-1003	TS 3	75	3"	10
1307-1004	TS 4	75	3"	10
1307-1005	TS 5	75	3"	10
1307-1006	TS 6	75	3"	10
1307-1007	TS 8	75	3"	10
1307-1008	TS 10	75	3"	10
1303-1000	TS 0	89	3-1/2"	10
1303-1001	TS 1	89	3-1/2"	10
1303-1002	TS 2	89	3-1/2"	10
1303-1003	TS 3	89	3-1/2"	10
1303-1004	TS 4	89	3-1/2"	10
1303-1005	TS 5	89	3-1/2"	10
1303-1006	TS 6	89	3-1/2"	10
1303-1007	TS 8	89	3-1/2"	10
1303-1008	TS 10	89	3-1/2"	10

TORQ-SET® Power Bits, Turned Down Shank



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1302-1000TD	TS 0	50	2"	4.6	10
1302-1001TD	TS 1	50	2"	4.6	10
1302-1002TD	TS 2	50	2"	4.6	10
1302-1003TD	TS 3	50	2"	4.6	10
1302-1004TD	TS 4	50	2"	4.6	10
1302-1005TD	TS 5	50	2"	4.6	10
1302-1006TD	TS 6	50	2"	4.6	10
1302-1007TD	TS 8	50	2"	6.2	10
1302-1008TD	TS 10	50	2"	6.2	10
1307-1000TD	TS 0	75	3"	4.6	10
1307-1001TD	TS 1	75	3"	4.6	10
1307-1002TD	TS 2	75	3"	4.6	10
1307-1003TD	TS 3	75	3"	4.6	10
1307-1004TD	TS 4	75	3"	4.6	10
1307-1005TD	TS 5	75	3"	4.6	10
1307-1006TD	TS 6	75	3"	4.6	10
1307-1007TD	TS 8	75	3"	6.2	10
1307-1008TD	TS 10	75	3"	6.2	10
1303-1000TD	TS 0	89	3-1/2"	4.6	10
1303-1001TD	TS 1	89	3-1/2"	4.6	10
1303-1002TD	TS 2	89	3-1/2"	4.6	10
1303-1003TD	TS 3	89	3-1/2"	4.6	10

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1303-1004TD	TS 4	89	3-1/2"	4.6	10
1303-1005TD	TS 5	89	3-1/2"	4.6	10
1303-1006TD	TS 6	89	3-1/2"	4.6	10
1303-1007TD	TS 8	89	3-1/2"	6.2	10
1303-1008TD	TS 10	89	3-1/2"	6.2	10

TORQ-SET® Power Bits, H7/16



7/16"

• DIN 3126, ISO 1173, E 11.2

Code	Size	L (mm)	L (inch)	Pack
1301-0549	TS 1/4"	35	1-3/8"	5
1301-0550	TS 5/16"	35	1-3/8"	5
1301-0551	TS 3/8"	35	1-3/8"	5
1301-0552	TS 7/16"	35	1-3/8"	5
1302-0549	TS 1/4"	50	2"	5
1302-0550	TS 5/16"	50	2"	5
1302-0551	TS 3/8"	50	2"	5
1302-0552	TS 7/16"	50	2"	5

i

TRI-WING® Drive Systems



Includes comprehensive engineering Head Standards, Driver Bit Standards and Gaging Standards.

The ultimate in fastener security. For applications where screws and bolts must be torque-tight and tamper resistant, there is no better choice than the TRI-WING® Tamper Resistant Drive System. The head strength and torque capability the TRI-WING provides outstanding resistance to vibration, and the unique recess design protects against removal with any other tool that a mating driver.

- Features
- Straight wing walls
 - Tri-slot shape
 - Specific driver for each diameter fastener
- Benefits
- Greater torque transfer
 - Requires correct mating driver
 - Tamper resistant
 - Assures optimum torque for each size and strong head configuration
 - Allows use of ribbed tools with standard screws
 - Assures global system quality and compatibility

Application
Aerospace, Military

TRI-WING® is a registered trademark of Phillips Screw Company.

For more information on the TRI-WING® Drive System, please visit Phillips Screw Company website at www.phillips-screw.com.

TRI-WING® Insert Bits



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1321-2500	TW 0	25	1"	25
1321-2501	TW 1	25	1"	25
1321-2502	TW 2	25	1"	25
1321-2503	TW 3	25	1"	25
1321-2504	TW 4	25	1"	25
1321-2505	TW 5	25	1"	25
1321-1006	TW 6	32	1-1/4"	10
1321-1007	TW 7	32	1-1/4"	10
1321-1008	TW 8	32	1-1/4"	10

TRI-WING® Power Bits



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1322-1020	TW 0	32	1-1/4"	10
1322-1021	TW 1	32	1-1/4"	10
1322-1022	TW 2	32	1-1/4"	10
1322-1023	TW 3	32	1-1/4"	10
1322-1024	TW 4	32	1-1/4"	10
1322-1025	TW 5	32	1-1/4"	10
1322-0526	TW 6	32	1-1/4"	5
1322-0527	TW 7	32	1-1/4"	5
1322-0528	TW 8	32	1-1/4"	5

TRI-WING® Power Bits



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1322-1000	TW 0	50	2"	10
1322-1001	TW 1	50	2"	10
1322-1002	TW 2	50	2"	10
1322-1003	TW 3	50	2"	10
1322-1004	TW 4	50	2"	10
1322-1005	TW 5	50	2"	10
1322-0506	TW 6	50	2"	5
1327-1000	TW 0	75	3"	10
1327-1001	TW 1	75	3"	10
1327-1002	TW 2	75	3"	10
1327-1003	TW 3	75	3"	10

Code	Size	L (mm)	L (inch)	Pack
1327-1004	TW 4	75	3"	10
1327-1005	TW 5	75	3"	10
1327-0506	TW 6	75	3"	5
1323-1000	TW 0	89	3-1/2"	10
1323-1001	TW 1	89	3-1/2"	10
1323-1002	TW 2	89	3-1/2"	10
1323-1003	TW 3	89	3-1/2"	10
1323-1004	TW 4	89	3-1/2"	10
1323-1005	TW 5	89	3-1/2"	10
1323-0506	TW 6	89	3-1/2"	5

TRI-WING® Power Bits, Turned Down Shank



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1322-1000TD	TW 0	50	2"	4.5	10
1322-1001TD	TW 1	50	2"	4.5	10
1322-1002TD	TW 2	50	2"	4.7	10
1322-1003TD	TW 3	50	2"	4.7	10
1322-1004TD	TW 4	50	2"	6.2	10
1322-1005TD	TW 5	50	2"	6.2	10
1327-1000TD	TW 0	75	3"	4.5	10
1327-1001TD	TW 1	75	3"	4.5	10
1327-1002TD	TW 2	75	3"	4.7	10
1327-1003TD	TW 3	75	3"	4.7	10
1327-1004TD	TW 4	75	3"	6.2	10
1327-1005TD	TW 5	75	3"	6.2	10
1323-1000TD	TW 0	89	3-1/2"	4.5	10
1323-1001TD	TW 1	89	3-1/2"	4.5	10
1323-1002TD	TW 2	89	3-1/2"	4.7	10
1323-1003TD	TW 3	89	3-1/2"	4.7	10
1323-1004TD	TW 4	89	3-1/2"	6.2	10
1323-1005TD	TW 5	89	3-1/2"	6.2	10

TRI-WING® Power Bits, H7/16



7/16"

• DIN 3126, ISO 1173, E 11.2

Code	Size	L (mm)	L (inch)	Pack
1321-0546	TW 6	35	1-3/8"	5
1321-0547	TW 7	35	1-3/8"	5
1321-0548	TW 8	35	1-3/8"	5
1322-0546	TW 6	50	2"	5
1322-0547	TW 7	50	2"	5
1322-0548	TW 8	50	2"	5

Spanner Insert Bits



1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1801-2501	#4	25	1"	25
1801-2502	#6	25	1"	25
1801-2503	#8	25	1"	25
1801-2504	#10	25	1"	25
1801-2505	#12	25	1"	25
1801-2506	#14	25	1"	25

Spanner Power Bits



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1802-1001	#4	50	2"	10
1802-1002	#6	50	2"	10
1802-1003	#8	50	2"	10
1802-1004	#10	50	2"	10
1807-1001	#4	75	3"	10
1807-1002	#6	75	3"	10
1807-1003	#8	75	3"	10
1807-1004	#10	75	3"	10
1803-1001	#4	89	3-1/2"	10
1803-1002	#6	89	3-1/2"	10
1803-1003	#8	89	3-1/2"	10
1803-1004	#10	89	3-1/2"	10

Spanner Power Bits, Turned Down Shank



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1802-1001TD	#4	50	2"	3.2	10
1802-1002TD	#6	50	2"	4.5	10
1802-1003TD	#8	50	2"	5.4	10
1802-1004TD	#10	50	2"	6.2	10
1807-1001TD	#4	75	3"	3.2	10
1807-1002TD	#6	75	3"	4.5	10
1807-1003TD	#8	75	3"	5.4	10
1807-1004TD	#10	75	3"	6.2	10
1803-1001TD	#4	89	3-1/2"	3.2	10
1803-1002TD	#6	89	3-1/2"	4.5	10
1803-1003TD	#8	89	3-1/2"	5.4	10
1803-1004TD	#10	89	3-1/2"	6.2	10

i

MORTORQ® SUPER SPIRAL Drive Systems



Includes comprehensive engineering Head Standards, Driver Bit Standards, Gage Standards and Quality Standards.

Low-profile head with super high-strength recess offers elegance and functionality. The MORTORQ® SUPER Spiral Drive System is the most advanced industrial drive system available today. Featuring an exceptionally shallow recess, it sets the standard for strength and functionality. Its recess geometry provides full driver contact over the entire mating surface of the recess wings. This results in extreme high-torquing capability without risk of damage to the fastener or surrounding head area. Minimal head height reduces the weight of fastened components. Made with less material and light in weight, MORTORQ SUPER contributes to greener products.

- Features
- Low-profile head
 - Super high-strength recess
 - Elegant appearance while offering a higher level of security
 - Full driver contact of recess
 - Optional recess ramps facilitate rotating driver bit engagement

- Benefits
- Offer extreme high-torque capabilities
 - Promotes lighter weight assemblies
 - Reduces component material costs
 - Eliminates clearance problems
 - Aids disassembly for more effective maintenance and service
 - Speeds assembly while maximizing torque control

Application
Automotive, Electronics, Industrial

MORTORQ® SUPER is a registered trademark of Phillips Screw Company.

For more information on the ACR PHILLIPS II® Drive System, please visit Phillips Screw Company website at www.phillips-screw.com.

MORTORQ® Super Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1881-2500	MTS-0	25	1"	25
1881-2501	MTS-1	25	1"	25
1881-2502	MTS-2	25	1"	25

MORTORQ® Super Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1881-1002	MTS-2	32	1-1/4"	10
1881-1003	MTS-3	32	1-1/4"	10

MORTORQ® Super Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1882-1001	MTS-1	50	2"	10
1882-1002	MTS-2	50	2"	10
1883-1001	MTS-1	89	3-1/2"	10
1883-1002	MTS-2	89	3-1/2"	10

MORTORQ® Super Power Bits, H7/16



• DIN 3126, ISO 1173, E 11.2

Code	Size	L (mm)	L (inch)	Pack
1881-0543	MTS-3	35	1-3/8"	5
1881-0544	MTS-4	35	1-3/8"	5
1882-0543	MTS-3	50	2"	5
1882-0544	MTS-4	50	2"	5

MORTORQ® Super Tamper Resistant Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1881-2510	MTS-0TR	25	1"	25
1881-2511	MTS-1TR	25	1"	25
1881-2512	MTS-2TR	25	1"	25

MORTORQ® Super Tamper Resistant Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1881-1012	MTS-2TR	32	1-1/4"	10
1881-1013	MTS-3TR	32	1-1/4"	10

MORTORQ® Super Tri-Tamper Resistant Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1881-2520	MTS-0TRI	25	1"	25
1881-2521	MTS-1TRI	25	1"	25
1881-2522	MTS-2TRI	25	1"	25

MORTORQ® Super Tri-Tamper Resistant Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1881-1022	MTS-2TRI	32	1-1/4"	10
1881-1023	MTS-3TRI	32	1-1/4"	10

Clutch Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1821-2501	3/32"	25	1"	25
1821-2502	1/8"	25	1"	25
1821-2503	5/32"	25	1"	25
1821-2504	3/16"	25	1"	25
1821-2505	1/4"	25	1"	25

Clutch Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1822-1001	3/32"	50	2"	10
1822-1002	1/8"	50	2"	10
1822-1003	5/32"	50	2"	10
1822-1004	3/16"	50	2"	10
1822-1005	1/4"	50	2"	10
1827-1001	3/32"	75	3"	10
1827-1002	1/8"	75	3"	10
1827-1003	5/32"	75	3"	10
1827-1004	3/16"	75	3"	10
1827-1005	1/4"	75	3"	10

Clutch Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1822-1001TD	3/32"	50	2"	10
1822-1002TD	1/8"	50	2"	10
1822-1003TD	5/32"	50	2"	10
1822-1004TD	3/16"	50	2"	10
1822-1005TD	1/4"	50	2"	10

Frearson Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1861-2501	F1	25	1"	25
1861-2502	F2	25	1"	25

Frearson Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1862-1001TD	F1	50	2"	10
1862-1002TD	F2	50	2"	10
1867-1001TD	F1	75	3"	10
1867-1002TD	F2	75	3"	10
1863-1001TD	F1	89	3-1/2"	10
1863-1002TD	F2	89	3-1/2"	10
1866-1001TD	F1	152	6"	10
1866-1002TD	F2	152	6"	10

Triple Square Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1841-2501	M4	25	1"	25
1841-2502	M5	25	1"	25
1841-2503	M6	25	1"	25
1841-2504	M8	25	1"	25
1841-2505	M10	25	1"	25

Triple Square Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1842-1001	M4	50	2"	10
1842-1002	M5	50	2"	10
1842-1003	M6	50	2"	10

Code	Size	L (mm)	L (inch)	Pack
1842-1004	M8	50	2"	10
1842-1005	M10	50	2"	10
1842-1006	M12	50	2"	10

Triple Square Manual Impact Driver Bits



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1701-1081	M4	35	1-3/8"	10
1701-1082	M5	35	1-3/8"	10
1701-1083	M6	35	1-3/8"	10
1701-1084	M8	35	1-3/8"	10
1701-1085	M10	35	1-3/8"	10
1701-1086	M12	35	1-3/8"	10
1701-1087	M14	35	1-3/8"	10

Ribe Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1941-2501	M4	25	1"	25
1941-2502	M5	25	1"	25
1941-2503	M6	25	1"	25
1941-2504	M7	25	1"	25
1941-2505	M8	25	1"	25

Ribe Manual Impact Driver Bits



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1701-1090	M4	35	1-3/8"	10
1701-1091	M5	35	1-3/8"	10
1701-1092	M6	35	1-3/8"	10
1701-1093	M7	35	1-3/8"	10
1701-1094	M8	35	1-3/8"	10
1701-1095	M9	35	1-3/8"	10
1701-1096	M10	35	1-3/8"	10
1701-1097	M12	35	1-3/8"	10
1701-1098	M14	35	1-3/8"	10

Phillips Double-Ended Bits



Code	Size	L (mm)	L (inch)	Pack
1512-1001	PH 1	50	2"	10
1512-1002	PH 2	50	2"	10
1512-1003	PH 3	50	2"	10
1512-1009	PH 1/PH 2	50	2"	10
1512-1012	PH 2/PH 3	50	2"	10
1513-1001	PH 1	60	2-3/8"	10
1513-1002	PH 2	60	2-3/8"	10
1513-1003	PH 3	60	2-3/8"	10

Phillips Double-Ended Bits



• 12.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
1512-1001PM	PH 1	50	2"	10
1512-1002PM	PH 2	50	2"	10
1512-1003PM	PH 3	50	2"	10
1512-1009PM	PH 1/PH 2	50	2"	10
1512-1012PM	PH 2/PH 3	50	2"	10
1513-1001PM	PH 1	65	2-9/16"	10
1513-1002PM	PH 2	65	2-9/16"	10
1513-1003PM	PH 3	65	2-9/16"	10
1513-1009PM	PH 1/PH 2	65	2-9/16"	10
1513-1012PM	PH 2/PH 3	65	2-9/16"	10
1517-1001PM	PH 1	75	3"	10
1517-1002PM	PH 2	75	3"	10
1517-1003PM	PH 3	75	3"	10
1514-1001PM	PH 1	100	4"	10
1514-1002PM	PH 2	100	4"	10
1514-1003PM	PH 3	100	4"	10
1516-1001PM	PH 1	150	6"	10
1516-1002PM	PH 2	150	6"	10
1516-1003PM	PH 3	150	6"	10

Phillips Double-Ended Bits



• 17.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
1512-1001PL	PH 1	50	2"	10
1512-1002PL	PH 2	50	2"	10
1512-1003PL	PH 3	50	2"	10

Code	Size	L (mm)	L (inch)	Pack
1512-1004PL	PH 2 Drywall	50	2"	10
1512-1009PL	PH 1/PH 2	50	2"	10
1512-1012PL	PH 2/PH 3	50	2"	10
1513-1001PL	PH 1	65	2-9/16"	10
1513-1002PL	PH 2	65	2-9/16"	10
1513-1003PL	PH 3	65	2-9/16"	10
1513-1004PL	PH 2 Drywall	65	2-9/16"	10
1513-1009PL	PH 1/PH 2	65	2-9/16"	10
1513-1012PL	PH 2/PH 3	65	2-9/16"	10
1517-1001PL	PH 1	75	3"	10
1517-1002PL	PH 2	75	3"	10
1517-1003PL	PH 3	75	3"	10
1514-1001PL	PH 1	100	4"	10
1514-1002PL	PH 2	100	4"	10
1514-1003PL	PH 3	100	4"	10
1516-1001PL	PH 1	150	6"	10
1516-1002PL	PH 2	150	6"	10
1516-1003PL	PH 3	150	6"	10
1518-0502PL	PH 2	200	8"	5
1519-0502PL	PH 2	300	12"	5

Pozidriv® Double-Ended Bits



Code	Size	L (mm)	L (inch)	Pack
1512-1021	PZ 1	50	2"	10
1512-1022	PZ 2	50	2"	10
1512-1023	PZ 3	50	2"	10
1512-1027	PZ 1/PZ 2	50	2"	10
1512-1029	PZ 2/PZ 3	50	2"	10
1513-1021	PZ 1	60	2-3/8"	10
1513-1022	PZ 2	60	2-3/8"	10
1513-1023	PZ 3	60	2-3/8"	10

Pozidriv® Double-Ended Bits



• 12.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
1512-1021PM	PZ 1	50	2"	10
1512-1022PM	PZ 2	50	2"	10
1512-1023PM	PZ 3	50	2"	10
1512-1027PM	PZ 1/PZ 2	50	2"	10
1512-1029PM	PZ 2/PZ 3	50	2"	10
1513-1021PM	PZ 1	65	2-9/16"	10
1513-1022PM	PZ 2	65	2-9/16"	10
1513-1023PM	PZ 3	65	2-9/16"	10
1513-1027PM	PZ 1/PZ 2	65	2-9/16"	10

Code	Size	L (mm)	L (inch)	Pack
1513-1029PM	PZ 2/PZ 3	65	2-9/16"	10
1517-1021PM	PZ 1	75	3"	10
1517-1022PM	PZ 2	75	3"	10
1517-1023PM	PZ 3	75	3"	10
1514-1021PM	PZ 1	100	4"	10
1514-1022PM	PZ 2	100	4"	10
1514-1023PM	PZ 3	100	4"	10
1516-1021PM	PZ 1	150	6"	10
1516-1022PM	PZ 2	150	6"	10
1516-1023PM	PZ 3	150	6"	10

Pozidriv® Double-Ended Bits



• 17.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
1512-1021PL	PZ 1	50	2"	10
1512-1022PL	PZ 2	50	2"	10
1512-1023PL	PZ 3	50	2"	10
1512-1027PL	PZ 1/PZ 2	50	2"	10
1512-1029PL	PZ 2/PZ 3	50	2"	10
1513-1021PL	PZ 1	65	2-9/16"	10
1513-1022PL	PZ 2	65	2-9/16"	10
1513-1023PL	PZ 3	65	2-9/16"	10
1513-1027PL	PZ 1/PZ 2	65	2-9/16"	10
1513-1029PL	PZ 2/PZ 3	65	2-9/16"	10
1517-1021PL	PZ 1	75	3"	10
1517-1022PL	PZ 2	75	3"	10
1517-1023PL	PZ 3	75	3"	10
1514-1021PL	PZ 1	100	4"	10
1514-1022PL	PZ 2	100	4"	10
1514-1023PL	PZ 3	100	4"	10
1516-1021PL	PZ 1	150	6"	10
1516-1022PL	PZ 2	150	6"	10
1516-1023PL	PZ 3	150	6"	10

Square Double-Ended Bits



Code	Size	L (mm)	L (inch)	Pack
1512-1031	SQ 1	50	2"	10
1512-1032	SQ 2	50	2"	10
1512-1033	SQ 3	50	2"	10
1512-1037	SQ 1/SQ 2	50	2"	10
1512-1039	SQ 2/SQ 3	50	2"	10
1513-1031	SQ 1	60	2-3/8"	10
1513-1032	SQ 2	60	2-3/8"	10
1513-1033	SQ 3	60	2-3/8"	10

Square Double-Ended Bits



• 12.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
1512-1031PM	SQ 1	50	2"	10
1512-1032PM	SQ 2	50	2"	10
1512-1033PM	SQ 3	50	2"	10
1512-1037PM	SQ 1/SQ 2	50	2"	10
1512-1039PM	SQ 2/SQ 3	50	2"	10
1513-1031PM	SQ 1	65	2-9/16"	10
1513-1032PM	SQ 2	65	2-9/16"	10
1513-1033PM	SQ 3	65	2-9/16"	10
1513-1037PM	SQ 1/SQ 2	65	2-9/16"	10
1513-1039PM	SQ 2/SQ 3	65	2-9/16"	10
1517-1031PM	SQ 1	75	3"	10
1517-1032PM	SQ 2	75	3"	10
1517-1033PM	SQ 3	75	3"	10
1514-1031PM	SQ 1	100	4"	10
1514-1032PM	SQ 2	100	4"	10
1514-1033PM	SQ 3	100	4"	10
1516-1031PM	SQ 1	150	6"	10
1516-1032PM	SQ 2	150	6"	10
1516-1033PM	SQ 3	150	6"	10

TORX® Double-Ended Bits



Code	Size	L (mm)	L (inch)	Pack
1522-1010	Torx T10	50	2"	10
1522-1015	Torx T15	50	2"	10
1522-1020	Torx T20	50	2"	10
1522-1025	Torx T25	50	2"	10
1522-1027	Torx T27	50	2"	10
1522-1030	Torx T30	50	2"	10
1522-1040	Torx T40	50	2"	10
1522-1071	Torx T10/T15	50	2"	10
1522-1072	Torx T15/T20	50	2"	10
1522-1073	Torx T20/T25	50	2"	10
1522-1074	Torx T25/T30	50	2"	10
1523-1010	Torx T10	60	2-3/8"	10
1523-1015	Torx T15	60	2-3/8"	10
1523-1020	Torx T20	60	2-3/8"	10
1523-1025	Torx T25	60	2-3/8"	10
1523-1027	Torx T27	60	2-3/8"	10
1523-1030	Torx T30	60	2-3/8"	10
1523-1040	Torx T40	60	2-3/8"	10
1523-1073	Torx T20/T25	60	2-3/8"	10

TORX® Double-Ended Bits



• 12.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
1522-1010PM	Torx T10	50	2"	10
1522-1015PM	Torx T15	50	2"	10
1522-1020PM	Torx T20	50	2"	10
1522-1025PM	Torx T25	50	2"	10
1522-1027PM	Torx T27	50	2"	10
1522-1030PM	Torx T30	50	2"	10
1522-1040PM	Torx T40	50	2"	10
1522-1071PM	Torx T10/T15	50	2"	10
1522-1072PM	Torx T15/T20	50	2"	10
1522-1073PM	Torx T20/T25	50	2"	10
1522-1074PM	Torx T25/T30	50	2"	10
1523-1010PM	Torx T10	65	2-9/16"	10
1523-1015PM	Torx T15	65	2-9/16"	10
1523-1020PM	Torx T20	65	2-9/16"	10
1523-1025PM	Torx T25	65	2-9/16"	10
1523-1027PM	Torx T27	65	2-9/16"	10
1523-1030PM	Torx T30	65	2-9/16"	10
1523-1040PM	Torx T40	65	2-9/16"	10
1523-1071PM	Torx T10/T15	65	2-9/16"	10
1523-1072PM	Torx T15/T20	65	2-9/16"	10
1523-1073PM	Torx T20/T25	65	2-9/16"	10
1523-1074PM	Torx T25/T30	65	2-9/16"	10
1527-1010PM	Torx T10	75	3"	10
1527-1015PM	Torx T15	75	3"	10
1527-1020PM	Torx T20	75	3"	10
1527-1025PM	Torx T25	75	3"	10
1527-1027PM	Torx T27	75	3"	10
1527-1030PM	Torx T30	75	3"	10
1527-1040PM	Torx T40	75	3"	10
1524-1010PM	Torx T10	100	4"	10
1524-1015PM	Torx T15	100	4"	10
1524-1020PM	Torx T20	100	4"	10
1524-1025PM	Torx T25	100	4"	10
1524-1027PM	Torx T27	100	4"	10
1524-1030PM	Torx T30	100	4"	10
1524-1040PM	Torx T40	100	4"	10
1526-1010PM	Torx T10	150	6"	10
1526-1015PM	Torx T15	150	6"	10
1526-1020PM	Torx T20	150	6"	10
1526-1025PM	Torx T25	150	6"	10
1526-1027PM	Torx T27	150	6"	10
1526-1030PM	Torx T30	150	6"	10
1526-1040PM	Torx T40	150	6"	10

TORX® Tamper Resistant Double-Ended Bits



• 12.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
1623-1010PM	Torx T10H	65	2-9/16"	10
1623-1015PM	Torx T15H	65	2-9/16"	10
1623-1020PM	Torx T20H	65	2-9/16"	10
1623-1025PM	Torx T25H	65	2-9/16"	10
1623-1027PM	Torx T27H	65	2-9/16"	10
1623-1030PM	Torx T30H	65	2-9/16"	10
1623-1040PM	Torx T40H	65	2-9/16"	10
1623-1071PM	Torx T10H/T15H	65	2-9/16"	10
1623-1072PM	Torx T15H/T20H	65	2-9/16"	10
1623-1073PM	Torx T20H/T25H	65	2-9/16"	10
1623-1074PM	Torx T25H/T30H	65	2-9/16"	10

Hex Double-Ended Bits



• 12.5mm Power Groove

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1543-1005PM	1/8"		65	2-9/16"	10
1543-1006PM	9/64"		65	2-9/16"	10
1543-1007PM	5/32"		65	2-9/16"	10
1543-1008PM	3/16"		65	2-9/16"	10
1543-1009PM	7/32"		65	2-9/16"	10
1543-1010PM	1/4"		65	2-9/16"	10
1543-1033PM		3.0	65	2-9/16"	10
1543-1034PM		4.0	65	2-9/16"	10
1543-1035PM		5.0	65	2-9/16"	10
1543-1036PM		6.0	65	2-9/16"	10

Slotted Double-Ended Bits



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1532-1003	3-4		50	2"	10
1532-1004	4-5		50	2"	10
1532-1005	5-6		50	2"	10
1532-1006	6-8		50	2"	10
1532-1007	8-10		50	2"	10
1532-1008	10-12		50	2"	10
1533-1006	6-8		60	2-3/8"	10
1533-1007	8-10		60	2-3/8"	10
1533-1008	10-12		60	2-3/8"	10

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1532-1034		0.5x4.0	50	2"	10
1532-1036		0.6x4.5	50	2"	10
1532-1037		0.6x5.0	50	2"	10
1532-1039		0.8x5.5	50	2"	10
1532-1040		1.0x5.5	50	2"	10
1532-1041		1.0x6.0	50	2"	10
1532-1042		1.2x6.5	50	2"	10
1533-1036		0.6x4.5	60	2-3/8"	10
1533-1039		0.8x5.5	60	2-3/8"	10
1533-1042		1.2x6.5	60	2-3/8"	10

Slotted Double-Ended Bits



• 12.5mm Power Groove

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1533-1003PM	3-4		65	2-9/16"	10
1533-1004PM	4-5		65	2-9/16"	10
1533-1005PM	5-6		65	2-9/16"	10
1533-1006PM	6-8		65	2-9/16"	10
1533-1007PM	8-10		65	2-9/16"	10
1533-1008PM	10-12		65	2-9/16"	10
1533-1034PM		0.5x4.0	65	2-9/16"	10
1533-1036PM		0.6x4.5	65	2-9/16"	10
1533-1037PM		0.6x5.0	65	2-9/16"	10
1533-1039PM		0.8x5.5	65	2-9/16"	10
1533-1040PM		1.0x5.5	65	2-9/16"	10
1533-1041PM		1.0x6.0	65	2-9/16"	10
1533-1042PM		1.2x6.5	65	2-9/16"	10

Assorted Double-Ended Bits



Code	Size	L (mm)	L (inch)	Pack
1502-1001	PH 2/PZ 2	50	2"	10
1502-1002	PH 2/SQ 2	50	2"	10
1502-1003	PH 2/SL0.5x4.0	50	2"	10
1502-1004	PH 2/SL0.6x5.0	50	2"	10
1502-1005	PH 2/SL0.8x5.5	50	2"	10
1502-1006	PH 2/SL1.0x6.0	50	2"	10
1502-1007	PH 2/SL1.2x6.5	50	2"	10

Code	Size	L (mm)	L (inch)	Pack
1502-1008	PH 2/SL6-8	50	2"	10
1502-1009	PH 2/SL8-10	50	2"	10
1502-1010	PH 2/SL10-12	50	2"	10
1502-1011	Torx T25/PH 2	50	2"	10
1502-1012	Torx T25/PZ 2	50	2"	10
1502-1013	Torx T25/SQ 2	50	2"	10
1503-1001	PH 2/PZ 2	60	2-3/8"	10
1503-1002	PH 2/SQ 2	60	2-3/8"	10
1503-1003	PH 2/SL0.5x4.0	60	2-3/8"	10
1503-1004	PH 2/SL0.6x5.0	60	2-3/8"	10
1503-1005	PH 2/SL0.8x5.5	60	2-3/8"	10
1503-1006	PH 2/SL1.0x6.0	60	2-3/8"	10
1503-1007	PH 2/SL1.2x6.5	60	2-3/8"	10
1503-1008	PH 2/SL6-8	60	2-3/8"	10
1503-1009	PH 2/SL8-10	60	2-3/8"	10
1503-1010	PH 2/SL10-12	60	2-3/8"	10
1503-1011	Torx T25/PH 2	60	2-3/8"	10
1503-1012	Torx T25/PZ 2	60	2-3/8"	10
1503-1013	Torx T25/SQ 2	60	2-3/8"	10

Assorted Double-Ended Bits



• 12.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
1503-1001PM	PH 2/PZ 2	65	2-9/16"	10
1503-1002PM	PH 2/SQ 2	65	2-9/16"	10
1503-1003PM	PH 2/SL0.5x4.0	65	2-9/16"	10
1503-1004PM	PH 2/SL0.6x5.0	65	2-9/16"	10
1503-1005PM	PH 2/SL0.8x5.5	65	2-9/16"	10
1503-1006PM	PH 2/SL1.0x6.0	65	2-9/16"	10
1503-1007PM	PH 2/SL1.2x6.5	65	2-9/16"	10
1503-1008PM	PH 2/SL6-8	65	2-9/16"	10
1503-1009PM	PH 2/SL8-10	65	2-9/16"	10
1503-1010PM	PH 2/SL10-12	65	2-9/16"	10
1503-1011PM	Torx T25/PH 2	65	2-9/16"	10
1503-1012PM	Torx T25/PZ 2	65	2-9/16"	10
1503-1013PM	Torx T25/SQ 2	65	2-9/16"	10

Non-magnetic Nutsetters, S2 Tool Steel



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1070-0514NM	1/4"	41.3	1-5/8"	5
1070-0556NM	5/16"	41.3	1-5/8"	5
1071-0538NM	3/8"	47.6	1-7/8"	5

Non-magnetic Nutsetters With Retaining Spring, S2 Tool Steel



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1070-0514RR	1/4"		41.3	1-5/8"	5
1070-0556RR	5/16"		41.3	1-5/8"	5
1070-0538RR	3/8"		41.3	1-5/8"	5
1071-0514RR	1/4"		48	1-7/8"	5
1071-0506RR		6	48	1-7/8"	5
1071-0508RR		8	48	1-7/8"	5

Insert Magnetic Nutsetters, S2 Tool Steel



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1073-0514S2	1/4"	28.6	1-1/8"	5
1073-0556S2	5/16"	28.6	1-1/8"	5
1073-0538S2	3/8"	31.8	1-1/4"	5

Magnetic Nutsetters, S2 Tool Steel



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1070-0514S2	1/4"	41.3	1-5/8"	5
1070-0556S2	5/16"	41.3	1-5/8"	5

Code	Size	L (mm)	L (inch)	Pack
1071-0538S2	3/8"	47.6	1-7/8"	5
1071-0514S2	1/4"	50.8	2"	5
1071-0576S2	7/16"	50.8	2"	5
1072-0514S2	1/4"	65	2-9/16"	5
1072-0556S2	5/16"	65	2-9/16"	5
1072-0538S2	3/8"	65	2-9/16"	5
1072-0576S2	7/16"	65	2-9/16"	5

Magnetic Nutsetters (Lobular Design), S2 Tool Steel



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1070-0514SL	1/4"	41.3	1-5/8"	5
1070-0556SL	5/16"	41.3	1-5/8"	5
1071-0538SL	3/8"	47.6	1-7/8"	5
1071-0514SL	1/4"	50.8	2"	5
1071-0576SL	7/16"	50.8	2"	5
1072-0514SL	1/4"	65	2-9/16"	5
1072-0556SL	5/16"	65	2-9/16"	5
1072-0538SL	3/8"	65	2-9/16"	5
1072-0576SL	7/16"	65	2-9/16"	5

Magnetic Nutsetters



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1071-0514	1/4"		48	1-7/8"	5
1071-0556	5/16"		48	1-7/8"	5
1071-0538	3/8"		48	1-7/8"	5
1071-0576	7/16"		48	1-7/8"	5
1071-0512	1/2"		48	1-7/8"	5
1072-0514	1/4"		65	2-9/16"	5
1072-0556	5/16"		65	2-9/16"	5
1072-0538	3/8"		65	2-9/16"	5
1072-0576	7/16"		65	2-9/16"	5
1072-0512	1/2"		65	2-9/16"	5
1074-0514	1/4"		101	4"	5
1074-0556	5/16"		101	4"	5
1074-0538	3/8"		101	4"	5
1074-0576	7/16"		101	4"	5
1074-0512	1/2"		101	4"	5
1076-0514	1/4"		152	6"	5

Code		 (mm)	L (mm)	L (inch)	Pack
1076-0556	5/16"		152	6"	5
1076-0538	3/8"		152	6"	5
1076-0576	7/16"		152	6"	5
1076-0512	1/2"		152	6"	5
1079-0514	1/4"		300	12"	5
1079-0556	5/16"		300	12"	5
1079-0538	3/8"		300	12"	5
1071-0506		6	48	1-7/8"	5
1071-0507		7	48	1-7/8"	5
1071-0508		8	48	1-7/8"	5
1071-0509		9	48	1-7/8"	5
1071-0510		10	48	1-7/8"	5
1071-0511		11	48	1-7/8"	5
1071-0522		12	48	1-7/8"	5
1071-0513		13	48	1-7/8"	5
1072-0506		6	65	2-9/16"	5
1072-0507		7	65	2-9/16"	5
1072-0508		8	65	2-9/16"	5
1072-0509		9	65	2-9/16"	5
1072-0510		10	65	2-9/16"	5
1072-0511		11	65	2-9/16"	5
1072-0522		12	65	2-9/16"	5
1072-0513		13	65	2-9/16"	5
1074-0506		6	101	4"	5
1074-0508		8	101	4"	5
1074-0510		10	101	4"	5
1076-0506		6	152	6"	5
1076-0508		8	152	6"	5
1076-0510		10	152	6"	5
1079-0506		6	300	12"	5
1079-0508		8	300	12"	5
1079-0510		10	300	12"	5

Magnetic Nutsetters (Lobular Design)




• DIN 3126, ISO 1173, E 6.3

Code		 (mm)	L (mm)	L (inch)	Pack
1071-0514LB	1/4"		48	1-7/8"	5
1071-0556LB	5/16"		48	1-7/8"	5
1071-0538LB	3/8"		48	1-7/8"	5
1071-0576LB	7/16"		48	1-7/8"	5
1071-0512LB	1/2"		48	1-7/8"	5
1072-0514LB	1/4"		65	2-9/16"	5
1072-0556LB	5/16"		65	2-9/16"	5
1072-0538LB	3/8"		65	2-9/16"	5
1072-0576LB	7/16"		65	2-9/16"	5
1072-0512LB	1/2"		65	2-9/16"	5
1074-0514LB	1/4"		101	4"	5
1074-0556LB	5/16"		101	4"	5

Code		 (mm)	L (mm)	L (inch)	Pack
1074-0538LB	3/8"		101	4"	5
1074-0576LB	7/16"		101	4"	5
1074-0512LB	1/2"		101	4"	5
1076-0514LB	1/4"		152	6"	5
1076-0556LB	5/16"		152	6"	5
1076-0538LB	3/8"		152	6"	5
1076-0576LB	7/16"		152	6"	5
1076-0512LB	1/2"		152	6"	5
1079-0514LB	1/4"		300	12"	5
1079-0556LB	5/16"		300	12"	5
1079-0538LB	3/8"		300	12"	5
1071-0506LB		6	48	1-7/8"	5
1071-0508LB		8	48	1-7/8"	5
1071-0510LB		10	48	1-7/8"	5
1072-0506LB		6	65	2-9/16"	5
1072-0508LB		8	65	2-9/16"	5
1072-0510LB		10	65	2-9/16"	5
1074-0506LB		6	101	4"	5
1074-0508LB		8	101	4"	5
1074-0510LB		10	101	4"	5
1076-0506LB		6	152	6"	5
1076-0508LB		8	152	6"	5
1076-0510LB		10	152	6"	5
1079-0506LB		6	300	12"	5
1079-0508LB		8	300	12"	5
1079-0510LB		10	300	12"	5


TORX® Magnetic Nutsetters



• DIN 3126, ISO 1173, E 6.3

Code		L (mm)	L (inch)	Pack
1641-0506	E6	48	1-7/8"	5
1641-0507	E7	48	1-7/8"	5
1641-0508	E8	48	1-7/8"	5
1641-0510	E10	48	1-7/8"	5
1641-0511	E11	48	1-7/8"	5
1641-0512	E12	48	1-7/8"	5
1641-0514	E14	48	1-7/8"	5
1642-0506	E6	65	2-9/16"	5
1642-0507	E7	65	2-9/16"	5
1642-0508	E8	65	2-9/16"	5
1642-0510	E10	65	2-9/16"	5
1642-0511	E11	65	2-9/16"	5
1642-0512	E12	65	2-9/16"	5
1642-0514	E14	65	2-9/16"	5

TORX PLUS® Magnetic Nutsetters



• DIN 3126, ISO 1173, E 6.3

Code		L (mm)	L (inch)	Pack
1651-0506	6EP	48	1-7/8"	5
1651-0507	7EP	48	1-7/8"	5
1651-0508	8EP	48	1-7/8"	5
1651-0510	10EP	48	1-7/8"	5
1651-0511	11EP	48	1-7/8"	5
1651-0512	12EP	48	1-7/8"	5
1651-0514	14EP	48	1-7/8"	5
1652-0506	6EP	65	2-9/16"	5
1652-0507	7EP	65	2-9/16"	5
1652-0508	8EP	65	2-9/16"	5
1652-0510	10EP	65	2-9/16"	5
1652-0511	11EP	65	2-9/16"	5
1652-0512	12EP	65	2-9/16"	5
1652-0514	14EP	65	2-9/16"	5


Socket Adapter (Ball Retention)



• DIN 3126, ISO 1173, C 6.3

Code		L (mm)	L (inch)	Pack
1081-1014	1/4"	25	1"	10

Socket Adapters (Ball Retention)



• DIN 3126, ISO 1173, E 6.3

Code		L (mm)	L (inch)	Pack
1081-0514	1/4"	35	1-3/8"	5
1081-0538	3/8"	41	1-5/8"	5
1082-0514	1/4"	50	2"	5
1082-0538	3/8"	50	2"	5
1082-0512	1/2"	50	2"	5
1083-0514	1/4"	75	3"	5
1083-0538	3/8"	75	3"	5
1083-0512	1/2"	75	3"	5
1084-0514	1/4"	100	4"	5
1084-0538	3/8"	100	4"	5
1084-0512	1/2"	100	4"	5

Code		L (mm)	L (inch)	Pack
1086-0514	1/4"	152	6"	5
1086-0538	3/8"	152	6"	5
1086-0512	1/2"	152	6"	5

Socket Adapters (Pin Lock)



• DIN 3126, ISO 1173, E 6.3

Code		L (mm)	L (inch)	Pack
1081-0514PL	1/4"	35	1-3/8"	5
1081-0538PL	3/8"	41	1-5/8"	5
1082-0514PL	1/4"	50	2"	5
1082-0538PL	3/8"	50	2"	5
1082-0512PL	1/2"	50	2"	5
1083-0514PL	1/4"	75	3"	5
1083-0538PL	3/8"	75	3"	5
1083-0512PL	1/2"	75	3"	5
1084-0514PL	1/4"	100	4"	5
1084-0538PL	3/8"	100	4"	5
1084-0512PL	1/2"	100	4"	5
1086-0514PL	1/4"	152	6"	5
1086-0538PL	3/8"	152	6"	5
1086-0512PL	1/2"	152	6"	5

Stainless Steel Magnetic Bit Holders, One-Piece Construction



• DIN 3126, ISO 1173, E 6.3
• For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1062-0500	1/4"	45	1-3/4"	5
1062-0501	1/4"	50	2"	5
1062-0506	1/4"	55.5	2-3/16	5
1062-0508	1/4"	60	2-3/8"	5
1063-0505	1/4"	73	2-7/8"	5
1063-0504	1/4"	76	3"	5
1065-0501	1/4"	127	5"	5
1066-0504	1/4"	150	6"	5
1069-0501	1/4"	279	11"	5
1069-0504	1/4"	300	12"	5

Stainless Steel Magnetic Bit Holders with Retaining Spring, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1062-0502	1/4"	57	2-1/4"	5
1063-0502	1/4"	73	2-7/8"	5
1063-0501	1/4"	76	3"	5
1066-0505	1/4"	150	6"	5
1069-0502	1/4"	279	11"	5
1069-0505	1/4"	300	12"	5

Stainless Steel Magnetic Bit Holders



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1062-0503	1/4"	50	2"	5
1062-0509	1/4"	60	2-3/8"	5
1063-0506	1/4"	76	3"	5
1064-0501	1/4"	101	4"	5
1065-0502	1/4"	127	5"	5
1066-0501	1/4"	152	6"	5

Stainless Steel Magnetic Bit Holders With C-ring



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1063-0507	1/4"	76	3"	5
1064-0502	1/4"	101	4"	5
1065-0503	1/4"	127	5"	5
1066-0502	1/4"	152	6"	5
1069-0503	1/4"	279	11"	5

Magnetic Bit Holder, S2 Tool Steel



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1062-0504	1/4"	54	2-1/8"	5

None-magnetic Bit Holder With C-ring, S2 Tool Steel



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1062-0505	1/4"	54	2-1/8"	5

Stainless Steel Magnetic Bit Holders with Screw Cap, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1062-0507	1/4"	55.5	2-3/16"	5
1063-0503	1/4"	73	2-7/8"	5

Magnetic Bit Holders with Copper-beryllium Sleeve & Screw Cap



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1063-0508	1/4"	76	3"	5
1066-0503	1/4"	152	6"	5

Stainless Steel Magnetic Bit Holder With C-ring



- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1063-0509	1/4"	78	3-1/16"	5


Bit Holder With Ring Magnet



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1062-0510	1/4"	60	2-3/8"	5

Magnetic Screw Guides



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code		L (mm)	L (inch)	Pack
1373-0501	1/4"	80	3-1/16"	5
1375-0501	1/4"	120	4-11/16"	5

Drive Sleeve



- For use with 1/4" & 5/16" hexagon power bits (DIN 3126, ISO 1173, E 6.3 & E 8)

Code			L (mm)	L (inch)	Pack
1376-0501	1/4"	5/16"	146	5-3/4"	5

Quick Change Bit Holders, Magnetic, One-Piece Stainless Steel



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Double ball locking

Code		L (mm)	L (inch)	Pack
1612-0501	1/4"	50	2"	5
1612-0503	1/4"	60	2-3/8"	5

Quick Change Bit Holders, Magnetic, Stainless Steel



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Clip locking

Code		L (mm)	L (inch)	Pack
1612-0502	1/4"	50	2"	5
1612-0504	1/4"	60	2-3/8"	5
1616-0501	1/4"	152	6"	5
1619-0501	1/4"	305	12"	5


Quick Change Bit Holders, Magnetic, Stainless Steel



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Backward releasing sleeve
- Clip locking

Code		L (mm)	L (inch)	Pack
1612-0505	1/4"	60	2-3/8"	5
1616-0502	1/4"	152	6"	5
1619-0502	1/4"	305	12"	5


Quick Change Bit Holder, Magnetic, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Clip locking

Code		L (mm)	L (inch)	Pack
1612-0506	1/4"	60	2-3/8"	5

Quick Change Bit Holder, Magnetic, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Backward releasing sleeve
- Clip locking

Code		L (mm)	L (inch)	Pack
1612-0507	1/4"	60	2-3/8"	5

Quick Change Bit Holders, Magnetic, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Automatic bit releasing design
- Single Ball locking

Code		L (mm)	L (inch)	Pack
1612-0508	1/4"	60	2-3/8"	5
1616-0503	1/4"	152	6"	5
1619-0503	1/4"	305	12"	5

Quick Change Bit Holder, None-magnetic, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon power bits (DIN 3126, ISO 1173, E 6.3)
- Forward releasing sleeve
- Single Ball locking

Code		L (mm)	L (inch)	Pack
1612-0509	1/4"	65	2-9/16"	5

Quick Change Bit Holder With Rubber Sleeve, Magnetic, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon power bits (DIN 3126, ISO 1173, E 6.3)
- Backward releasing sleeve
- Single Ball locking

Code		L (mm)	L (inch)	Pack
1612-0510	1/4"	65	2-9/16"	5

Quick Change Bit Holder, Magnetic, Stainless Steel



- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Clip locking

Code		L (mm)	L (inch)	Pack
1613-0501	1/4"	78	3"	5

Quick Change Bit Holders, Magnetic, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon power bits (DIN 3126, ISO 1173, E 6.3)
- Triple ball locking

Code		L (mm)	L (inch)	Pack
1612-0511	1/4"	65	2-9/16"	5
1616-0504	1/4"	152	6"	5
1619-0504	1/4"	305	12"	5

Square Drive Bit Holders With C-Ring



- DIN 3121
- For use with 1/4" or 5/16" hexagon insert bits (DIN 3126, ISO 1173, C 6.3, C 8)

Code			L (mm)	L (inch)	Pack
1401-0501	1/4"	1/4"	25	1"	5
1401-0502	3/8"	1/4"	31	1-1/4"	5
1401-0503	3/8"	5/16"	31	1-1/4"	5
1401-0504	1/2"	1/4"	35	1-3/8"	5
1401-0505	1/2"	5/16"	38	1-1/2"	5

Square Drive Bit Holders With Screw Cap



- DIN 3121
- For use with 1/4" or 5/16" hexagon insert bits (DIN 3126, ISO 1173, C 6.3, C 8)


Code			L (mm)	L (inch)	Pack
1401-0506	1/4"	1/4"	25.5	1"	5
1401-0507	3/8"	1/4"	28.7	1-1/8"	5
1401-0508	3/8"	5/16"	35	1-3/8"	5
1401-0509	1/2"	1/4"	35	1-3/8"	5
1401-0510	1/2"	5/16"	35	1-3/8"	5

Phillips Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



Code	Size	L (mm)	L (inch)	Pack
1111-0211DT	PH 1	25	1"	2
1111-0212DT	PH 2	25	1"	2
1111-0213DT	PH 3	25	1"	2
1111-0215DT	PH 2 Drywall	25	1"	2

Phillips Insert Bits, Torsion, Titanium Coating



Code	Size	L (mm)	L (inch)	Pack
1111-0211TC	PH 1	25	1"	2
1111-0212TC	PH 2	25	1"	2
1111-0213TC	PH 3	25	1"	2
1111-0215TC	PH 2 Drywall	25	1"	2

Phillips Insert Bits, Torsion



Code	Size	L (mm)	L (inch)	Pack
1111-0211TS	PH 1	25	1"	2
1111-0212TS	PH 2	25	1"	2
1111-0213TS	PH 3	25	1"	2

Code	Size	L (mm)	L (inch)	Pack
1111-0215TS	PH 2 Drywall	25	1"	2
1111-0512TS	PH 2	25	1"	5
1111-0515TS	PH 2 Drywall	25	1"	5

Phillips Insert Bits, Torsion, Anti Cam-out



• Retail Package
• DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1111-0221TS	PH 1	25	1"	2
1111-0222TS	PH 2	25	1"	2
1111-0223TS	PH 3	25	1"	2
1111-0225TS	PH 2 Drywall	25	1"	2
1111-0522TS	PH 2	25	1"	5
1111-0525TS	PH 2 Drywall	25	1"	5

Phillips Insert Bits



• Retail Package
• DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1111-0200	PH 0	25	1"	2
1111-0201	PH 1	25	1"	2
1111-0202	PH 2	25	1"	2
1111-0203	PH 3	25	1"	2
1111-0502	PH 2	25	1"	5
1111-0505	PH 2 Drywall	25	1"	5
1111-1002	PH 2	25	1"	10
1111-1005	PH 2 Drywall	25	1"	10
1111-0800	PH 1x2, PH 2x4, PH 3x2	25	1"	8

Phillips Power Bits, Torsion, Titanium Coating, Diamond Coated Tip




• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1112-0111DT	PH 1	50	2"	1
1112-0112DT	PH 2	50	2"	1
1112-0113DT	PH 3	50	2"	1

Phillips Power Bits, Torsion, Titanium Coating



• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1112-0111TC	PH 1	50	2"	1
1112-0112TC	PH 2	50	2"	1
1112-0113TC	PH 3	50	2"	1

Phillips Power Bits, Torsion



• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1112-0111TS	PH 1	50	2"	1
1112-0112TS	PH 2	50	2"	1
1112-0113TS	PH 3	50	2"	1
1112-0512TS	PH 2	50	2"	5
1117-0111TS	PH 1	75	3"	1

Code	Size	L (mm)	L (inch)	Pack
1117-0112TS	PH 2	75	3"	1
1117-0113TS	PH 3	75	3"	1
1113-0111TS	PH 1	89	3-1/2"	1
1113-0112TS	PH 2	89	3-1/2"	1
1113-0113TS	PH 3	89	3-1/2"	1
1116-0111TS	PH 1	152	6"	1
1116-0112TS	PH 2	152	6"	1
1116-0113TS	PH 3	152	6"	1

Phillips Power Bits, Torsion, Anti Cam-out



• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1112-0121TS	PH 1	50	2"	1
1112-0122TS	PH 2	50	2"	1
1112-0123TS	PH 3	50	2"	1
1112-0522TS	PH 2	50	2"	5
1117-0121TS	PH 1	75	3"	1
1117-0122TS	PH 2	75	3"	1
1117-0123TS	PH 3	75	3"	1
1113-0121TS	PH 1	89	3-1/2"	1
1113-0122TS	PH 2	89	3-1/2"	1
1113-0123TS	PH 3	89	3-1/2"	1
1116-0121TS	PH 1	152	6"	1
1116-0122TS	PH 2	152	6"	1
1116-0123TS	PH 3	152	6"	1

Phillips Power Bits



• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1112-0101	PH 1	50	2"	1
1112-0102	PH 2	50	2"	1
1112-0103	PH 3	50	2"	1
1112-0602	PH 2	50	2"	6

Code	Size	L (mm)	L (inch)	Pack
1117-0101	PH 1	75	3"	1
1117-0102	PH 2	75	3"	1
1117-0103	PH 3	75	3"	1
1113-0101	PH 1	89	3-1/2"	1
1113-0102	PH 2	89	3-1/2"	1
1113-0103	PH 3	89	3-1/2"	1
1116-0101	PH 1	152	6"	1
1116-0102	PH 2	152	6"	1
1116-0103	PH 3	152	6"	1
1112-0700	PH 1x2, PH 2x3, PH 3x2	50	2"	7

Phillips Power Bits, Turned Down Shank



• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1112-0101TD	PH 1	50	2"	5.0	1
1112-0102TD	PH 2	50	2"	6.0	1
1112-0103TD	PH 3	50	2"	6.0	1
1117-0101TD	PH 1	75	3"	5.0	1
1117-0102TD	PH 2	75	3"	6.0	1
1117-0103TD	PH 3	75	3"	6.0	1
1113-0101TD	PH 1	89	3-1/2"	5.0	1
1113-0102TD	PH 2	89	3-1/2"	6.0	1
1113-0103TD	PH 3	89	3-1/2"	6.0	1
1116-0101TD	PH 1	152	6"	5.0	1
1116-0102TD	PH 2	152	6"	6.0	1
1116-0103TD	PH 3	152	6"	6.0	1

Phillips Drywall Screw Setters



• Retail Package
• DIN 3126, ISO 1173, C 6.3, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1201-0202	PH 2	25	1"	2
1202-0102	PH 2	50	2"	1

Pozidriv® Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip

1121-0212DT

SURETORQ®

POZIDRIV INSERT BITS

POZIDRIV #2

1/4"

Titanium

DIAMONDRIVE

- Retail Package
- DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1121-0211DT	PZ 1	25	1"	2
1121-0212DT	PZ 2	25	1"	2
1121-0213DT	PZ 3	25	1"	2

Pozidriv® Insert Bits, Torsion, Titanium Coating

1121-0212TC

SURETORQ®

POZIDRIV INSERT BITS

POZIDRIV #2

1/4"

Titanium

- Retail Package
- DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1121-0211TC	PZ 1	25	1"	2
1121-0212TC	PZ 2	25	1"	2
1121-0213TC	PZ 3	25	1"	2

Pozidriv® Insert Bits, Torsion

1121-0212TS

SURETORQ®

POZIDRIV INSERT BITS

POZIDRIV #2

1/4"

TORSION

- Retail Package
- DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1121-0211TS	PZ 1	25	1"	2
1121-0212TS	PZ 2	25	1"	2
1121-0213TS	PZ 3	25	1"	2
1121-0512TS	PZ 2	25	1"	5

Pozidriv® Insert Bits, Torsion, Anti Cam-out

1121-0222TS

SURETORQ®

POZIDRIV INSERT BITS

POZIDRIV #2

1/4"

TORSION Anti Cam-out

- Retail Package
- DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1121-0221TS	PZ 1	25	1"	2
1121-0222TS	PZ 2	25	1"	2
1121-0223TS	PZ 3	25	1"	2
1121-0522TS	PZ 2	25	1"	5

Pozidriv® Insert Bits

1121-0202

SURETORQ®

POZIDRIV INSERT BITS

POZIDRIV #2

1/4"

- Retail Package
- DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1121-0200	PZ 0	25	1"	2
1121-0201	PZ 1	25	1"	2
1121-0202	PZ 2	25	1"	2
1121-0203	PZ 3	25	1"	2
1121-0502	PZ 2	25	1"	5
1121-1002	PZ 2	25	1"	10
1121-0800	PZ 1x2, PZ 2x4, PZ 3x2	25	1"	8

Pozidriv® Power Bits, Torsion, Titanium Coating, Diamond Coated Tip

1122-0111DT

SURETORQ®

POZIDRIV POWER BIT

POZIDRIV #2

1/4"

Titanium

DIAMONDRIVE

- Retail Package
- DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1122-0111DT	PZ 1	50	2"	1

Code	Size	L (mm)	L (inch)	Pack
1122-0112DT	PZ 2	50	2"	1
1122-0113DT	PZ 3	50	2"	1

Pozidriv® Power Bits, Torsion, Titanium Coating

1122-0112TC

SURETORQ®

POZIDRIV POWER BIT

POZIDRIV #2

1/4"

Titanium

- Retail Package
- DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1122-0111TC	PZ 1	50	2"	1
1122-0112TC	PZ 2	50	2"	1
1122-0113TC	PZ 3	50	2"	1

Pozidriv® Power Bits, Torsion

1122-0112TS

SURETORQ®

POZIDRIV POWER BIT

POZIDRIV #2

1/4"

TORSION

- Retail Package
- DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1122-0111TS	PZ 1	50	2"	1
1122-0112TS	PZ 2	50	2"	1
1122-0113TS	PZ 3	50	2"	1
1122-0512TS	PZ 2	50	2"	5
1127-0111TS	PZ 1	75	3"	1
1127-0112TS	PZ 2	75	3"	1
1127-0113TS	PZ 3	75	3"	1
1123-0111TS	PZ 1	89	3-1/2"	1
1123-0112TS	PZ 2	89	3-1/2"	1
1123-0113TS	PZ 3	89	3-1/2"	1
1126-0111TS	PZ 1	152	6"	1
1126-0112TS	PZ 2	152	6"	1
1126-0113TS	PZ 3	152	6"	1

Pozidriv® Power Bits, Torsion, Anti Cam-out

1122-0122TS

SURETORQ®

POZIDRIV POWER BIT

POZIDRIV #2

1/4"

TORSION Anti Cam-out

- Retail Package
- DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1122-0121TS	PZ 1	50	2"	1
1122-0122TS	PZ 2	50	2"	1
1122-0123TS	PZ 3	50	2"	1
1122-0522TS	PZ 2	50	2"	5
1127-0121TS	PZ 1	75	3"	1
1127-0122TS	PZ 2	75	3"	1
1127-0123TS	PZ 3	75	3"	1
1123-0121TS	PZ 1	89	3-1/2"	1
1123-0122TS	PZ 2	89	3-1/2"	1
1123-0123TS	PZ 3	89	3-1/2"	1
1126-0121TS	PZ 1	152	6"	1
1126-0122TS	PZ 2	152	6"	1
1126-0123TS	PZ 3	152	6"	1

Pozidriv® Power Bits

1122-0102

SURETORQ®

POZIDRIV POWER BIT

POZIDRIV #2

1/4"

- Retail Package
- DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1122-0101	PZ 1	50	2"	1
1122-0102	PZ 2	50	2"	1
1122-0103	PZ 3	50	2"	1
1122-0602	PZ 2	50	2"	6
1127-0101	PZ 1	75	3"	1
1127-0102	PZ 2	75	3"	1
1127-0103	PZ 3	75	3"	1
1123-0101	PZ 1	89	3-1/2"	1
1123-0102	PZ 2	89	3-1/2"	1
1123-0103	PZ 3	89	3-1/2"	1
1126-0101	PZ 1	152	6"	1
1126-0102	PZ 2	152	6"	1
1126-0103	PZ 3	152	6"	1
1122-0700	PZ 1x2, PZ 2x3, PZ 3x2	50	2"	7

Pozidriv® Power Bits, Turned Down Shank

- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1122-0101TD	PZ 1	50	2"	5.0	1
1122-0102TD	PZ 2	50	2"	6.0	1
1122-0103TD	PZ 3	50	2"	6.0	1
1127-0101TD	PZ 1	75	3"	5.0	1
1127-0102TD	PZ 2	75	3"	6.0	1
1127-0103TD	PZ 3	75	3"	6.0	1
1123-0101TD	PZ 1	89	3-1/2"	5.0	1
1123-0102TD	PZ 2	89	3-1/2"	6.0	1
1123-0103TD	PZ 3	89	3-1/2"	6.0	1
1126-0101TD	PZ 1	152	6"	5.0	1
1126-0102TD	PZ 2	152	6"	6.0	1
1126-0103TD	PZ 3	152	6"	6.0	1

Pozidriv® Drywall Screw Setters

- Retail Package
- DIN 3126, ISO 1173, C 6.3, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1201-0212	PZ 2	25	1"	2
1202-0112	PZ 2	50	2"	1

Phillips Square-Driv® Insert Bits

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1911-0200	PSD 0-1	25	1"	2
1911-0201	PSD 1-2	25	1"	2
1911-0202	PSD 2-2	25	1"	2
1911-0203	PSD 3-3	25	1"	2

Phillips Square-Driv® Power Bits

- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1912-0100	PSD 0-1	50	2"	1
1912-0101	PSD 1-2	50	2"	1
1912-0102	PSD 2-2	50	2"	1
1912-0103	PSD 3-3	50	2"	1

ACR Phillips II® Insert Bits

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1931-0200	ACR 0	25	1"	2
1931-0201	ACR 1	25	1"	2
1931-0202	ACR 2	25	1"	2
1931-0203	ACR 3	25	1"	2

ACR Phillips II® Power Bits

- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1932-0100	ACR 0	50	2"	1
1932-0101	ACR 1	50	2"	1
1932-0102	ACR 2	50	2"	1
1932-0103	ACR 3	50	2"	1

Square Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip


- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1131-0211DT	SQ 1	25	1"	2
1131-0212DT	SQ 2	25	1"	2
1131-0213DT	SQ 3	25	1"	2

Square Insert Bits, Torsion, Titanium Coating

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1131-0211TC	SQ 1	25	1"	2
1131-0212TC	SQ 2	25	1"	2
1131-0213TC	SQ 3	25	1"	2

Square Insert Bits, Torsion

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1131-0211TS	SQ 1	25	1"	2
1131-0212TS	SQ 2	25	1"	2
1131-0213TS	SQ 3	25	1"	2
1131-0512TS	SQ 2	25	1"	5

Square Insert Bits

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1131-0200	SQ 0	25	1"	2
1131-0201	SQ 1	25	1"	2
1131-0202	SQ 2	25	1"	2
1131-0203	SQ 3	25	1"	2
1131-0502	SQ 2	25	1"	5
1131-1002	SQ 2	25	1"	10
1131-0800	SQ 1x2, SQ 2x4, SQ 3x2	25	1"	8

Square Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1132-0111DT	SQ 1	50	2"	1
1132-0112DT	SQ 2	50	2"	1
1132-0113DT	SQ 3	50	2"	1

Square Power Bits, Torsion, Titanium Coating



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1132-0111TC	SQ 1	50	2"	1
1132-0112TC	SQ 2	50	2"	1
1132-0113TC	SQ 3	50	2"	1

Square Power Bits, Torsion



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1132-0111TS	SQ 1	50	2"	1
1132-0112TS	SQ 2	50	2"	1
1132-0113TS	SQ 3	50	2"	1
1132-0512TS	SQ 2	50	2"	5
1137-0111TS	SQ 1	75	3"	1

Code	Size	L (mm)	L (inch)	Pack
1137-0112TS	SQ 2	75	3"	1
1137-0113TS	SQ 3	75	3"	1
1133-0111TS	SQ 1	89	3-1/2"	1
1133-0112TS	SQ 2	89	3-1/2"	1
1133-0113TS	SQ 3	89	3-1/2"	1
1136-0111TS	SQ 1	152	6"	1
1136-0112TS	SQ 2	152	6"	1
1136-0113TS	SQ 3	152	6"	1

Square Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1132-0101	SQ 1	50	2"	1
1132-0102	SQ 2	50	2"	1
1132-0103	SQ 3	50	2"	1
1132-0602	SQ 2	50	2"	6
1137-0101	SQ 1	75	3"	1
1137-0102	SQ 2	75	3"	1
1137-0103	SQ 3	75	3"	1
1133-0101	SQ 1	89	3-1/2"	1
1133-0102	SQ 2	89	3-1/2"	1
1133-0103	SQ 3	89	3-1/2"	1
1136-0101	SQ 1	152	6"	1
1136-0102	SQ 2	152	6"	1
1136-0103	SQ 3	152	6"	1
1132-0700	SQ 1x2, SQ 2x3, SQ 3x2	50	2"	7

Square Power Bits, Turned Down Shank



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1132-0101TD	SQ 1	50	2"	4.5	1
1132-0102TD	SQ 2	50	2"	6.0	1
1132-0103TD	SQ 3	50	2"	6.0	1

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1137-0101TD	SQ 1	75	3"	4.5	1
1137-0102TD	SQ 2	75	3"	6.0	1
1137-0103TD	SQ 3	75	3"	6.0	1
1133-0101TD	SQ 1	89	3-1/2"	4.5	1
1133-0102TD	SQ 2	89	3-1/2"	6.0	1
1133-0103TD	SQ 3	89	3-1/2"	6.0	1
1136-0101TD	SQ 1	152	6"	4.5	1
1136-0102TD	SQ 2	152	6"	6.0	1
1136-0103TD	SQ 3	152	6"	6.0	1

TORX® Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1141-0210DT	Torx T10	25	1"	2
1141-0215DT	Torx T15	25	1"	2
1141-0220DT	Torx T20	25	1"	2
1141-0225DT	Torx T25	25	1"	2
1141-0227DT	Torx T27	25	1"	2
1141-0230DT	Torx T30	25	1"	2
1141-0240DT	Torx T40	25	1"	2

TORX® Insert Bits, Torsion, Titanium Coating



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1141-0210TC	Torx T10	25	1"	2
1141-0215TC	Torx T15	25	1"	2
1141-0220TC	Torx T20	25	1"	2
1141-0225TC	Torx T25	25	1"	2
1141-0227TC	Torx T27	25	1"	2
1141-0230TC	Torx T30	25	1"	2
1141-0240TC	Torx T40	25	1"	2

TORX® Insert Bits, Torsion



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1141-0210TS	Torx T10	25	1"	2
1141-0215TS	Torx T15	25	1"	2
1141-0220TS	Torx T20	25	1"	2
1141-0225TS	Torx T25	25	1"	2
1141-0227TS	Torx T27	25	1"	2
1141-0230TS	Torx T30	25	1"	2
1141-0240TS	Torx T40	25	1"	2

TORX® Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1141-0205	Torx T5	25	1"	2
1141-0206	Torx T6	25	1"	2
1141-0207	Torx T7	25	1"	2
1141-0208	Torx T8	25	1"	2
1141-0210	Torx T10	25	1"	2
1141-0215	Torx T15	25	1"	2
1141-0220	Torx T20	25	1"	2
1141-0225	Torx T25	25	1"	2
1141-0227	Torx T27	25	1"	2
1141-0230	Torx T30	25	1"	2
1141-0240	Torx T40	25	1"	2
1141-0520	Torx T20	25	1"	5
1141-0525	Torx T25	25	1"	5
1141-0700	Torx T10, T15, T20, T25, T27, T30, T40	25	1"	7

TORX® Insert Bits, H5/16


- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1141-0145	Torx T45	32	1-1/4"	1
1141-0150	Torx T50	32	1-1/4"	1
1141-0155	Torx T55	32	1-1/4"	1

TORX® Power Bits, Torsion, Titanium Coating, Diamond Coated Tip

- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1142-0110DT	Torx T10	50	2"	4.0	1
1142-0115DT	Torx T15	50	2"	4.0	1
1142-0120DT	Torx T20	50	2"	4.9	1
1142-0125DT	Torx T25	50	2"	4.9	1
1142-0127DT	Torx T27	50	2"	5.5	1
1142-0130DT	Torx T30	50	2"	6.0	1
1142-0140DT	Torx T40	50	2"	—	1

TORX® Power Bits, Torsion, Titanium Coating

- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1142-0110TC	Torx T10	50	2"	4.0	1

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1142-0115TC	Torx T15	50	2"	4.0	1
1142-0120TC	Torx T20	50	2"	4.9	1
1142-0125TC	Torx T25	50	2"	4.9	1
1142-0127TC	Torx T27	50	2"	5.5	1
1142-0130TC	Torx T30	50	2"	6.0	1
1142-0140TC	Torx T40	50	2"	—	1

TORX® Power Bits, Torsion

- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1142-0110TS	Torx T10	50	2"	4.0	1
1142-0115TS	Torx T15	50	2"	4.0	1
1142-0120TS	Torx T20	50	2"	4.9	1
1142-0125TS	Torx T25	50	2"	4.9	1
1142-0127TS	Torx T27	50	2"	5.5	1
1142-0130TS	Torx T30	50	2"	6.0	1
1142-0140TS	Torx T40	50	2"	—	1
1147-0110TS	Torx T10	75	3"	4.0	1
1147-0115TS	Torx T15	75	3"	4.0	1
1147-0120TS	Torx T20	75	3"	4.9	1
1147-0125TS	Torx T25	75	3"	4.9	1
1147-0130TS	Torx T30	75	3"	6.0	1
1143-0110TS	Torx T10	89	3-1/2"	4.0	1
1143-0115TS	Torx T15	89	3-1/2"	4.0	1
1143-0120TS	Torx T20	89	3-1/2"	4.9	1
1143-0125TS	Torx T25	89	3-1/2"	4.9	1
1143-0130TS	Torx T30	89	3-1/2"	6.0	1

TORX® Power Bits

- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1142-0105	Torx T5	50	2"	1
1142-0106	Torx T6	50	2"	1

Code	Size	L (mm)	L (inch)	Pack
1142-0107	Torx T7	50	2"	1
1142-0108	Torx T8	50	2"	1
1142-0110	Torx T10	50	2"	1
1142-0115	Torx T15	50	2"	1
1142-0120	Torx T20	50	2"	1
1142-0125	Torx T25	50	2"	1
1142-0127	Torx T27	50	2"	1
1142-0130	Torx T30	50	2"	1
1142-0140	Torx T40	50	2"	1
1142-0520	Torx T20	50	2"	5
1142-0525	Torx T25	50	2"	5
1147-0110	Torx T10	75	3"	1
1147-0115	Torx T15	75	3"	1
1147-0120	Torx T20	75	3"	1
1147-0125	Torx T25	75	3"	1
1147-0127	Torx T27	75	3"	1
1147-0130	Torx T30	75	3"	1
1147-0140	Torx T40	75	3"	1
1143-0110	Torx T10	89	3-1/2"	1
1143-0115	Torx T15	89	3-1/2"	1
1143-0120	Torx T20	89	3-1/2"	1
1143-0125	Torx T25	89	3-1/2"	1
1143-0127	Torx T27	89	3-1/2"	1
1143-0130	Torx T30	89	3-1/2"	1
1143-0140	Torx T40	89	3-1/2"	1
1146-0110	Torx T10	152	6"	1
1146-0115	Torx T15	152	6"	1
1146-0120	Torx T20	152	6"	1
1146-0125	Torx T25	152	6"	1
1146-0127	Torx T27	152	6"	1
1146-0130	Torx T30	152	6"	1
1146-0140	Torx T40	152	6"	1
1142-0600	Torx T15x2, T20x2, T25x2	50	2"	6

TORX® Power Bits, Turned Down Shank

- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1142-0110TD	Torx T10	50	2"	4.0	1
1142-0115TD	Torx T15	50	2"	4.0	1
1142-0120TD	Torx T20	50	2"	4.8	1
1142-0125TD	Torx T25	50	2"	5.0	1
1142-0127TD	Torx T27	50	2"	6.0	1
1142-0130TD	Torx T30	50	2"	6.2	1
1147-0110TD	Torx T10	75	3"	4.0	1

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1147-0115TD	Torx T15	75	3"	4.0	1
1147-0120TD	Torx T20	75	3"	4.8	1
1147-0125TD	Torx T25	75	3"	5.0	1
1147-0127TD	Torx T27	75	3"	6.0	1
1147-0130TD	Torx T30	75	3"	6.2	1
1143-0110TD	Torx T10	89	3-1/2"	4.0	1
1143-0115TD	Torx T15	89	3-1/2"	4.0	1
1143-0120TD	Torx T20	89	3-1/2"	4.8	1
1143-0125TD	Torx T25	89	3-1/2"	5.0	1
1143-0127TD	Torx T27	89	3-1/2"	6.0	1
1143-0130TD	Torx T30	89	3-1/2"	6.2	1
1146-0110TD	Torx T10	152	6"	4.0	1
1146-0115TD	Torx T15	152	6"	4.0	1
1146-0120TD	Torx T20	152	6"	4.8	1
1146-0125TD	Torx T25	152	6"	5.0	1
1146-0127TD	Torx T27	152	6"	6.0	1
1146-0130TD	Torx T30	152	6"	6.2	1

TORX® Tamper Resistant Insert Bits

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1151-0700	Torx T10H, T15H, T20H, T25H, T27H, T30H, T40H	25	1"	7

TORX® ttap® Insert Bits

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1351-0210	ttap T10	25	1"	2
1351-0215	ttap T15	25	1"	2
1351-0220	ttap T20	25	1"	2
1351-0225	ttap T25	25	1"	2

Code	Size	L (mm)	L (inch)	Pack
1351-0230	ttap T30	25	1"	2
1351-0240	ttap T40	25	1"	2

TORX® ttap® Power Bits


- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1352-0110	ttap T10	50	2"	1
1352-0115	ttap T15	50	2"	1
1352-0120	ttap T20	50	2"	1
1352-0125	ttap T25	50	2"	1
1352-0130	ttap T30	50	2"	1
1352-0140	ttap T40	50	2"	1

Hex Insert Bits

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1271-0201	1/16"		25	1"	2
1271-0202	5/64"		25	1"	2
1271-0203	3/32"		25	1"	2
1271-0204	7/64"		25	1"	2
1271-0205	1/8"		25	1"	2
1271-0206	9/64"		25	1"	2
1271-0207	5/32"		25	1"	2
1271-0208	3/16"		25	1"	2
1271-0209	7/32"		25	1"	2
1271-0210	1/4"		25	1"	2
1271-0111	5/16"		25	1"	1
1271-0112	3/8"		25	1"	1
1271-0231		2.0	25	1"	2
1271-0232		2.5	25	1"	2
1271-0233		3.0	25	1"	2
1271-0234		4.0	25	1"	2
1271-0235		5.0	25	1"	2

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1271-0236		6.0	25	1"	2
1271-0137		7.0	25	1"	1
1271-0138		8.0	25	1"	1
1271-0139		10.0	25	1"	1
1271-0800	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"		25	1"	8
1271-0601	2.0, 2.5, 3.0, 4.0, 5.0, 6.0		25	1"	6

Hex Power Bits, Ball Head

- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1272-0103BH	3/32"		50	2"	1
1272-0104BH	7/64"		50	2"	1
1272-0105BH	1/8"		50	2"	1
1272-0106BH	9/64"		50	2"	1
1272-0107BH	5/32"		50	2"	1
1272-0108BH	3/16"		50	2"	1
1272-0109BH	7/32"		50	2"	1
1272-0110BH	1/4"		50	2"	1
1277-0103BH	3/32"		75	3"	1
1277-0104BH	7/64"		75	3"	1
1277-0105BH	1/8"		75	3"	1
1277-0106BH	9/64"		75	3"	1
1277-0107BH	5/32"		75	3"	1
1277-0108BH	3/16"		75	3"	1
1277-0109BH	7/32"		75	3"	1
1277-0110BH	1/4"		75	3"	1
1272-0133BH		3.0	50	2"	1
1272-0134BH		4.0	50	2"	1
1272-0135BH		5.0	50	2"	1
1272-0136BH		6.0	50	2"	1
1277-0133BH		3.0	75	3"	1
1277-0134BH		4.0	75	3"	1
1277-0135BH		5.0	75	3"	1
1277-0136BH		6.0	75	3"	1

Slotted Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1261-0205DT	5-6		25	1"	2
1261-0206DT	6-8		25	1"	2
1261-0207DT	8-10		25	1"	2
1261-0208DT	10-12		25	1"	2
1261-0236DT		0.6x4.5	25	1"	2
1261-0239DT		0.8x5.5	25	1"	2
1261-0240DT		1.0x5.5	25	1"	2
1261-0242DT		1.2x6.5	25	1"	2

Slotted Insert Bits Torsion, Titanium Coating

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1261-0205TC	5-6		25	1"	2
1261-0206TC	6-8		25	1"	2
1261-0207TC	8-10		25	1"	2
1261-0208TC	10-12		25	1"	2
1261-0236TC		0.6x4.5	25	1"	2
1261-0239TC		0.8x5.5	25	1"	2
1261-0240TC		1.0x5.5	25	1"	2
1261-0242TC		1.2x6.5	25	1"	2

Slotted Insert Bits, Torsion

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1261-0205TS	5-6		25	1"	2
1261-0206TS	6-8		25	1"	2
1261-0207TS	8-10		25	1"	2
1261-0208TS	10-12		25	1"	2
1261-0234TS		0.5x4.0	25	1"	2
1261-0236TS		0.6x4.5	25	1"	2
1261-0237TS		0.6x5.0	25	1"	2
1261-0239TS		0.8x5.5	25	1"	2
1261-0241TS		1.0x6.0	25	1"	2
1261-0242TS		1.2x6.5	25	1"	2

Slotted Insert Bits, Torsion, Anti Cam-out

- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1261-0255TS	5-6		25	1"	2
1261-0256TS	6-8		25	1"	2
1261-0257TS	8-10		25	1"	2
1261-0258TS	10-12		25	1"	2
1261-0284TS		0.5x4.0	25	1"	2
1261-0286TS		0.6x4.5	25	1"	2
1261-0287TS		0.6x5.0	25	1"	2
1261-0289TS		0.8x5.5	25	1"	2
1261-0291TS		1.0x6.0	25	1"	2
1261-0292TS		1.2x6.5	25	1"	2

Slotted Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1261-0204	4-5		25	1"	2
1261-0205	5-6		25	1"	2
1261-0206	6-8		25	1"	2
1261-0207	8-10		25	1"	2
1261-0208	10-12		25	1"	2
1261-0109	12-14		25	1"	1
1261-0234		0.5x4.0	25	1"	2
1261-0236		0.6x4.5	25	1"	2
1261-0237		0.6x5.0	25	1"	2
1261-0239		0.8x5.5	25	1"	2
1261-0241		1.0x6.0	25	1"	2
1261-0242		1.2x6.5	25	1"	2

Slotted Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1262-0105DT	5-6		50	2"	1
1262-0106DT	6-8		50	2"	1
1262-0107DT	8-10		50	2"	1
1262-0108DT	10-12		50	2"	1
1262-0136DT		0.6x4.5	50	2"	1
1262-0139DT		0.8x5.5	50	2"	1
1262-0140DT		1.0x5.5	50	2"	1
1262-0142DT		1.2x6.5	50	2"	1

Slotted Power Bits Torsion, Titanium Coating



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1262-0105TC	5-6		50	2"	1
1262-0106TC	6-8		50	2"	1
1262-0107TC	8-10		50	2"	1
1262-0108TC	10-12		50	2"	1
1262-0136TC		0.6x4.5	50	2"	1
1262-0139TC		0.8x5.5	50	2"	1
1262-0140TC		1.0x5.5	50	2"	1
1262-0142TC		1.2x6.5	50	2"	1

Slotted Power Bits, Torsion



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1262-0105TS	5-6		50	2"	1
1262-0106TS	6-8		50	2"	1
1262-0107TS	8-10		50	2"	1
1262-0108TS	10-12		50	2"	1
1262-0134TS		0.5x4.0	50	2"	1
1262-0136TS		0.6x4.5	50	2"	1
1262-0137TS		0.6x5.0	50	2"	1
1262-0139TS		0.8x5.5	50	2"	1
1262-0141TS		1.0x6.0	50	2"	1
1262-0142TS		1.2x6.5	50	2"	1

Slotted Power Bits, Torsion, Anti Cam-out



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1262-0155TS	5-6		50	2"	1
1262-0156TS	6-8		50	2"	1
1262-0157TS	8-10		50	2"	1
1262-0158TS	10-12		50	2"	1
1262-0184TS		0.5x4.0	50	2"	1
1262-0186TS		0.6x4.5	50	2"	1
1262-0187TS		0.6x5.0	50	2"	1
1262-0189TS		0.8x5.5	50	2"	1
1262-0191TS		1.0x6.0	50	2"	1
1262-0192TS		1.2x6.5	50	2"	1

Slotted Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1262-0105	5-6		50	2"	1
1262-0106	6-8		50	2"	1
1262-0107	8-10		50	2"	1
1262-0108	10-12		50	2"	1
1267-0105	5-6		75	3"	1
1267-0106	6-8		75	3"	1
1267-0107	8-10		75	3"	1
1267-0108	10-12		75	3"	1
1263-0105	5-6		89	3-1/2"	1
1263-0106	6-8		89	3-1/2"	1
1263-0107	8-10		89	3-1/2"	1
1263-0108	10-12		89	3-1/2"	1
1266-0105	5-6		152	6"	1
1266-0106	6-8		152	6"	1
1266-0107	8-10		152	6"	1
1266-0108	10-12		152	6"	1
1262-0134		0.5x4.0	50	2"	1
1262-0136		0.6x4.5	50	2"	1

Slotted Power Bits, Turned Down Shank



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1262-0133TD	0.5x3.0	50	2"	3.0	1
1262-0134TD	0.5x4.0	50	2"	4.0	1
1262-0135TD	0.6x3.5	50	2"	3.5	1
1262-0136TD	0.6x4.5	50	2"	4.5	1
1262-0137TD	0.6x5.0	50	2"	5.0	1
1262-0139TD	0.8x5.5	50	2"	5.5	1
1262-0141TD	1.0x6.0	50	2"	6.0	1
1267-0133TD	0.5x3.0	75	3"	3.0	1
1267-0134TD	0.5x4.0	75	3"	4.0	1
1267-0135TD	0.6x3.5	75	3"	3.5	1
1267-0136TD	0.6x4.5	75	3"	4.5	1
1267-0137TD	0.6x5.0	75	3"	5.0	1
1267-0139TD	0.8x5.5	75	3"	5.5	1
1267-0141TD	1.0x6.0	75	3"	6.0	1
1263-0133TD	0.5x3.0	89	3-1/2"	3.0	1
1263-0134TD	0.5x4.0	89	3-1/2"	4.0	1
1263-0135TD	0.6x3.5	89	3-1/2"	3.5	1

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1263-0136TD	0.6x4.5	89	3-1/2"	4.5	1
1263-0137TD	0.6x5.0	89	3-1/2"	5.0	1
1263-0139TD	0.8x5.5	89	3-1/2"	5.5	1
1263-0141TD	1.0x6.0	89	3-1/2"	6.0	1
1266-0133TD	0.5x3.0	152	6"	3.0	1
1266-0134TD	0.5x4.0	152	6"	4.0	1
1266-0135TD	0.6x3.5	152	6"	3.5	1
1266-0136TD	0.6x4.5	152	6"	4.5	1
1266-0137TD	0.6x5.0	152	6"	5.0	1
1266-0139TD	0.8x5.5	152	6"	5.5	1
1266-0141TD	1.0x6.0	152	6"	6.0	1

TORQ-SET® Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1311-0100	TS 0	25	1"	1
1311-0101	TS 1	25	1"	1
1311-0102	TS 2	25	1"	1
1311-0103	TS 3	25	1"	1
1311-0104	TS 4	25	1"	1
1311-0105	TS 5	25	1"	1
1311-0106	TS 6	25	1"	1
1311-0107	TS 8	25	1"	1
1311-0108	TS 10	25	1"	1
1311-0109	TS 1/4"	32	1-1/4"	1
1311-0110	TS 5/16"	32	1-1/4"	1
1311-0111	TS 3/8"	32	1-1/4"	1

TORQ-SET® Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1312-0120	TS 0	32	1-1/4"	1
1312-0121	TS 1	32	1-1/4"	1

Code	Size	L (mm)	L (inch)	Pack
1312-0122	TS 2	32	1-1/4"	1
1312-0123	TS 3	32	1-1/4"	1
1312-0124	TS 4	32	1-1/4"	1
1312-0125	TS 5	32	1-1/4"	1
1312-0126	TS 6	32	1-1/4"	1
1312-0127	TS 8	32	1-1/4"	1
1312-0128	TS 10	32	1-1/4"	1

TRI-WING® Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1331-0100	TW 0	25	1"	1
1331-0101	TW 1	25	1"	1
1331-0102	TW 2	25	1"	1
1331-0103	TW 3	25	1"	1
1331-0104	TW 4	25	1"	1
1331-0105	TW 5	25	1"	1
1331-0106	TW 6	25	1"	1
1331-0107	TW 7	25	1"	1
1331-0108	TW 8	25	1"	1

TRI-WING® Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1332-0120	TW 0	32	1-1/4"	1
1332-0121	TW 1	32	1-1/4"	1
1332-0122	TW 2	32	1-1/4"	1
1332-0123	TW 3	32	1-1/4"	1
1332-0124	TW 4	32	1-1/4"	1
1332-0125	TW 5	32	1-1/4"	1
1332-0126	TW 6	32	1-1/4"	1
1332-0127	TW 7	32	1-1/4"	1
1332-0128	TW 8	32	1-1/4"	1

Spanner Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1811-0101	#0	25	1"	1
1811-0102	#1	25	1"	1
1811-0103	#2	25	1"	1
1811-0104	#3	25	1"	1
1811-0105	#4	25	1"	1
1811-0106	#5	25	1"	1

Clutch Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1831-0101	3/32"	25	1"	1
1831-0102	1/8"	25	1"	1
1831-0103	5/32"	25	1"	1
1831-0104	3/16"	25	1"	1
1831-0105	1/4"	25	1"	1

Phillips Double-Ended Bits





- Retail Package
- 12.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1563-0102PM	PH 2	65	2-9/16"	1
1563-0502PM	PH 2	65	2-9/16"	5
1563-1002PM	PH 2	65	2-9/16"	10
1567-0102PM	PH 2	75	3"	1
1564-0102PM	PH 2	100	4"	1
1566-0102PM	PH 2	150	6"	1

Phillips Double-Ended Bits





- Retail Package
- 17.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1563-0102PL	PH 2	65	2-9/16"	1
1563-0502PL	PH 2	65	2-9/16"	5
1563-1002PL	PH 2	65	2-9/16"	10
1567-0102PL	PH 2	75	3"	1
1564-0102PL	PH 2	100	4"	1
1566-0102PL	PH 2	150	6"	1

Pozidriv® Double-Ended Bits



• Retail Package
• 12.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1563-0122PM	PZ 2	65	2-9/16"	1
1563-0522PM	PZ 2	65	2-9/16"	5
1563-1022PM	PZ 2	65	2-9/16"	10
1567-0122PM	PZ 2	75	3"	1
1564-0122PM	PZ 2	100	4"	1
1566-0122PM	PZ 2	150	6"	1

Pozidriv® Double-Ended Bits



• Retail Package
• 17.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1563-0122PL	PZ 2	65	2-9/16"	1
1563-0522PL	PZ 2	65	2-9/16"	5
1563-1022PL	PZ 2	65	2-9/16"	10
1567-0122PL	PZ 2	75	3"	1
1564-0122PL	PZ 2	100	4"	1
1566-0122PL	PZ 2	150	6"	1

TORX® Double-Ended Bits



• Retail Package
• 12.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1573-0115PM	Torx T15	65	2-9/16"	1
1573-0120PM	Torx T20	65	2-9/16"	1
1573-0125PM	Torx T25	65	2-9/16"	1
1573-0127PM	Torx T27	65	2-9/16"	1
1573-0130PM	Torx T30	65	2-9/16"	1
1573-0140PM	Torx T40	65	2-9/16"	1
1573-0173PM	Torx T20/T25	65	2-9/16"	1
1573-0573PM	Torx T20/T25	65	2-9/16"	5

Double-Ended Bits



• Retail Package



Code	Size	L (mm)	L (inch)	Pack
1338-0602	PH 2/PH 2x3, SQ 2/SQ 2x3	60	2-3/8"	6

Magnetic Nutsetters



• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1171-0114	1/4"	48	1-7/8"	1
1171-0156	5/16"	48	1-7/8"	1

Code	Size	L (mm)	L (inch)	Pack
1171-0138	3/8"	48	1-7/8"	1
1171-0176	7/16"	48	1-7/8"	1
1172-0114	1/4"	65	2-9/16"	1
1172-0156	5/16"	65	2-9/16"	1
1172-0138	3/8"	65	2-9/16"	1
1172-0176	7/16"	65	2-9/16"	1
1174-0114	1/4"	101	4"	1
1174-0156	5/16"	101	4"	1
1174-0138	3/8"	101	4"	1
1174-0176	7/16"	101	4"	1
1176-0114	1/4"	152	6"	1
1176-0156	5/16"	152	6"	1
1176-0138	3/8"	152	6"	1
1176-0176	7/16"	152	6"	1
1179-0114	1/4"	300	12"	1
1179-0156	5/16"	300	12"	1
1179-0138	3/8"	300	12"	1
1171-0302	1/4, 5/16, 3/8"	48	1-7/8"	3
1171-0402	1/4, 5/16, 3/8, 7/16"	48	1-7/8"	4
1171-0106		6	48 1-7/8"	1
1171-0108		8	48 1-7/8"	1
1171-0110		10	48 1-7/8"	1
1172-0106		6	65 2-9/16"	1
1172-0108		8	65 2-9/16"	1
1172-0110		10	65 2-9/16"	1
1174-0106		6	101 4"	1
1174-0108		8	101 4"	1
1174-0110		10	101 4"	1
1176-0106		6	152 6"	1
1176-0108		8	152 6"	1
1176-0110		10	152 6"	1
1179-0106		6	300 12"	1
1179-0108		8	300 12"	1
1179-0110		10	300 12"	1
1171-0301		6, 8, 10	48 1-7/8"	3

Magnetic Nutsetters (Lobular)



• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1171-0114LB	1/4"	48	1-7/8"	1
1171-0156LB	5/16"	48	1-7/8"	1
1171-0138LB	3/8"	48	1-7/8"	1
1171-0176LB	7/16"	48	1-7/8"	1
1172-0114LB	1/4"	65	2-9/16"	1

Code	Size	L (mm)	L (inch)	Pack
1172-0156LB	5/16"	65	2-9/16"	1
1172-0138LB	3/8"	65	2-9/16"	1
1172-0176LB	7/16"	65	2-9/16"	1
1174-0114LB	1/4"	101	4"	1
1174-0156LB	5/16"	101	4"	1
1174-0138LB	3/8"	101	4"	1
1174-0176LB	7/16"	101	4"	1
1176-0114LB	1/4"	152	6"	1
1176-0156LB	5/16"	152	6"	1
1176-0138LB	3/8"	152	6"	1
1176-0176LB	7/16"	152	6"	1
1179-0114LB	1/4"	300	12"	1
1179-0156LB	5/16"	300	12"	1
1179-0138LB	3/8"	300	12"	1
1171-0302LB	1/4, 5/16, 3/8"	48	1-7/8"	3
1171-0402LB	1/4, 5/16, 3/8, 7/16"	48	1-7/8"	4
1171-0106LB		6	48 1-7/8"	1
1171-0108LB		8	48 1-7/8"	1
1171-0110LB		10	48 1-7/8"	1
1172-0106LB		6	65 2-9/16"	1
1172-0108LB		8	65 2-9/16"	1
1172-0110LB		10	65 2-9/16"	1
1174-0106LB		6	101 4"	1
1174-0108LB		8	101 4"	1
1174-0110LB		10	101 4"	1
1176-0106LB		6	152 6"	1
1176-0108LB		8	152 6"	1
1176-0110LB		10	152 6"	1
1179-0106LB		6	300 12"	1
1179-0108LB		8	300 12"	1
1179-0110LB		10	300 12"	1
1171-0301LB		6, 8, 10	48 1-7/8"	3

Socket Adapters (Ball Retention)




• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1182-0114	1/4"	50	2"	1
1182-0138	3/8"	50	2"	1
1182-0112	1/2"	50	2"	1
1183-0114	1/4"	75	3"	1
1183-0138	3/8"	75	3"	1
1183-0112	1/2"	75	3"	1
1184-0114	1/4"	100	4"	1
1184-0138	3/8"	100	4"	1

Code		L (mm)	L (inch)	Pack
1184-0112	1/2"	100	4"	1
1186-0114	1/4"	152	6"	1
1186-0138	3/8"	152	6"	1
1186-0112	1/2"	152	6"	1
1182-0301	1/4, 3/8, 1/2"	50	2"	3

Stainless Steel Magnetic Bit Holders with Retaining Spring, One-Piece Construction




- Retail Package
- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)



Code		L (mm)	L (inch)	Pack
1162-0102	1/4"	57	2-1/4"	1
1163-0101	1/4"	76	3"	1
1166-0105	1/4"	150	6"	1
1169-0105	1/4"	300	12"	1

Stainless Steel Magnetic Bit Holders



- Retail Package
- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)



Code		L (mm)	L (inch)	Pack
1162-0109	1/4"	60	2-3/8"	1
1163-0106	1/4"	76	3"	1
1164-0101	1/4"	101	4"	1
1165-0102	1/4"	127	5"	1
1166-0101	1/4"	152	6"	1

Magnetic Screw Guide



- Retail Package
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)



Code		L (mm)	L (inch)	Pack
1363-0101	1/4"	80	3-1/16"	1
1365-0101	1/4"	120	4-11/16"	1

Drive Sleeve




- Retail Package
- For use with 1/4" & 5/16" hexagon power bits (DIN 3126, ISO 1173, E 6.3 & E 8)



Code			L (mm)	L (inch)	Pack
1366-0101	1/4"	5/16"	146	5-3/4"	1

Quick Change Bit Holder, Magnetic, One-Piece Stainless Steel




- Retail Package
- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Double ball locking



Code		L (mm)	L (inch)	Pack
1612-0103	1/4"	60	2-3/8"	1

Quick Change Bit Holder, Magnetic, One-Piece Construction



- Retail Package
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Backward releasing sleeve
- Clip locking



Code		L (mm)	L (inch)	Pack
1612-0107	1/4"	60	2-3/8"	1

Quick Change Bit Holder, None-magnetic, One-Piece Construction



- Retail Package
- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon power bits (DIN 3126, ISO 1173, E 6.3)
- Forward releasing sleeve
- Single Ball locking



Code		L (mm)	L (inch)	Pack
1612-0109	1/4"	65	2-9/16"	1

Quick Change Bit Holder, Magnetic, One-Piece Construction



- Retail Package
- For use with 1/4" hexagon power bits (DIN 3126, ISO 1173, E 6.3)
- Triple ball locking



Code		L (mm)	L (inch)	Pack
1612-0111	1/4"	65	2-9/16"	1

Square Drive Bit Holders With C-Ring



- Retail Package
- DIN 3121
- For use with 1/4" or 5/16" hexagon insert bits (DIN 3126, ISO 1173, C 6.3, C 8)



Code			L (mm)	L (inch)	Pack
1191-0101	1/4"	1/4"	25	1"	1
1191-0102	3/8"	1/4"	31	1-1/4"	1
1191-0103	3/8"	5/16"	31	1-1/4"	1
1191-0104	1/2"	1/4"	35	1-3/8"	1
1191-0105	1/2"	5/16"	38	1-1/2"	1

Quality Is
All That Matters

SURETORQ®

50PCS Insert Bits, Storage Box



Code	Size	L (mm)	L (inch)	Pack
1431-5001	PH 2	25	1"	50
1431-5004	PH 2 Drywall	25	1"	50
1431-5006	PZ 2	25	1"	50
1431-5009	SQ 2	25	1"	50
1431-5013	Torx T20	25	1"	50
1431-5014	Torx T25	25	1"	50

20PCS Power Bits, Storage Box



Code	Size	L (mm)	L (inch)	Pack
1432-2001	PH 2	50	2"	20
1432-2006	PZ 2	50	2"	20
1432-2009	SQ 2	50	2"	20
1432-2013	Torx T20	50	2"	20
1432-2014	Torx T25	50	2"	20

Driver Accessory Sets

Quality Is All That Matters **SURETORQ®**

20PCS Double-Ended Bits, Storage Box



Code	Size	L (mm)	L (inch)	Pack
1433-2001	PH 2	65	2-9/16"	20
1433-2006	PZ 2	65	2-9/16"	20

32PCS Color Coded Bit Set



Code	Contents	Pack
1410-3201	Color coded insert bits (1")	31
	Quick change bit holder (2-3/8")	1

27PCS Mini Ratcheting Wrench & Drive Accessory Set



Code	Contents	Pack
1410-2701	Color coded insert bits (1")	19
	Sockets (1")	5
	Socket adapter (1")	1
	Quick change bit holder (2-3/8")	1
	Mini ratcheting wrench	1

30PCS Power Bit Set



Code	Contents	Pack
1410-3001	Power bits (2")	12
	Power bits (4")	12
	Power bits (6")	6

10PCS Screwdriver Bit Set, Pocket Case



Code	Contents	Pack
1410-1001	Insert bits (1")	9
	Quick change bit holder (2-3/8")	1

26PCS Color Coded Bit Set



Code	Contents	Pack
1410-2601	Color coded insert bits (1")	20
	Color coded power bits (2")	5
	Magnetic bit holder (2-3/8")	1

36PCS Color Coded Bit Set



Code	Contents	Pack
1410-3601	Color coded insert bits (1")	35
	Magnetic bit holder (2-3/8")	1

75PCS Screwdriver Bit Set



Code	Contents	Pack
1410-7501	Insert bits (1")	24
	Power bits (2")	40
	Power bits (4")	6
	Power bits (6")	5

Premium+ Impact Performance Tools
Premium Corrosion Resistant Tools
Professional Heavy-duty Working Tools
Ordinary General-purpose Working Tools

Premium+ Impact Performance Tools
Premium Corrosion Resistant Tools
Professional Heavy-duty Working Tools
Ordinary General-purpose Working Tools

Driver Accessory Sets

Quality Is All That Matters **SURETORQ®**

33PCS Torx® Screwdriver Bit Set



Code	Contents	Pack
1410-3301	Torx® Insert bits (1")	21
	Torx® Power bits (2")	5
	Torx® Power bits (4")	6
	Magnetic bit holder (2-3/8")	1

26PCS Torx® Socket Bit & Drive Accessory Set



Code	Contents	Pack
1410-2602	Torx® Insert bits (1")	7
	1/4" Dr. Torx® Socket bits (1")	8
	3/8" Dr. Torx® Socket bits (1-1/2")	6
	Socket adapter 1/4" (2")	1
	Socket adapter 3/8" (2")	1
	Magnetic nut setters 6, 8, 10mm (1-7/8")	3

34PCS Driving Accessory Set



Code	Contents	Pack
1410-3401	Insert bits (1")	20
	Power bits (4")	6
	Non-magnetic nut setters	7
	Magnetic bit holder (2-3/8")	1

80PCS Driving Accessory Set



Code	Contents	Pack
1410-8001	Insert bits (1")	60
	Power bits (2")	13
	Non-magnetic nut setters	6
	Magnetic bit holder (2")	1

23PCS Countersink Drill Bit & Drive Accessory Set



Code	Contents	Pack
1410-2301	Insert bits (1")	12
	Power bits (3")	3
	Non-magnetic nut setters 6, 8, 10mm	3
	Countersink Drill Bits for screw head diameter 6, 8, 10mm	3
	Drive holder	1
	L-key	1

31PCS Drill & Drive Accessory Set



Code	Contents	Pack
1410-3101	Insert bits (1")	24
	Wood spade bits	3
	Hex shank drill bits	3
	Magnetic bit holder (2")	1

45PCS Driving Accessory Set



Code	Contents	Pack
1410-4501	Insert bits (1")	25
	Power bits (2")	5
	Non-magnetic nut setters	14
	Magnetic bit holder (2")	1

27PCS Screwdriver Bit Set



Code	Contents	Pack
1410-2702	Insert bits (1")	14
	Power bits (2")	7
	Power bits (5")	6

Premium+ Impact Performance Tools
Premium Corrosion Resistant Tools
Professional Heavy-duty Working Tools
Ordinary General-purpose Working Tools

Premium+ Impact Performance Tools
Premium Corrosion Resistant Tools
Professional Heavy-duty Working Tools
Ordinary General-purpose Working Tools

Driver Accessory Sets

30PCS Driving Accessory Set



Code	Contents	Pack
1410-3002	Insert bits (1")	21
	Double-ended bits (2-3/8")	4
	Magnetic nut setters (1-7/8")	4
	Magnetic bit holder (2")	1

66PCS Screwdriver Bit Set



Code	Contents	Pack
1410-6601	Insert bits (1")	60
	Power bits (5")	6

28PCS Drill & Drive Accessory Set



Code	Contents	Pack
1410-2801	Power bits (3")	4
	Power bits (4")	4
	Magnetic nut setters (2-9/16")	4
	Wood spade bits	3
	HSS drill bits	5
	Wood drill bits	5
	Countersink	1
	Magnetic bit holder (2-3/8")	1
	Bit hook	1

40PCS Drill & Drive Accessory Set



Code	Contents	Pack
1410-4001	Insert bits (1")	6
	Power bits (2")	4
	Power bits (3")	4
	Power bits (4")	4
	Non-magnetic nut setters	7
	HSS drill bits	5
	Masonry drill bits	5
	Wood drill bits	5

58PCS Screwdriver Bit Set



• Patent design, 360° opening case

Code	Contents	Pack
1410-5801	Insert bits (1")	44
	Power bits (2")	13
	Magnetic bit holder (2")	1



Electronic Driver Bits

Quality Is All That Matters **SURETORQ®**

Phillips Electronic Driver Bits, 4mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8001-1004	PH 00	40	2.0	20	10
8001-1000	PH 0	40	2.5	20	10
8001-1001	PH 1	40	3.0	20	10
8001-1002	PH 2	40	4.0	—	10
8003-1004	PH 00	60	2.0	25	10
8003-1000	PH 0	60	2.5	25	10
8003-1001	PH 1	60	3.0	25	10
8003-1002	PH 2	60	4.0	—	10

Phillips Electronic Driver Bits, 5mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8013-1004	PH 00	60	2.0	25	10
8013-1000	PH 0	60	2.5	25	10
8013-1001	PH 1	60	3.0	25	10
8013-1002	PH 2	60	4.5	25	10
8015-1000	PH 0	80	2.5	35	10
8015-1001	PH 1	80	3.0	35	10
8015-1002	PH 2	80	4.5	35	10
8016-1000	PH 0	100	3.0	50	10
8016-1001	PH 1	100	3.5	50	10
8016-1002	PH 2	100	4.5	50	10

Phillips Electronic Driver Bits, 4mm Halfmoon Drive



Code	Size	L (mm)	D (mm)		Pack
8021-1004	PH 00	40	2.0	20	10
8021-1000	PH 0	40	2.5	20	10
8021-1001	PH 1	40	3.0	20	10
8021-1002	PH 2	40	4.0	—	10
8023-1004	PH 00	60	2.0	25	10
8023-1000	PH 0	60	2.5	25	10
8023-1001	PH 1	60	3.0	25	10
8023-1002	PH 2	60	4.0	—	10

Phillips Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8032-1004	PH 00	50	2.0	20	10
8032-1000	PH 0	50	2.5	20	10
8032-1001	PH 1	50	3.0	20	10
8032-1002	PH 2	50	4.0	—	10

Phillips Electronic Driver Bits, 5.5mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8042-1001	PH 1	50	4.0	20	10
8042-1002	PH 2	50	4.5	20	10
8042-1003	PH 3	50	6.0	20	10

Pozidriv® Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8092-1000	PZ 0	50	3.0	20	10
8092-1001	PZ 1	50	4.0	—	10

Pozidriv® Electronic Driver Bits, 5.5mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8102-1001	PH 1	50	4.0	20	10
8102-1002	PH 2	50	4.5	20	10
8102-1003	PH 3	50	6.0	20	10

TORX® Electronic Driver Bits, 4mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8181-1001	Torx T1	40	1.5	20	10
8181-1002	Torx T2	40	1.5	20	10
8181-1003	Torx T3	40	1.7	20	10
8181-1004	Torx T4	40	1.8	20	10
8181-1005	Torx T5	40	2.0	20	10
8181-1006	Torx T6	40	2.0	20	10
8181-1007	Torx T7	40	2.5	20	10
8181-1008	Torx T8	40	2.6	20	10
8181-1009	Torx T9	40	3.0	20	10
8181-1010	Torx T10	40	3.0	20	10
8183-1005	Torx T5	60	2.0	25	10
8183-1006	Torx T6	60	2.0	25	10
8183-1007	Torx T7	60	2.5	25	10
8183-1008	Torx T8	60	2.6	25	10
8183-1009	Torx T9	60	3.0	25	10
8183-1010	Torx T10	60	3.0	25	10

TORX® Electronic Driver Bits, 5mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8193-1005	Torx T5	60	2.0	25	10
8193-1006	Torx T6	60	2.0	25	10
8193-1007	Torx T7	60	2.5	25	10
8193-1008	Torx T8	60	2.6	25	10
8193-1009	Torx T9	60	3.0	25	10
8193-1010	Torx T10	60	3.0	25	10
8193-1015	Torx T15	60	3.6	25	10
8195-1007	Torx T7	80	2.5	35	10
8195-1008	Torx T8	80	2.6	35	10
8195-1009	Torx T9	80	3.0	35	10
8195-1010	Torx T10	80	3.0	35	10
8195-1015	Torx T15	80	3.6	35	10

TORX® Electronic Driver Bits, 4mm Halfmoon Drive



Code	Size	L (mm)	D (mm)		Pack
8201-1001	Torx T1	40	1.5	20	10
8201-1002	Torx T2	40	1.5	20	10
8201-1003	Torx T3	40	1.7	20	10
8201-1004	Torx T4	40	1.8	20	10
8201-1005	Torx T5	40	2.0	20	10
8201-1006	Torx T6	40	2.0	20	10
8201-1007	Torx T7	40	2.5	20	10
8201-1008	Torx T8	40	2.6	20	10
8201-1009	Torx T9	40	3.0	20	10
8201-1010	Torx T10	40	3.0	20	10
8203-1005	Torx T5	60	2.0	25	10
8203-1006	Torx T6	60	2.0	25	10
8203-1007	Torx T7	60	2.5	25	10
8203-1008	Torx T8	60	2.6	25	10
8203-1009	Torx T9	60	3.0	25	10
8203-1010	Torx T10	60	3.0	25	10

TORX® Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8212-1001	Torx T1	50	1.5	20	10
8212-1002	Torx T2	50	1.5	20	10
8212-1003	Torx T3	50	1.7	20	10
8212-1004	Torx T4	50	1.8	20	10
8212-1005	Torx T5	50	2.0	20	10
8212-1006	Torx T6	50	2.0	20	10
8212-1007	Torx T7	50	2.5	20	10
8212-1008	Torx T8	50	2.6	20	10
8212-1009	Torx T9	50	3.0	20	10
8212-1010	Torx T10	50	3.0	20	10

TORX PLUS® IP Electronic Driver Bits, 4mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8241-1001	1 IP	40	1.5	20	10
8241-1002	2 IP	40	1.5	20	10
8241-1003	3 IP	40	1.7	20	10

Premium+
Impact Performance Tools

Premium
Corrosion Resistant Tools

Professional
Heavy-duty Working Tools

Ordinary
General-purpose Working Tools

Premium+
Impact Performance Tools

Premium
Corrosion Resistant Tools

Professional
Heavy-duty Working Tools

Ordinary
General-purpose Working Tools

Electronic Driver Bits

Code	Size	L (mm)	D (mm)		Pack
8241-1004	4 IP	40	1.8	20	10
8241-1005	5 IP	40	2.0	20	10
8241-1006	6 IP	40	2.0	20	10
8241-1007	7 IP	40	2.5	20	10
8241-1008	8 IP	40	2.6	20	10
8241-1009	9 IP	40	3.0	20	10
8241-1010	10 IP	40	3.0	20	10
8243-1005	5 IP	60	2.0	25	10
8243-1006	6 IP	60	2.0	25	10
8243-1007	7 IP	60	2.5	25	10
8243-1008	8 IP	60	2.6	25	10
8243-1009	9 IP	60	3.0	25	10
8243-1010	10 IP	60	3.0	25	10

TORX PLUS® IP Electronic Driver Bits, 5mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8253-1005	5 IP	60	2.0	25	10
8253-1006	6 IP	60	2.0	25	10
8253-1007	7 IP	60	2.5	25	10
8253-1008	8 IP	60	2.6	25	10
8253-1009	9 IP	60	3.0	25	10
8253-1010	10 IP	60	3.0	25	10
8253-1015	15 IP	60	3.6	25	10
8255-1007	7 IP	80	2.5	35	10
8255-1008	8 IP	80	2.6	35	10
8255-1009	9 IP	80	3.0	35	10
8255-1010	10 IP	80	3.0	35	10
8255-1015	15 IP	80	3.6	35	10

TORX PLUS® IP Electronic Driver Bits, 4mm Halfmoon Drive



Code	Size	L (mm)	D (mm)		Pack
8261-1001	1 IP	40	1.5	20	10
8261-1002	2 IP	40	1.5	20	10
8261-1003	3 IP	40	1.7	20	10
8261-1004	4 IP	40	1.8	20	10
8261-1005	5 IP	40	2.0	20	10
8261-1006	6 IP	40	2.0	20	10
8261-1007	7 IP	40	2.5	20	10
8261-1008	8 IP	40	2.6	20	10
8261-1009	9 IP	40	3.0	20	10
8261-1010	10 IP	40	3.0	20	10
8263-1005	5 IP	60	2.0	25	10

Code	Size	L (mm)	D (mm)		Pack
8263-1006	6 IP	60	2.0	25	10
8263-1007	7 IP	60	2.5	25	10
8263-1008	8 IP	60	2.6	25	10
8263-1009	9 IP	60	3.0	25	10
8263-1010	10 IP	60	3.0	25	10

TORX PLUS® IP Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8272-1001	1 IP	50	1.5	20	10
8272-1002	2 IP	50	1.5	20	10
8272-1003	3 IP	50	1.7	20	10
8272-1004	4 IP	50	1.8	20	10
8272-1005	5 IP	50	2.0	20	10
8272-1006	6 IP	50	2.0	20	10
8272-1007	7 IP	50	2.5	20	10
8272-1008	8 IP	50	2.6	20	10
8272-1009	9 IP	50	3.0	20	10
8272-1010	10 IP	50	3.0	20	10

TORX PLUS® IPR Electronic Driver Bits, 4mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8301-1001	1 IPR	40	1.5	20	10
8301-1002	2 IPR	40	1.5	20	10
8301-1003	3 IPR	40	1.7	20	10
8301-1004	4 IPR	40	1.8	20	10
8301-1005	5 IPR	40	2.0	20	10
8301-1006	6 IPR	40	2.0	20	10
8301-1007	7 IPR	40	2.5	20	10
8303-1005	5 IPR	60	2.0	25	10
8303-1006	6 IPR	60	2.0	25	10
8303-1007	7 IPR	60	2.5	25	10

TORX PLUS® IPR Electronic Driver Bits, 4mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8301-1008	8 IPR	40	2.6	20	10
8301-1009	9 IPR	40	3.0	20	10

Code	Size	L (mm)	D (mm)		Pack
8301-1010	10 IPR	40	3.0	20	10
8303-1008	8 IPR	60	2.6	25	10
8303-1009	9 IPR	60	3.0	25	10
8303-1010	10 IPR	60	3.0	25	10

TORX PLUS® IPR Electronic Driver Bits, 5mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8313-1005	5 IPR	60	2.0	25	10
8313-1006	6 IPR	60	2.0	25	10
8313-1007	7 IPR	60	2.5	25	10
8315-1007	7 IPR	80	2.5	35	10

TORX PLUS® IPR Electronic Driver Bits, 5mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8313-1008	8 IPR	60	2.6	25	10
8313-1009	9 IPR	60	3.0	25	10
8313-1010	10 IPR	60	3.0	25	10
8315-1008	8 IPR	80	2.6	35	10
8315-1009	9 IPR	80	3.0	35	10
8315-1010	10 IPR	80	3.0	35	10

TORX PLUS® IPR Electronic Driver Bits, 4mm Halfmoon Drive



Code	Size	L (mm)	D (mm)		Pack
8321-1001	1 IPR	40	1.5	20	10
8321-1002	2 IPR	40	1.5	20	10
8321-1003	3 IPR	40	1.7	20	10
8321-1004	4 IPR	40	1.8	20	10
8321-1005	5 IPR	40	2.0	20	10
8321-1006	6 IPR	40	2.0	20	10
8321-1007	7 IPR	40	2.5	20	10
8323-1005	5 IPR	60	2.0	25	10
8323-1006	6 IPR	60	2.0	25	10
8323-1007	7 IPR	60	2.5	25	10

TORX PLUS® IPR Electronic Driver Bits, 4mm Halfmoon Drive



Code	Size	L (mm)	D (mm)		Pack
8321-1008	8 IPR	40	2.6	20	10
8321-1009	9 IPR	40	3.0	20	10
8321-1010	10 IPR	40	3.0	20	10
8323-1008	8 IPR	60	2.6	25	10
8323-1009	9 IPR	60	3.0	25	10
8323-1010	10 IPR	60	3.0	25	10

TORX PLUS® IPR Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8332-1001	1 IPR	50	1.5	20	10
8332-1002	2 IPR	50	1.5	20	10
8332-1003	3 IPR	50	1.7	20	10
8332-1004	4 IPR	50	1.8	20	10
8332-1005	5 IPR	50	2.0	20	10
8332-1006	6 IPR	50	2.0	20	10
8332-1007	7 IPR	50	2.5	20	10

TORX PLUS® IPR Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8332-1008	8 IPR	50	2.6	20	10
8332-1009	9 IPR	50	3.0	20	10
8332-1010	10 IPR	50	3.0	20	10

Hex Electronic Driver Bits, 4mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8121-1030	1.5	40	2.0	20	10
8121-1031	2.0	40	3.0	20	10
8121-1032	2.5	40	3.0	20	10
8121-1033	3.0	40	4.0	—	10

Electronic Driver Bits

Code	Size	L (mm)	D (mm)		Pack
8123-1030	1.5	60	2.0	25	10
8123-1031	2	60	3.0	25	10
8123-1032	2.5	60	3.0	25	10
8123-1033	3	60	4.0	—	10

Hex Electronic Driver Bits, 5mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8133-1030	1.5	60	2.0	25	10
8133-1031	2.0	60	3.0	25	10
8133-1032	2.5	60	3.0	25	10
8133-1033	3.0	60	4.0	25	10

Hex Electronic Driver Bits, 4mm Halfmoon Drive



Code	Size	L (mm)	D (mm)		Pack
8141-1030	1.5	40	2.0	20	10
8141-1031	2.0	40	3.0	20	10
8141-1032	2.5	40	3.0	20	10
8141-1033	3.0	40	4.0	—	10
8143-1030	1.5	60	2.0	25	10
8143-1031	2	60	3.0	25	10
8143-1032	2.5	60	3.0	25	10
8143-1033	3	60	4.0	—	10

Hex Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8152-1030	1.5	50	2.0	20	10
8152-1031	2.0	50	3.0	20	10
8152-1032	2.5	50	3.0	20	10
8152-1033	3.0	50	4.0	—	10

Slotted Electronic Driver Bits, 4mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8361-1030	0.3x1.8	40	1.8	20	10
8361-1031	0.4x2.0	40	2.0	20	10
8361-1032	0.4x2.5	40	2.5	20	10
8361-1033	0.5x3.0	40	3.0	20	10
8361-1034	0.5x4.0	40	4.0	—	10
8361-1035	0.6x3.5	40	3.5	20	10
8361-1038	0.8x4.0	40	4.0	—	10
8363-1030	0.3x1.8	60	1.8	25	10
8363-1031	0.4x2.0	60	2.0	25	10
8363-1032	0.4x2.5	60	2.5	25	10
8363-1033	0.5x3.0	60	3.0	25	10
8363-1034	0.5x4.0	60	4.0	—	10
8363-1035	0.6x3.5	60	3.5	25	10
8363-1038	0.8x4.0	60	4.0	—	10

Slotted Electronic Driver Bits, 5mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8373-1033	0.5x3.0	60	3.0	25	10
8373-1034	0.5x4.0	60	4.0	25	10
8373-1035	0.6x3.5	60	3.5	25	10
8373-1036	0.6x4.5	60	4.5	25	10
8373-1037	0.6x5.0	60	5.0	—	10
8373-1038	0.8x4.0	60	4.0	25	10
8376-1033	0.5x3.0	100	3.0	50	10
8376-1034	0.5x4.0	100	4.0	25	10
8376-1035	0.6x3.5	100	3.5	50	10
8376-1036	0.6x4.5	100	4.5	50	10
8376-1037	0.6x5.0	100	5.0	—	10
8376-1038	0.8x4.0	100	4.0	25	10

Slotted Electronic Driver Bits, 4mm Halfmoon Drive



Code	Size	L (mm)	D (mm)		Pack
8381-1030	0.3x1.8	40	1.8	20	10
8381-1031	0.4x2.0	40	2.0	20	10
8381-1032	0.4x2.5	40	2.5	20	10

Code	Size	L (mm)	D (mm)		Pack
8381-1033	0.5x3.0	40	3.0	20	10
8381-1034	0.5x4.0	40	4.0	—	10
8381-1035	0.6x3.5	40	3.5	20	10
8381-1038	0.8x4.0	40	4.0	—	10
8383-1030	0.3x1.8	60	1.8	25	10
8383-1031	0.4x2.0	60	2.0	25	10
8383-1032	0.4x2.5	60	2.5	25	10
8383-1033	0.5x3.0	60	3.0	25	10
8383-1034	0.5x4.0	60	4.0	—	10
8383-1035	0.6x3.5	60	3.5	25	10
8383-1038	0.8x4.0	60	4.0	—	10

Slotted Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8392-1030	0.3x1.8	50	1.8	20	10
8392-1031	0.4x2.0	50	2.0	20	10
8392-1032	0.4x2.5	50	2.5	20	10
8392-1033	0.5x3.0	50	3.0	20	10
8392-1034	0.5x4.0	50	4.0	—	10
8392-1035	0.6x3.5	50	3.5	20	10
8392-1036	0.6x4.5	50	4.5	20	10
8392-1037	0.6x5.5	50	5.5	20	10
8392-1038	0.8x4.0	50	4.0	—	10
8392-1039	0.8x5.5	50	5.5	20	10

Slotted Electronic Driver Bits, 5.5mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8402-1033	0.5x3.0	50	3.0	20	10
8402-1034	0.5x4.0	50	4.0	20	10
8402-1035	0.6x3.5	50	3.5	20	10
8402-1036	0.6x4.5	50	4.5	20	10
8402-1037	0.6x5.5	50	5.0	20	10
8402-1038	0.8x4.0	50	4.0	20	10
8402-1039	0.8x5.5	50	5.5	20	10
8402-1040	1.0x5.5	50	5.5	20	10
8402-1041	1.0x6.0	50	6.0	20	10
8402-1042	1.2x6.5	50	6.5	—	10
8402-1043	1.2x8.0	50	8.0	20	10
8402-1044	1.6x8.0	50	8.0	20	10



Phillips Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1380-1400	1/4"	PH 0	25	12.7	10
1380-1401	1/4"	PH 1	25	12.7	10
1380-1402	1/4"	PH 2	25	12.7	10
1380-1403	1/4"	PH 3	25	12.7	10
1380-1404	1/4"	PH 4	25	12.7	10
1380-3800	3/8"	PH 0	38	18.0	10
1380-3801	3/8"	PH 1	38	18.0	10
1380-3802	3/8"	PH 2	38	18.0	10
1380-3803	3/8"	PH 3	38	18.0	10
1380-3804	3/8"	PH 4	38	18.0	10
1380-1203	1/2"	PH 3	54	22.0	5
1380-1204	1/2"	PH 4	54	22.0	5

Pozidriv® Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1381-1400	1/4"	PZ 0	25	12.7	10
1381-1401	1/4"	PZ 1	25	12.7	10
1381-1402	1/4"	PZ 2	25	12.7	10
1381-1403	1/4"	PZ 3	25	12.7	10
1381-1404	1/4"	PZ 4	25	12.7	10
1381-3800	3/8"	PZ 0	38	18.0	10
1381-3801	3/8"	PZ 1	38	18.0	10
1381-3802	3/8"	PZ 2	38	18.0	10
1381-3803	3/8"	PZ 3	38	18.0	10
1381-3804	3/8"	PZ 4	38	18.0	10

Square Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1382-1400	1/4"	SQ 0	25	12.7	10
1382-1401	1/4"	SQ 1	25	12.7	10
1382-1402	1/4"	SQ 2	25	12.7	10

Code		Size	L (mm)	D (mm)	Pack
1382-1403	1/4"	SQ 3	25	12.7	10
1382-3800	3/8"	SQ 0	38	18.0	10
1382-3801	3/8"	SQ 1	38	18.0	10
1382-3802	3/8"	SQ 2	38	18.0	10
1382-3803	3/8"	SQ 3	38	18.0	10

TORX® Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1386-1410	1/4"	Torx T10	25	12.7	10
1386-1415	1/4"	Torx T15	25	12.7	10
1386-1420	1/4"	Torx T20	25	12.7	10
1386-1425	1/4"	Torx T25	25	12.7	10
1386-1427	1/4"	Torx T27	25	12.7	10
1386-1430	1/4"	Torx T30	25	12.7	10
1386-1440	1/4"	Torx T40	25	12.7	10
1386-1445	1/4"	Torx T45	25	12.7	10
1386-1450	1/4"	Torx T50	25	12.7	10
1386-3820	3/8"	Torx T20	38	18.0	10
1386-3825	3/8"	Torx T25	38	18.0	10
1386-3827	3/8"	Torx T27	38	18.0	10
1386-3830	3/8"	Torx T30	38	18.0	10
1386-3840	3/8"	Torx T40	38	18.0	10
1386-3845	3/8"	Torx T45	38	18.0	10
1386-3850	3/8"	Torx T50	38	18.0	10
1386-3855	3/8"	Torx T55	38	18.0	10
1386-1260	1/2"	Torx T60	54	22.0	5
1386-1270	1/2"	Torx T70	54	22.0	5

TORX® Tamper Resistant Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1387-1410	1/4"	Torx T10H	25	12.7	10
1387-1415	1/4"	Torx T15H	25	12.7	10
1387-1420	1/4"	Torx T20H	25	12.7	10
1387-1425	1/4"	Torx T25H	25	12.7	10
1387-1427	1/4"	Torx T27H	25	12.7	10
1387-1430	1/4"	Torx T30H	25	12.7	10
1387-1440	1/4"	Torx T40H	25	12.7	10
1387-1445	1/4"	Torx T45H	25	12.7	10
1387-1450	1/4"	Torx T50H	25	12.7	10

Code		Size	L (mm)	D (mm)	Pack
1387-3820	3/8"	Torx T20H	38	18.0	10
1387-3825	3/8"	Torx T25H	38	18.0	10
1387-3827	3/8"	Torx T27H	38	18.0	10
1387-3830	3/8"	Torx T30H	38	18.0	10
1387-3840	3/8"	Torx T40H	38	18.0	10
1387-3845	3/8"	Torx T45H	38	18.0	10
1387-3850	3/8"	Torx T50H	38	18.0	10
1387-3855	3/8"	Torx T55H	38	18.0	10
1387-1260	1/2"	Torx T60H	54	22.0	5
1387-1270	1/2"	Torx T70H	54	22.0	5

TORX PLUS® IP Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1388-1410	1/4"	10 IP	25	12.7	10
1388-1415	1/4"	15 IP	25	12.7	10
1388-1420	1/4"	20 IP	25	12.7	10
1388-1425	1/4"	25 IP	25	12.7	10
1388-1427	1/4"	27 IP	25	12.7	10
1388-1430	1/4"	30 IP	25	12.7	10
1388-1440	1/4"	40 IP	25	12.7	10
1388-1445	1/4"	45 IP	25	12.7	10
1388-1450	1/4"	50 IP	25	12.7	10
1388-3820	3/8"	20 IP	38	18.0	10
1388-3825	3/8"	25 IP	38	18.0	10
1388-3827	3/8"	27 IP	38	18.0	10
1388-3830	3/8"	30 IP	38	18.0	10
1388-3840	3/8"	40 IP	38	18.0	10
1388-3845	3/8"	45 IP	38	18.0	10
1388-3850	3/8"	50 IP	38	18.0	10
1388-3855	3/8"	55 IP	38	18.0	10

TORX PLUS® IPR Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1389-1410	1/4"	10 IPR	25	12.7	10
1389-1415	1/4"	15 IPR	25	12.7	10
1389-1420	1/4"	20 IPR	25	12.7	10
1389-1425	1/4"	25 IPR	25	12.7	10
1389-1427	1/4"	27 IPR	25	12.7	10
1389-1430	1/4"	30 IPR	25	12.7	10

Code		Size	L (mm)	D (mm)	Pack
1389-1440	1/4"	40 IPR	25	12.7	10
1389-1445	1/4"	45 IPR	25	12.7	10
1389-1450	1/4"	50 IPR	25	12.7	10
1389-3820	3/8"	20 IPR	38	18.0	10
1389-3825	3/8"	25 IPR	38	18.0	10
1389-3827	3/8"	27 IPR	38	18.0	10
1389-3830	3/8"	30 IPR	38	18.0	10
1389-3840	3/8"	40 IPR	38	18.0	10
1389-3845	3/8"	45 IPR	38	18.0	10
1389-3850	3/8"	50 IPR	38	18.0	10
1389-3855	3/8"	55 IPR	38	18.0	10

Hex Socket Bits



• DIN 3121

Code		Size	Size (mm)	L (mm)	D (mm)	Pack
1384-1402	1/4"	5/64"		25	12.7	10
1384-1403	1/4"	3/32"		25	12.7	10
1384-1404	1/4"	7/64"		25	12.7	10
1384-1405	1/4"	1/8"		25	12.7	10
1384-1406	1/4"	9/64"		25	12.7	10
1384-1407	1/4"	5/32"		25	12.7	10
1384-1408	1/4"	3/16"		25	12.7	10
1384-1409	1/4"	7/32"		25	12.7	10
1384-1410	1/4"	1/4"		25	12.7	10
1384-1411	1/4"	5/16"		25	12.7	10
1384-3802	3/8"	5/64"		38	18.0	10
1384-3803	3/8"	3/32"		38	18.0	10
1384-3804	3/8"	7/64"		38	18.0	10
1384-3805	3/8"	1/8"		38	18.0	10
1384-3806	3/8"	9/64"		38	18.0	10
1384-3807	3/8"	5/32"		38	18.0	10
1384-3808	3/8"	3/16"		38	18.0	10
1384-3809	3/8"	7/32"		38	18.0	10
1384-3810	3/8"	1/4"		38	18.0	10
1384-3811	3/8"	5/16"		38	18.0	10
1384-3812	3/8"	3/8"		38	18.0	10
1383-1210	1/2"	1/4"		54	22.0	5
1383-1211	1/2"	5/16"		54	22.0	5
1383-1212	1/2"	3/8"		54	22.0	5
1383-1213	1/2"	7/16"		54	22.0	5
1383-1214	1/2"	1/2"		54	22.0	5
1383-1215	1/2"	9/16"		54	22.0	5
1383-1216	1/2"	5/8"		54	22.0	5
1383-1217	1/2"	3/4"		54	22.0	5
1383-1431	1/4"		2.0	25	12.7	10
1383-1432	1/4"		2.5	25	12.7	10
1383-1433	1/4"		3.0	25	12.7	10
1383-1434	1/4"		4.0	25	12.7	10

Code		Size	Size (mm)	L (mm)	D (mm)	Pack
1383-1435	1/4"		5.0	25	12.7	10
1383-1436	1/4"		6.0	25	12.7	10
1383-1437	1/4"		7.0	25	12.7	10
1383-1438	1/4"		8.0	25	12.7	10
1383-1439	1/4"		10.0	25	12.7	10
1383-3831	3/8"		2.0	38	18.0	10
1383-3832	3/8"		2.5	38	18.0	10
1383-3833	3/8"		3.0	38	18.0	10
1383-3834	3/8"		4.0	38	18.0	10
1383-3835	3/8"		5.0	38	18.0	10
1383-3836	3/8"		6.0	38	18.0	10
1383-3837	3/8"		7.0	38	18.0	10
1383-3838	3/8"		8.0	38	18.0	10
1383-3839	3/8"		10.0	38	18.0	10
1383-1236	1/2"		6.0	54	22.0	5
1383-1237	1/2"		7.0	54	22.0	5
1383-1238	1/2"		8.0	54	22.0	5
1383-1239	1/2"		10.0	54	22.0	5
1383-1240	1/2"		11.0	54	22.0	5
1383-1241	1/2"		12.0	54	22.0	5
1383-1242	1/2"		14.0	54	22.0	5
1383-1243	1/2"		17.0	54	22.0	5
1383-1244	1/2"		19.0	54	22.0	5

Code		Size	Size (mm)	L (mm)	D (mm)	Pack
1385-1438	1/4"		0.8x4.0	25	12.7	10
1385-1439	1/4"		0.8x5.5	25	12.7	10
1385-1440	1/4"		1.0x5.5	25	12.7	10
1385-1441	1/4"		1.0x6.0	25	12.7	10
1385-1442	1/4"		1.2x6.5	25	12.7	10
1385-1443	1/4"		1.2x8.0	25	12.7	10
1385-1444	1/4"		1.6x8.0	25	12.7	10
1385-3834	3/8"		0.5x4.0	38	18.0	10
1385-3835	3/8"		0.6x3.5	38	18.0	10
1385-3836	3/8"		0.6x4.5	38	18.0	10
1385-3837	3/8"		0.6x5.5	38	18.0	10
1385-3838	3/8"		0.8x4.0	38	18.0	10
1385-3839	3/8"		0.8x5.5	38	18.0	10
1385-3840	3/8"		1.0x5.5	38	18.0	10
1385-3841	3/8"		1.0x6.0	38	18.0	10
1385-3842	3/8"		1.2x6.5	38	18.0	10
1385-3843	3/8"		1.2x8.0	38	18.0	10
1385-3844	3/8"		1.6x8.0	38	18.0	10
1385-3845	3/8"		1.6x10.0	38	18.0	10
1385-3846	3/8"		2.0x12.0	38	18.0	10
1385-3847	3/8"		2.5x14.0	38	18.0	10
1385-3848	3/8"		2.5x16.0	38	18.0	10

Slotted Socket Bits



• DIN 3121

Code		Size	Size (mm)	L (mm)	D (mm)	Pack
1385-1403	1/4"	3-4		25	12.7	10
1385-1404	1/4"	4-5		25	12.7	10
1385-1405	1/4"	5-6		25	12.7	10
1385-1406	1/4"	6-8		25	12.7	10
1385-1407	1/4"	8-10		25	12.7	10
1385-1408	1/4"	10-12		25	12.7	10
1385-1409	1/4"	12-14		25	12.7	10
1385-3805	3/8"	5-6		38	18.0	10
1385-3806	3/8"	6-8		38	18.0	10
1385-3807	3/8"	8-10		38	18.0	10
1385-3808	3/8"	10-12		38	18.0	10
1385-3809	3/8"	12-14		38	18.0	10
1385-3810	3/8"	14-16		38	18.0	10
1385-3811	3/8"	16-20		38	18.0	10
1385-3812	3/8"	20-22		38	18.0	10
1385-1432	1/4"		0.4x2.5	25	12.7	10
1385-1433	1/4"		0.5x3.0	25	12.7	10
1385-1434	1/4"		0.5x4.0	25	12.7	10
1385-1435	1/4"		0.6x3.5	25	12.7	10
1385-1436	1/4"		0.6x4.5	25	12.7	10
1385-1437	1/4"		0.6x5.5	25	12.7	10

MORTORQ® Super Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1380-1460	1/4"	MTS-0	25	12.7	10
1380-1461	1/4"	MTS-1	25	12.7	10
1380-1462	1/4"	MTS-2	25	12.7	10
1380-3861	3/8"	MTS-1	38	18.0	10
1380-3862	3/8"	MTS-2	38	18.0	10
1380-3863	3/8"	MTS-3	38	18.0	10
1380-3864	3/8"	MTS-4	38	18.0	10
1380-3865	3/8"	MTS-5	38	18.0	10
1380-1264	1/2"	MTS-4	54	22.0	5
1380-1265	1/2"	MTS-5	54	22.0	5
1380-1266	1/2"	MTS-6	54	22.0	5
1380-1267	1/2"	MTS-7	54	22.0	5

Triple Square Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1380-1410	1/4"	M4	25	12.7	10
1380-1411	1/4"	M5	25	12.7	10
1380-1412	1/4"	M6	25	12.7	10
1380-1414	1/4"	M8	25	12.7	10
1380-3811	3/8"	M5	38	18.0	10
1380-3812	3/8"	M6	38	18.0	10
1380-3814	3/8"	M8	38	18.0	10
1380-3816	3/8"	M10	38	18.0	10
1380-1211	1/2"	M5	54	22.0	5
1380-1212	1/2"	M6	54	22.0	5
1380-1213	1/2"	M7	54	22.0	5
1380-1214	1/2"	M8	54	22.0	5
1380-1215	1/2"	M9	54	22.0	5
1380-1216	1/2"	M10	54	22.0	5
1380-1217	1/2"	M12	54	22.0	5
1380-1218	1/2"	M14	54	22.0	5
1380-1219	1/2"	M16	54	22.0	5

Ribe Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1380-1430	1/4"	M4	25	12.7	10
1380-1431	1/4"	M5	25	12.7	10
1380-1432	1/4"	M6	25	12.7	10
1380-1434	1/4"	M8	25	12.7	10
1380-3831	3/8"	M5	38	18.0	10
1380-3832	3/8"	M6	38	18.0	10
1380-3834	3/8"	M8	38	18.0	10
1380-3836	3/8"	M10	38	18.0	10
1380-1231	1/2"	M5	54	22.0	5
1380-1232	1/2"	M6	54	22.0	5
1380-1233	1/2"	M7	54	22.0	5
1380-1234	1/2"	M8	54	22.0	5
1380-1235	1/2"	M9	54	22.0	5
1380-1236	1/2"	M10	54	22.0	5
1380-1237	1/2"	M12	54	22.0	5
1380-1238	1/2"	M14	54	22.0	5
1380-1239	1/2"	M16	54	22.0	5
1380-1240	1/2"	M18	54	22.0	5

Triple Square Tamper Resistant Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1380-1421	1/4"	M5	25	12.7	10
1380-1422	1/4"	M6	25	12.7	10
1380-1424	1/4"	M8	25	12.7	10
1380-3821	3/8"	M5	38	18.0	10
1380-3822	3/8"	M6	38	18.0	10
1380-3824	3/8"	M8	38	18.0	10
1380-3826	3/8"	M10	38	18.0	10
1380-1221	1/2"	M5	54	22.0	5
1380-1222	1/2"	M6	54	22.0	5
1380-1223	1/2"	M7	54	22.0	5
1380-1224	1/2"	M8	54	22.0	5
1380-1225	1/2"	M9	54	22.0	5
1380-1226	1/2"	M10	54	22.0	5
1380-1227	1/2"	M12	54	22.0	5
1380-1228	1/2"	M14	54	22.0	5
1380-1229	1/2"	M16	54	22.0	5


Ribe Tamper Resistant Socket Bits



• DIN 3121

Code		Size	L (mm)	D (mm)	Pack
1380-1440	1/4"	M4	25	12.7	10
1380-1441	1/4"	M5	25	12.7	10
1380-1442	1/4"	M6	25	12.7	10
1380-1444	1/4"	M8	25	12.7	10
1380-3841	3/8"	M5	38	18.0	10
1380-3842	3/8"	M6	38	18.0	10
1380-3844	3/8"	M8	38	18.0	10
1380-3846	3/8"	M10	38	18.0	10
1380-1241	1/2"	M5	54	22.0	5
1380-1242	1/2"	M6	54	22.0	5
1380-1243	1/2"	M7	54	22.0	5
1380-1244	1/2"	M8	54	22.0	5
1380-1245	1/2"	M9	54	22.0	5
1380-1246	1/2"	M10	54	22.0	5
1380-1247	1/2"	M12	54	22.0	5
1380-1248	1/2"	M14	54	22.0	5
1380-1249	1/2"	M16	54	22.0	5
1380-1250	1/2"	M18	54	22.0	5

Wood Boring Spade Bits



Code	Φ (inch)	Φ (mm)	L (mm)	L (inch)	Pack
1480-0137		15	152	6"	1
1480-0138		16	152	6"	1
1480-0139		18	152	6"	1
1480-0140		19	152	6"	1
1480-0141		20	152	6"	1
1480-0142		22	152	6"	1
1480-0143		24	152	6"	1
1480-0144		25	152	6"	1
1480-0145		26	152	6"	1
1480-0146		28	152	6"	1
1480-0147		30	152	6"	1
1480-0148		32	152	6"	1
1480-0149		34	152	6"	1
1480-0150		35	152	6"	1
1480-0151		36	152	6"	1
1480-0152		38	152	6"	1

Wood Boring Spade Bit Sets



Code	Contents	Pack
1480-0800	3/8, 1/2, 5/8, 3/4, 7/8, 1, 1-1/8, 1-1/2"	8
1480-0801	12, 14, 16, 18, 20, 22, 25, 32mm	8



Code	Φ (inch)	Φ (mm)	L (mm)	L (inch)	Pack
1480-0101	1/4"		152	6"	1
1480-0102	5/16"		152	6"	1
1480-0103	3/8"		152	6"	1
1480-0104	7/16"		152	6"	1
1480-0105	1/2"		152	6"	1
1480-0106	9/16"		152	6"	1
1480-0107	5/8"		152	6"	1
1480-0108	11/16"		152	6"	1
1480-0109	3/4"		152	6"	1
1480-0110	13/16"		152	6"	1
1480-0111	7/8"		152	6"	1
1480-0112	15/16"		152	6"	1
1480-0113	1"		152	6"	1
1480-0114	1-1/8"		152	6"	1
1480-0115	1-1/4"		152	6"	1
1480-0116	1-3/8"		152	6"	1
1480-0117	1-1/2"		152	6"	1
1480-0131		6	152	6"	1
1480-0132		8	152	6"	1
1480-0133		10	152	6"	1
1480-0134		12	152	6"	1
1480-0135		13	152	6"	1
1480-0136		14	152	6"	1

Titanium-coated Drill Bits



Code	Φ (inch)	Φ (mm)	L (mm)	Shank	Pack
1450-0201	1/16"		48	1/16"	2
1450-0202	5/64"		51	5/64"	2
1450-0203	3/32"		57	3/32"	2
1450-0204	7/64"		67	7/64"	2
1450-0105	1/8"		70	1/8"	1
1450-0106	9/64"		73	9/64"	1
1450-0107	5/32"		79	5/32"	1
1450-0108	11/64"		83	11/64"	1
1450-0109	3/16"		89	3/16"	1
1450-0110	13/64"		92	13/64"	1
1450-0111	7/32"		95	7/32"	1
1450-0112	15/64"		98	15/64"	1
1450-0113	1/4"		102	1/4"	1
1450-0114	17/64"		105	17/64"	1
1450-0115	9/32"		108	9/32"	1
1450-0116	19/64"		111	19/64"	1
1450-0117	5/16"		114	5/16"	1
1450-0118	21/64"		117	21/64"	1
1450-0119	11/32"		121	11/32"	1
1450-0120	23/64"		124	23/64"	1
1450-0121	3/8"		127	3/8"	1
1450-0122	25/64"		130	3/8"	1
1450-0123	13/32"		133	3/8"	1
1450-0124	27/64"		137	3/8"	1
1450-0125	7/16"		140	3/8"	1

Code	Φ (inch)	Φ (mm)	L (mm)	Shank	Pack
1450-0126	29/64"		143	3/8"	1
1450-0127	15/32"		146	3/8"	1
1450-0128	31/64"		149	3/8"	1
1450-0129	1/2"		152	3/8"	1
1450-0251		1	34	1	2
1450-0252		1.5	40	1.5	2
1450-0253		2	49	2	2
1450-0254		2.5	57	2.5	2
1450-0255		3	61	3	2
1450-0156		3.5	70	3.5	1
1450-0157		4	75	4	1
1450-0158		4.5	80	4.5	1
1450-0159		5	86	5	1
1450-0160		5.5	93	5.5	1
1450-0161		6	93	6	1
1450-0162		6.5	101	6.5	1
1450-0163		7	109	7	1
1450-0164		7.5	109	7.5	1
1450-0165		8	117	8	1
1450-0166		8.5	117	8.5	1
1450-0167		9	125	9	1
1450-0168		9.5	125	9.5	1
1450-0169		10	133	10	1
1450-0170		10.5	133	10.5	1
1450-0171		11	142	11	1
1450-0172		11.5	142	11.5	1
1450-0173		12	151	12	1
1450-0174		12.5	151	12.5	1
1450-0175		13	151	13	1

Titanium-coated Drill Bit Set



Code	Contents	Pack
1450-0600	1/8x2, 5/32, 3/16, 1/4, 5/16"	6
1450-0700	1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16"	7

- 135° split point
- M2 high speed steel with titanium coating

Ordinary General-purpose Working Tools	Professional Heavy-duty Working Tools	Premium Corrosion Resistant Tools	Premium+ Impact Performance Tools
--	---	---	---


- | Code | Contents | Pack |
|-----------|---|------|
| 1450-1500 | 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6,
6.5, 7, 8, 9, 10mm | 15 |

A collection of various drill bits, including standard double-flute bits, more complex multi-flute bits, and long auger bits, all neatly organized in a yellow and black carrying case.

- | Code | Contents | Pack |
|-----------|--|------|
| 1450-2500 | 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5,
6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10,
10.5, 11, 11.5, 12, 12.5, 13mm | 25 |

- | Code | Contents | Pack |
|-----------|---|------|
| 1450-1900 | 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5,
6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm | 19 |


Adjustable Tap Sockets



- Fits all 3/8" square drive wrenches
- For use with taps, screw extractors and other square shank tools

Code	Size	Size (mm)		L (mm)	Pack
8701-0101	#0 - 1/4"	3.0 - 6.0	3/8"	49	1

Adjustable Tap Sockets



- Fits all 3/8" square drive wrenches
- For use with taps, screw extractors and other square shank tools

Code	Size	Size (mm)		L (mm)	Pack
8701-0102	1/4" - 1/2"	6.0 - 12.0	3/8"	51	1

2PCS Adjustable Tap Socket Set



Code	Contents	Pack
8701-0201	#0 - 1/4", 1/4" - 1/2"	2

Ratcheting Tap Wrenches



- Adjustable T-handle
- Three ratcheting settings
- For use with taps, screw extractors and other square shank tools

Code	Size	Size (mm)	L (mm)	Pack
8702-0101	#0 - 1/4"	3.0 - 6.0	86	1

Ratcheting Tap Wrenches



- Adjustable T-handle
- Three ratcheting settings
- For use with taps, screw extractors and other square shank tools

Code	Size	Size (mm)	L (mm)	Pack
8702-0102	1/4" - 1/2"	6.0 - 12.0	111	1

Extended Ratcheting Tap Wrenches



- Adjustable T-handle
- Three ratcheting settings
- For use with taps, screw extractors and other square shank tools

Code	Size	Size (mm)	L (mm)	Pack
8702-0103	#0 - 1/4"	3.0 - 6.0	256	1
8702-0104	1/4" - 1/2"	6.0 - 12.0	317	1

Wood Chisel, Long Blade



- Hardened high carbon steel blade
- Double-injected grip with strike plate

Code	Size	Pack
8461-0101	1/4"	1
8461-0102	1/2"	1
8461-0103	3/4"	1
8461-0104	1"	1
8460-0300	1/2, 3/4, 1"	3

Wood Chisel, Short Blade



- Hardened high carbon steel blade
- Double-injected grip with strike plate

Code	Size	Pack
8462-0102	1/2"	1
8462-0103	3/4"	1
8462-0104	1"	1
8462-0105	1-1/4"	1
8462-0106	1-1/2"	1
8462-0107	2"	1
8460-0301	1/2, 3/4, 1"	3

15PCS Ratcheting Extendable Driver & Bit Set



- Ratcheting extendable bit holder provides faster driving in hard-to-reach places

Code	Contents	Pack
8480-1500	Insert bits (1")	12
	Power bit (2")	1
	Magnetic bit holder	1
	Ratcheting extendable bit driver	1

7PCS Nut Driver Set



- Hex shaped blades to drive with spanner for extra torque
- Color coded handles

Code	Contents	Pack
8481-0700	Nut drivers 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"	7
8481-0701	Nut drivers 6, 7, 8, 9, 10, 11, 12mm	7

9PCS Precision Driver & Bit Set



Code	Contents	Pack
8480-0900	Precision bits (40mm)	8
	Precision bit driver	1

25PCS Precision Driver & Bit Set



Code	Contents	Pack
8480-2500	Precision bits (28mm)	24
	Precision bit driver	1

42PCS Ratcheting Driver & Bit Set



Code	Contents	Pack
8480-4200	Insert bits (1")	21
	Power bits (2")	6
	Precision bits (28mm)	12
	Magnetic bit holder	1
	Precision bit driver	1
	Ratcheting bit driver	1

62PCS Ratcheting Driver & Bit Set



Code	Contents	Pack
8480-6200	Insert bits (1")	36
	Power bits (2")	8
	Power bits (3")	4
	Precision bits (28mm)	10
	Precision bit adapter	1
	Magnetic bit holder	1
	Stubby bit driver	1
	Ratcheting bit driver	1

35PCS Ratcheting Driver & Bit Set



Code	Contents	Pack
8480-3500	Insert bits (1")	10
	Power bits (2")	10
	Power bits (4")	5
	Sockets	6
	Magnetic bit holder	1
	Socket adapter 1/4" (1")	1
	3-way ratcheting bit driver	1
	Bit hook	1

33PCS Magnetic Driver & Bit Set



Code	Contents	Pack
8480-3300	Power bits (3")	32
	Magnetic bit driver	1

47PCS Ratcheting Driver & Bit Set



Code	Contents	Pack
8480-4700	Insert bits (1")	36
	Power bits (2")	10
	Ratcheting bit driver	1

67PCS Ratcheting Driver & Bit Set



Code	Contents	Pack
8480-6700	Insert bits (1")	50
	Power bits (2")	8
	Power bits (3")	8
	Ratcheting bit driver	1

36PCS Ratcheting Driver & Bit Set



Code	Contents	Pack
8480-3600	Insert bits (1")	12
	Power bits (2")	8
	Power bits (4")	5
	Sockets	7
	Magnetic bit holder	1
	Socket adapter 1/4" (1")	1
	Ratcheting bit driver	1
	Bit hook	1

Premium+
Impact Performance Tools

Premium
Corrosion Resistant Tools

Professional
Heavy-duty Working Tools

Ordinary
General-purpose Working Tools

Premium+
Impact Performance Tools

Premium
Corrosion Resistant Tools

Professional
Heavy-duty Working Tools

Ordinary
General-purpose Working Tools

TORX® L-keys



Code	Size			D (mm)	Pack
8601-1010	Torx T10	51	17	3.0	10
8601-1015	Torx T15	54	18	3.4	10
8601-1020	Torx T20	57	19	4.0	10
8601-1025	Torx T25	61	20	5.0	10
8601-1027	Torx T27	64	21	5.0	10
8601-1030	Torx T30	70	24	6.0	10
8601-1040	Torx T40	76	26	7.0	10
8601-0545	Torx T45	83	29	8.0	5
8601-0550	Torx T50	95	32	9.0	5

TORX® L-keys, Long Arm



Code	Size			D (mm)	Pack
8602-1010	Torx T10	86	17	3.0	10
8602-1015	Torx T15	90	18	3.4	10
8602-1020	Torx T20	95	19	4.0	10
8602-1025	Torx T25	100	20	5.0	10
8602-1027	Torx T27	105	24	5.0	10
8602-1030	Torx T30	114	24	6.0	10
8602-1040	Torx T40	124	26	7.0	10
8602-0545	Torx T45	133	29	8.0	5
8602-0550	Torx T50	152	32	9.0	5

TORX® Tamper Resistant L-keys



Code	Size			D (mm)	Pack
8611-1010	Torx T10H	51	17	3.0	10
8611-1015	Torx T15H	54	18	3.4	10
8611-1020	Torx T20H	57	19	4.0	10
8611-1025	Torx T25H	61	20	5.0	10
8611-1027	Torx T27H	64	21	5.0	10
8611-1030	Torx T30H	70	24	6.0	10
8611-1040	Torx T40H	76	26	7.0	10
8611-0545	Torx T45H	83	29	8.0	5
8611-0550	Torx T50H	95	32	9.0	5

TORX® Tamper Resistant L-keys, Long Arm



Code	Size			D (mm)	Pack
8612-1010	Torx T10H	86	17	3.0	10
8612-1015	Torx T15H	90	18	3.4	10
8612-1020	Torx T20H	95	19	4.0	10
8612-1025	Torx T25H	100	20	5.0	10
8612-1027	Torx T27H	105	24	5.0	10
8612-1030	Torx T30H	114	24	6.0	10
8612-1040	Torx T40H	124	26	7.0	10
8612-0545	Torx T45H	133	29	8.0	5
8612-0550	Torx T50H	152	32	9.0	5

TORX PLUS® IP L-keys



Code	Size			D (mm)	Pack
8621-1010	10 IP	51	17	3.0	10
8621-1015	15 IP	54	18	3.4	10
8621-1020	20 IP	57	19	4.0	10
8621-1025	25 IP	61	20	5.0	10
8621-1027	27 IP	64	21	5.0	10
8621-1030	30 IP	70	24	6.0	10
8621-1040	40 IP	76	26	7.0	10
8621-0545	45 IP	83	29	8.0	5
8621-0550	50 IP	95	32	9.0	5

TORX PLUS® IP L-keys, Long Arm



Code	Size			D (mm)	Pack
8622-1010	10 IP	86	17	3.0	10
8622-1015	15 IP	90	18	3.4	10
8622-1020	20 IP	95	19	4.0	10
8622-1025	25 IP	100	20	5.0	10
8622-1027	27 IP	105	24	5.0	10
8622-1030	30 IP	114	24	6.0	10
8622-1040	40 IP	124	26	7.0	10
8622-0545	45 IP	133	29	8.0	5
8622-0550	50 IP	152	32	9.0	5

TORX PLUS® IPR L-keys




Code	Size			D (mm)	Pack
8631-1010	10 IPR	51	17	3.0	10
8631-1015	15 IPR	54	18	3.4	10
8631-1020	20 IPR	57	19	4.0	10
8631-1025	25 IPR	61	20	5.0	10
8631-1027	27 IPR	64	21	5.0	10
8631-1030	30 IPR	70	24	6.0	10
8631-1040	40 IPR	76	26	7.0	10
8631-0545	45 IPR	83	29	8.0	5
8631-0550	50 IPR	95	32	9.0	5

TORX PLUS® IPR L-keys, Long Arm




Code	Size			D (mm)	Pack
8632-1010	10 IPR	86	17	3.0	10
8632-1015	15 IPR	90	18	3.4	10
8632-1020	20 IPR	95	19	4.0	10
8632-1025	25 IPR	100	20	5.0	10
8632-1027	27 IPR	105	24	5.0	10
8632-1030	30 IPR	114	24	6.0	10
8632-1040	40 IPR	124	26	7.0	10
8632-0545	45 IPR	133	29	8.0	5
8632-0550	50 IPR	152	32	9.0	5

9PCS TORX® L-key Sets




Code	Contents	Pack
8605-0901	Torx T10, T15, T20, T25, T27, T30, T40, T45, T50, Standard length	9
8606-0901	Torx T10, T15, T20, T25, T27, T30, T40, T45, T50, Long arm	9

9PCS TORX® Tamper Resistant L-key Sets




Code	Contents	Pack
8615-0901	Torx T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H, Standard length	9
8616-0901	Torx T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H, Long arm	9

9PCS TORX PLUS® IP L-key Sets



Code	Contents	Pack
8625-0901	10, 15, 20, 25, 27, 30, 40, 45, 50 IP, Standard length	9
8626-0901	10, 15, 20, 25, 27, 30, 40, 45, 50 IP, Long arm	9

9PCS TORX PLUS® IPR L-key Sets



Code	Contents	Pack
8635-0901	10, 15, 20, 25, 27, 30, 40, 45, 50 IPR, Standard length	9
8636-0901	10, 15, 20, 25, 27, 30, 40, 45, 50 IPR, Long arm	9

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Ordinary General-purpose Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Ordinary General-purpose Working Tools

Hex L-keys, Short Arm



Code	Size			Pack
8640-1030	1.5	42	15	10
8640-1031	2.0	44	17	10
8640-1032	2.5	46	17	10
8640-1033	3.0	50	18	10
8640-1034	4.0	53	22	10
8640-1035	5.0	58	23	10
8640-1036	6.0	63	26	10

Hex L-keys, Standard



Code	Size			Pack
8641-1030	1.5	47	16	10
8641-1031	2.0	52	18	10
8641-1032	2.5	59	21	10
8641-1033	3.0	66	23	10
8641-1034	4.0	74	29	10
8641-1035	5.0	85	33	10
8641-0536	6.0	96	38	5
8641-0538	8.0	108	44	5
8641-0539	10.0	122	50	5

Hex L-keys, Long Arm



Code	Size			Pack
8642-1030	1.5	64	16	10
8642-1031	2.0	77	18	10
8642-1032	2.5	88	21	10
8642-1033	3.0	93	23	10
8642-1034	4.0	104	29	10
8642-1035	5.0	120	33	10
8642-0536	6.0	141	38	5
8642-0538	8.0	158	44	5
8642-0539	10.0	180	50	5

Hex L-keys, Extra Long Arm



Code	Size			Pack
8643-1030	1.5	92	16	10
8643-1031	2.0	102	18	10
8643-1032	2.5	115	21	10
8643-1033	3.0	129	23	10
8643-1034	4.0	144	29	10
8643-1035	5.0	165	33	10
8643-0536	6.0	186	38	5
8643-0538	8.0	208	44	5
8643-0539	10.0	234	50	5

Hex L-keys, Ball Head, Standard



Code	Size			Pack
8651-1030	1.5	47	16	10
8651-1031	2.0	52	18	10
8651-1032	2.5	59	21	10
8651-1033	3.0	66	23	10
8651-1034	4.0	74	29	10
8651-1035	5.0	85	33	10
8651-0536	6.0	96	38	5
8651-0538	8.0	108	44	5
8651-0539	10.0	122	50	5

Hex L-keys, Ball Head, Long Arm



Code	Size			Pack
8652-1030	1.5	64	16	10
8652-1031	2.0	77	18	10
8652-1032	2.5	88	21	10
8652-1033	3.0	93	23	10
8652-1034	4.0	104	29	10
8652-1035	5.0	120	33	10
8652-0536	6.0	141	38	5
8652-0538	8.0	158	44	5
8652-0539	10.0	180	50	5

Hex L-keys, Ball Head, Extra Long Arm



Code	Size			Pack
8653-1030	1.5	92	16	10
8653-1031	2.0	102	18	10
8653-1032	2.5	115	21	10
8653-1033	3.0	129	23	10
8653-1034	4.0	144	29	10
8653-1035	5.0	165	33	10
8653-0536	6.0	186	38	5
8653-0538	8.0	208	44	5
8653-0539	10.0	234	50	5

Hex L-key Sets



Code	Contents	Pack
8645-0901	Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Standard length	9
8646-0901	Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Long arm	9
8647-0901	Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Extra long arm	9

Hex L-key Sets, Ball Head



Code	Contents	Pack
8655-0901	Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Standard length	9
8656-0901	Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Long arm	9
8657-0901	Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Extra long arm	9

i

25°

25°

•The application of ball head design makes it possible to fasten screws at an angle up to 25°and therefore enable to drive in hard-to-reach places.

