

Corrosion Resistant Tools



Phillips Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
3011-2501	PH 1	25	1"	25
3011-2502	PH 2	25	1"	25
3011-2503	PH 3	25	1"	25

Phillips Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
3012-1001	PH 1	50	2"	10
3012-1002	PH 2	50	2"	10
3012-1003	PH 3	50	2"	10


Pozidriv® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
3021-2501	PZ 1	25	1"	25
3021-2502	PZ 2	25	1"	25
3021-2503	PZ 3	25	1"	25

Pozidriv® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
3022-1001	PZ 1	50	2"	10
3022-1002	PZ 2	50	2"	10
3022-1003	PZ 3	50	2"	10

Square Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
3031-2501	SQ 1	25	1"	25
3031-2502	SQ 2	25	1"	25
3031-2503	SQ 3	25	1"	25

Square Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
3032-1001	SQ 1	50	2"	10
3032-1002	SQ 2	50	2"	10
3032-1003	SQ 3	50	2"	10

i

Stainless Steel Bit

•Manufactured with special hardened stainless steel.

•Torsion zone absorbs high torque output and increases bit life.

•Laser marking for easy identification of bit size.



•Precision machined tip for perfect fitment.

•High-density bit surface prevents cross contamination.

TORX® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
3041-2508	Torx T8	25	1"	25
3041-2509	Torx T9	25	1"	25
3041-2510	Torx T10	25	1"	25
3041-2515	Torx T15	25	1"	25
3041-2520	Torx T20	25	1"	25
3041-2525	Torx T25	25	1"	25
3041-2527	Torx T27	25	1"	25
3041-2530	Torx T30	25	1"	25
3041-2540	Torx T40	25	1"	25

TORX® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
3042-1008	Torx T8	50	2"	10
3042-1009	Torx T9	50	2"	10
3042-1010	Torx T10	50	2"	10
3042-1015	Torx T15	50	2"	10
3042-1020	Torx T20	50	2"	10
3042-1025	Torx T25	50	2"	10
3042-1027	Torx T27	50	2"	10
3042-1030	Torx T30	50	2"	10
3042-1040	Torx T40	50	2"	10

TORX® Tamper Resistant Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
3051-2508	Torx T8H	25	1"	25
3051-2509	Torx T9H	25	1"	25
3051-2510	Torx T10H	25	1"	25
3051-2515	Torx T15H	25	1"	25
3051-2520	Torx T20H	25	1"	25
3051-2525	Torx T25H	25	1"	25
3051-2527	Torx T27H	25	1"	25
3051-2530	Torx T30H	25	1"	25
3051-2540	Torx T40H	25	1"	25

TORX® Tamper Resistant Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
3052-1008	Torx T8H	50	2"	10
3052-1009	Torx T9H	50	2"	10
3052-1010	Torx T10H	50	2"	10
3052-1015	Torx T15H	50	2"	10
3052-1020	Torx T20H	50	2"	10
3052-1025	Torx T25H	50	2"	10
3052-1027	Torx T27H	50	2"	10
3052-1030	Torx T30H	50	2"	10
3052-1040	Torx T40H	50	2"	10

Hex Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3091-2503	3/32"		25	1"	25
3091-2504	7/64"		25	1"	25
3091-2505	1/8"		25	1"	25
3091-2506	9/64"		25	1"	25
3091-2507	5/32"		25	1"	25
3091-2508	3/16"		25	1"	25
3091-2509	7/32"		25	1"	25
3091-2510	1/4"		25	1"	25
3091-2530		1.5	25	1"	25
3091-2531		2.0	25	1"	25
3091-2532		2.5	25	1"	25
3091-2533		3.0	25	1"	25
3091-2534		4.0	25	1"	25
3091-2535		5.0	25	1"	25
3091-2536		6.0	25	1"	25

Hex Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3092-1003	3/32"		50	2"	10
3092-1004	7/64"		50	2"	10
3092-1005	1/8"		50	2"	10
3092-1006	9/64"		50	2"	10

Stainless

Driving Accessories

Quality Is All That Matters SURETORQ®

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3092-1007	5/32"		50	2"	10
3092-1008	3/16"		50	2"	10
3092-1009	7/32"		50	2"	10
3092-1010	1/4"		50	2"	10
3092-1030		1.5	50	2"	10
3092-1031		2.0	50	2"	10
3092-1032		2.5	50	2"	10
3092-1033		3.0	50	2"	10
3092-1034		4.0	50	2"	10
3092-1035		5.0	50	2"	10
3092-1036		6.0	50	2"	10


Slotted Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3101-2504	4-5		25	1"	25
3101-2505	5-6		25	1"	25
3101-2506	6-8		25	1"	25
3101-2507	8-10		25	1"	25
3101-2508	10-12		25	1"	25
3101-2533		0.5x3.0	25	1"	25
3101-2535		0.6x3.5	25	1"	25
3101-2538		0.8x4.0	25	1"	25
3101-2540		1.0x5.5	25	1"	25
3101-2542		1.2x6.5	25	1"	25

Slotted Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3102-1004	4-5		50	2"	10
3102-1005	5-6		50	2"	10
3102-1006	6-8		50	2"	10
3102-1007	8-10		50	2"	10
3102-1008	10-12		50	2"	10
3102-1033		0.5x3.0	50	2"	10
3102-1035		0.6x3.5	50	2"	10
3102-1038		0.8x4.0	50	2"	10
3102-1040		1.0x5.5	50	2"	10
3102-1042		1.2x6.5	50	2"	10

None-magnetic Nutsetters With Retaining Spring



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3071-0514	1/4"		48	1-7/8"	5
3071-0556	5/16"		48	1-7/8"	5
3071-0538	3/8"		48	1-7/8"	5
3071-0576	7/16"		48	1-7/8"	5
3071-0505		5	48	1-7/8"	5
3071-0506		6	48	1-7/8"	5
3071-0507		7	48	1-7/8"	5
3071-0508		8	48	1-7/8"	5
3071-0510		10	48	1-7/8"	5
3071-0513		13	48	1-7/8"	5

Phillips Insert Bits



• Retail Package
• DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
3111-0201	PH 1	25	1"	2
3111-0202	PH 2	25	1"	2
3111-0203	PH 3	25	1"	2
3111-0502	PH 2	25	1"	5

Phillips Power Bits



• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
3112-0101	PH 1	50	2"	1
3112-0102	PH 2	50	2"	1
3112-0103	PH 3	50	2"	1

Pozidriv® Insert Bits



• Retail Package
• DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
3121-0201	PZ 1	25	1"	2
3121-0202	PZ 2	25	1"	2
3121-0203	PZ 3	25	1"	2
3121-0502	PZ 2	25	1"	5

Pozidriv® Power Bits



• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
3122-0101	PZ 1	50	2"	1
3122-0102	PZ 2	50	2"	1
3122-0103	PZ 3	50	2"	1

Square Insert Bits



• Retail Package
• DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
3131-0201	SQ 1	25	1"	2
3131-0202	SQ 2	25	1"	2
3131-0203	SQ 3	25	1"	2
3131-0502	SQ 2	25	1"	5

Square Power Bits



• Retail Package
• DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
3132-0101	SQ 1	50	2"	1
3132-0102	SQ 2	50	2"	1
3132-0103	SQ 3	50	2"	1

TORX® Insert Bits



• Retail Package
• DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
3141-0108	Torx T8	25	1"	1
3141-0109	Torx T9	25	1"	1
3141-0110	Torx T10	25	1"	1
3141-0115	Torx T15	25	1"	1
3141-0120	Torx T20	25	1"	1
3141-0125	Torx T25	25	1"	1
3141-0127	Torx T27	25	1"	1
3141-0130	Torx T30	25	1"	1
3141-0140	Torx T40	25	1"	1
3141-0525	Torx T25	25	1"	5
3141-0501	Torx T10, T15, T20, T25, T30	25	1"	5

TORX® Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
3142-0108	Torx T8	50	2"	1
3142-0109	Torx T9	50	2"	1
3142-0110	Torx T10	50	2"	1
3142-0115	Torx T15	50	2"	1
3142-0120	Torx T20	50	2"	1
3142-0125	Torx T25	50	2"	1
3142-0127	Torx T27	50	2"	1
3142-0130	Torx T30	50	2"	1
3142-0140	Torx T40	50	2"	1

TORX® Tamper Resistant Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
3151-0108	Torx T8H	25	1"	1
3151-0109	Torx T9H	25	1"	1
3151-0110	Torx T10H	25	1"	1
3151-0115	Torx T15H	25	1"	1
3151-0120	Torx T20H	25	1"	1
3151-0125	Torx T25H	25	1"	1
3151-0127	Torx T27H	25	1"	1
3151-0130	Torx T30H	25	1"	1
3151-0140	Torx T40H	25	1"	1

TORX® Tamper Resistant Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
3152-0108	Torx T8H	50	2"	1
3152-0109	Torx T9H	50	2"	1
3152-0110	Torx T10H	50	2"	1
3152-0115	Torx T15H	50	2"	1
3152-0120	Torx T20H	50	2"	1
3152-0125	Torx T25H	50	2"	1
3152-0127	Torx T27H	50	2"	1
3152-0130	Torx T30H	50	2"	1
3152-0140	Torx T40H	50	2"	1

Hex Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3271-0103	3/32"		25	1"	1
3271-0104	7/64"		25	1"	1
3271-0105	1/8"		25	1"	1
3271-0106	9/64"		25	1"	1
3271-0107	5/32"		25	1"	1
3271-0108	3/16"		25	1"	1
3271-0109	7/32"		25	1"	1
3271-0110	1/4"		25	1"	1
3271-0130		1.5	25	1"	1
3271-0131		2.0	25	1"	1
3271-0132		2.5	25	1"	1
3271-0133		3.0	25	1"	1
3271-0134		4.0	25	1"	1
3271-0135		5.0	25	1"	1
3271-0136		6.0	25	1"	1

Hex Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3272-0103	3/32"		50	2"	1
3272-0104	7/64"		50	2"	1
3272-0105	1/8"		50	2"	1
3272-0106	9/64"		50	2"	1
3272-0107	5/32"		50	2"	1
3272-0108	3/16"		50	2"	1
3272-0109	7/32"		50	2"	1
3272-0110	1/4"		50	2"	1
3272-0130		1.5	50	2"	1
3272-0131		2.0	50	2"	1
3272-0132		2.5	50	2"	1
3272-0133		3.0	50	2"	1
3272-0134		4.0	50	2"	1
3272-0135		5.0	50	2"	1
3272-0136		6.0	50	2"	1

Slotted Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3261-0104	4-5		25	1"	1
3261-0105	5-6		25	1"	1
3261-0106	6-8		25	1"	1
3261-0107	8-10		25	1"	1
3261-0108	10-12		25	1"	1
3261-0133		0.5x3.0	25	1"	1
3261-0135		0.6x3.5	25	1"	1
3261-0138		0.8x4.0	25	1"	1
3261-0140		1.0x5.5	25	1"	1
3261-0142		1.2x6.5	25	1"	1

Slotted Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3262-0104	4-5		50	2"	1
3262-0105	5-6		50	2"	1
3262-0106	6-8		50	2"	1
3262-0107	8-10		50	2"	1
3262-0108	10-12		50	2"	1
3262-0133		0.5x3.0	50	2"	1
3262-0135		0.6x3.5	50	2"	1
3262-0138		0.8x4.0	50	2"	1
3262-0140		1.0x5.5	50	2"	1
3262-0142		1.2x6.5	50	2"	1

None-magnetic Nutsetters With Retaining Spring



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3171-0114	1/4"		48	1-7/8"	1
3171-0156	5/16"		48	1-7/8"	1
3171-0138	3/8"		48	1-7/8"	1
3171-0176	7/16"		48	1-7/8"	1
3171-0301	1/4, 5/16, 3/8"		48	1-7/8"	3
3171-0105		5	48	1-7/8"	1
3171-0106		6	48	1-7/8"	1
3171-0107		7	48	1-7/8"	1
3171-0108		8	48	1-7/8"	1
3171-0110		10	48	1-7/8"	1
3171-0113		13	48	1-7/8"	1
3171-0302		6, 8, 10	48	1-7/8"	3